

# **DATA SHEET**

**ARRAY CHIP RESISTORS** 

YC/TC 164 (8Pin/4R; Pb Free)

5%, 1% sizes 4 × 0603



Phicomp





#### SCOPE

This specification describes YCI64 (convex) and TCI64 (concave) series chip resistor arrays with lead-free terminations made by thick film process.

#### ORDERING INFORMATION

Part number is identified by the series, size, tolerance, packing type, temperature coefficient, taping reel and resistance value.

#### PHYCOMP ORDERING CODE

XXX XXXXX L

(2)

#### **I2NC** CODE 2350

71)

(1)		(	2) (3) (4)		
TYPE/	START	TOL.	RESISTANCE	PAPER / PE TAPE ON REEL	(units) (2)
4×0603	IN <sup>(1)</sup>	(%)	RANGE	5,000	20,000
ARV241	2350	±5%	10 to 1 $M\Omega$	035 10xxx	035 I2xxx
ARV242	2350	±1%	10 to 1 $M\Omega$	025 lxxx	025 3xxxx
ARC241	2350	±5%	10 to 1 $M\Omega$	034 I0xxx	013 3xxxx
ARC242	2350	±1%	10 to 1 $M\Omega$	024 Ixxx	013 3xxxx
Jumper	2350	-	0 Ω	ARV241/YC164 035 91001	=

- (I) The resistors have a 12-digit ordering code starting with 2350.
- (2) The subsequent 4 or 5 digits indicate the resistor tolerance and packaging.
- (3) The remaining 4 or 3 digits represent the resistance value with the last digit indicating the multiplier as shown in the table of "Last digit of 12NC".
- (4) "L" means lead-free terminations.

#### **ORDERING EXAMPLE**

The ordering code of an ARV241 convex chip resistor array, value  $1,000 \Omega$  with  $\pm 5\%$  tolerance, supplied in tape of 5,000 units per reel is: 235003510102L.

Last digit of 12N		
Resistance decade (3	3)	Last digit
0.01 to 0.0976 Ω		0
0.1 to 0.976 $\Omega$		7
I to 9.76 Ω		8
10 to 97.6 Ω		9
100 to 976 Ω		
I to 9.76 $k\Omega$		2
$10$ to $97.6~k\Omega$		3
100 to 976 $k\Omega$		4
I to 9.76 $M\Omega$		5
10 to 97.6 MΩ		6
Example: 0.02 Ω	=	0200 or 200

ARC241/TC164 034 91001

Example:	0.02 Ω	=	0200 or 200
	0.3 Ω	=	3007 or 307
	ΙΩ	=	1008 or 108
	33 kΩ	=	3303 or 333
	$10~\text{M}\Omega$	=	1006 or 106

#### CTC CODE

$$\begin{array}{c} \mathbf{YC} \\ \mathbf{TC} \end{array} 164 - \underbrace{\mathbf{X}}_{(1)} \ \underbrace{\mathbf{X}}_{(2)} \ \underbrace{\mathbf{X}}_{(3)} \ \underbrace{\mathbf{XX}}_{(4)} \ \underbrace{\mathbf{XXXX}}_{(5)} \ \underbrace{\mathbf{L}}_{(6)}$$

(I) TOLERANCE	
F = ±1%	
$J = \pm 5\%$	

# (2) PACKAGING TYPE

R = Paper/PE taping reel

#### (3) TEMPERATURE COEFFICIENT OF RESISTANCE

- = Base on spec

#### (4) TAPING REEL

07 = 7 inch dia. Reel 13 = 13 inch dia, Reel

#### (5) RESISTANCE VALUE

56R, 560R, 5K6, 56K, IM 0R = Jumper

#### (6) RESISTOR TERMINATIONS

L = Lead free terminations (pure Tin)

#### **ORDERING EXAMPLE**

The ordering code of a YCI64 convex chip resistor array, value 1,000  $\Omega$  with ±5% tolerance, supplied in 7-inch tape reel is: YC164-JR-071KL.

#### NOTE

- 1. The "L" at the end of the code is only for ordering. On the reel label, the standard CTC or 12NC will be mentioned an additional stamp "LFP"= lead free production.
- 2. Products with lead in terminations fulfil the same requirements as mentioned in this datasheet.
- 3. Products with lead in terminations will be phased out in the coming months (before July 1st, 2006)



# **Chip Resistor Surface Mount**

YC/TC

SERIES

164 (Pb Free)

#### MARKING

**YCI64** 




E-24 series: 3 digits

First two digits for significant figure and 3rd digit for number of zeros

For marking codes, please see EIA-marking code rules in data sheet "Chip resistors marking".

#### **CONSTRUCTION**


The resistors are constructed out of a high-grade ceramic body. Internal metal electrodes are added at each end and connected by a resistive paste. The composition of the paste is adjusted to give the approximate required resistance and laser cutting of this resistive layer that achieves tolerance trims the value. The resistive layer is covered with a




protective coat. Finally, the eight external terminations (pure Tin) are added. See fig. 2.

#### DIMENSIONS

Table I		
TYPE	YC164	TC164
B (mm)	0.30 ±0.15	0.30 ±0.15
H (mm)	0.65 ±0.05	
P (mm)	$0.80 \pm 0.05$	0.80 ±0.05
L (mm)	3.20 ±0.15	3.20 ±0.15
H <sub>2</sub> (mm)	0.50 ±0.15	0.60 ±0.15
T (mm)	0.60 ±0.10	0.60 ±0.10
$W_1$ (mm)	0.30 ±0.15	0.30 ±0.15
$W_2$ (mm)	1.60 ±0.15	1.60 ±0.15



## **SCHEMATIC**



# **Chip Resistor Surface Mount**

YC/TC

SERIES

164 (Pb Free)

1.0 A

#### **ELECTRICAL CHARACTERISTICS**

Table 2		
CHARACTERISTICS	YC/T	C164 1/16 W
Operating Temperature Range	<b>–</b> 55	°C to +155 °C
Maximum Working Voltage		50 V
Maximum Overload Voltage		100 V
Dielectric Withstanding Voltage		100 V
Number of Resistors		4
	5% (E24)	10 Ω to 1 MΩ
Resistance Range	1% (E24/E96)	10 $\Omega$ to 1 $M\Omega$
	Zero Ohm Jumper	< 0.05 Ω
Temperature Coefficient		±200 ppm/°C

# FOOTPRINT AND SOLDERING

# **PROFILES**

For recommended footprint and soldering profiles, please see the special data sheet "Chip resistors mounting".

#### ENVIRONMENTAL DATA

For material declaration information (IMDS-data) of the products, please see the separated info "Environmental data" conformed to EU RoHS.

### PACKING STYLE AND PACKAGING QUANTITY

Table 3 Packing style and packaging quantity

PRODUCT TYPE	PACKING STYLE	REEL DIMENSION	QUANTITY PER REEL
YC/TC164	Paper / PE Taping Reel (R)	7" (178 mm)	5,000 units
		13" (330 mm)	20,000 units

Rated Current

#### NOTE

1. For Paper/PE tape and reel specification/dimensions, please see the special data sheet "Packing" document.

#### **FUNCTIONAL DESCRIPTION**

#### **POWER RATING**

Jumper Criteria

YC/TC164 rated power at 70°C is 1/16 W

#### **RATED VOLTAGE**

The DC or AC (rms) continuous working voltage corresponding to the rated power is determined by the following formula:


$$V = \sqrt{(P \times R)}$$

Where

V = Continuous rated DC or AC (rms) working voltage (V)

P = Rated power (W)

 $R = Resistance value (\Omega)$ 



# TESTS AND REQUIREMENTS

**Table 4** Test condition, procedure and requirements

TEST	TEST METHOD	PROCEDURE	REQUIREMENTS
Temperature Coefficient of	MIL-STD-202F-method 304;	At +25/-55 °C and +25/+125 °C	Refer to table 2
Resistance	JIS C 5202-4.8	Formula:	
(T.C.R.)		T.C.R = $\frac{R_2 - R_1}{R_1 (t_2 - t_1)} \times 10^6 \text{ (ppm/°C)}$	
		Where $t_1 = +25$ °C or specified room temperature	
		$t_2 = -55$ °C or +125 °C test temperature	
		$R_1$ = resistance at reference temperature in ohms	
		$R_2$ = resistance at test temperature in ohms	
Thermal Shock	MIL-STD-202F-method 107G;	At -65 (+0/-10) °C for 2 minutes and at +155	$\pm (0.5\% \pm 0.05 \ \Omega)$ for 1% tol.
	IEC 60115-1 4.19	(+10/-0) °C for 2 minutes; 25 cycles	$\pm (1.0\%$ +0.05 $\Omega)$ for 5% tol.
Low	MIL-R-55342D-Para 4.7.4	At -65 (+0/-5) °C for I hour, RCWV applied for	$\pm (0.5\% + 0.05 \ \Omega)$ for 1% tol .
Temperature		45 (+5/–0) minutes	$\pm (1.0\%$ +0.05 $\Omega)$ for 5% tol.
Operation			No visible damage
Short Time	MIL-R-55342D-Para 4.7.5;	2.5 × RCWV applied for 5 seconds at room	$\pm$ (1.0% +0.05 $\Omega$ ) for 1% tol.
Overload	IEC 60115-1 4.13	temperature	$\pm (2.0\%$ +0.05 $\Omega)$ for 5% tol.
			No visible damage
Insulation	MIL-STD-202F-method 302;	RCOV for I minute	≥10 GΩ
Resistance	IEC 60115-1 4.6.1.1	Type YC/TC164	
		Voltage (DC)	
Dielectric	MIL-STD-202F-method 301;	Maximum voltage (V <sub>rms</sub> ) applied for 1 minute	No breakdown or flashover
Withstand	IEC 60115-1 4.6.1.1	Type YC/TC164	THO DI EARGOWIT OF HASHOVE
Voltage	120 00110 1 1.0.1.1	71	
		Voltage (AC) 100 V <sub>rms</sub>	
Resistance to	MIL-STD-202F-method 210C;	Unmounted chips; 260 ±5 °C for 10 ±1 seconds	$\pm (0.5\% + 0.05 \ \Omega)$ for 1% tol.
Soldering	IEC 60115-1 4.18		$\pm (1.0\%$ +0.05 $\Omega)$ for 5% tol.
Heat			No visible damage
Life	MIL-STD-202F-method 108A;	At 70 ±2 °C for 1,000 hours; RCWV applied for	$\pm (1\% +0.05 \ \Omega)$ for 1% tol.
	IEC 60115-1 4.25.1	1.5 hours on and 0.5 hour off	

Chip Resistor Surface Mount YC/TC SERIES 164 (Pb Free)


ST	TEST METHOD	PROCEDURE	REQUIREMENTS	
Solderability	MIL-STD-202F-method 208A;	Solder bath at 245 ±3 ℃	Well tinned (≥95% covered) No visible damage	
	IEC 60115-1 4.17	Dipping time: 2 ±0.5 seconds		
Bending	JIS C 5202.6.14;	Resistors mounted on a 90 mm glass epoxy	$\pm$ (1.0% +0.05 Ω) for 19	% tol.
Strength	IEC 60115-1 4.15	resin PCB (FR4)	$\pm (1.0\% + 0.05 \Omega)$ for 5% tol.	
		Bending: I mm	No visible damage	
Resistance to	MIL-STD-202F-method 215;	Isopropylalcohol (C <sub>3</sub> H <sub>7</sub> OH) or dichloromethane	No smeared	
Solvent	IEC 60115-1 4.29	(CH <sub>2</sub> Cl <sub>2</sub> ) followed by brushing		
Noise	JIS C 5202 5.9;	Maximum voltage (V <sub>rms</sub> ) applied.	Resistors range	Value
	IEC 60115-1 4.12		R < 100 Ω	I0 dB
			$100 \Omega \le R < 1 K\Omega$	20 dB
			$1 \text{ K}\Omega \leq R < 10 \text{ K}\Omega$	30 dB
			$10 \text{ K}\Omega \leq R < 100 \text{ K}\Omega$	40 dB
			$100 \text{ K}\Omega \leq R < 1 \text{ M}\Omega$	46 dB
			$1 \text{ M}\Omega \leq R \leq 22 \text{ M}\Omega$	48 dB
Humidity	JIS C 5202 7.5;	1,000 hours; 40 ±2 °C; 93(+2/–3)% RH	+(0.5% +0.05 O) for 19	% tol
Humidity (steady state)	JIS C 5202 7.5; IEC 60115-8 4.24.8	I,000 hours; 40 ±2 °C; 93(+2/–3)% RH RCWV applied for I.5 hours on and 0.5 hour off	$\pm (0.5\% + 0.05 \Omega)$ for 19 $\pm (2.0\% + 0.05 \Omega)$ for 5%	
•	•	· · · ·	,	
(steady state)	IEC 60115-8 4.24.8	RCWV applied for 1.5 hours on and 0.5 hour off	$\pm (2.0\% + 0.05 \Omega)$ for 5%	
(steady state)	IEC 60115-8 4.24.8 EIA/IS 4.13B;	RCWV applied for 1.5 hours on and 0.5 hour off Solder bath at 260 $\pm$ 5 °C Dipping time: 30 $\pm$ 1 seconds	$\pm (2.0\% + 0.05 \Omega)$ for 5%	% tol.
(steady state)  Leaching	IEC 60115-8 4.24.8  EIA/IS 4.13B; IEC 60115-8 4.18	RCWV applied for 1.5 hours on and 0.5 hour off Solder bath at 260 $\pm 5$ °C Dipping time: 30 $\pm 1$ seconds	$\pm (2.0\% + 0.05 \Omega)$ for 5% No visible damage	% tol.
(steady state)  Leaching  Intermittent	IEC 60115-8 4.24.8  EIA/IS 4.13B; IEC 60115-8 4.18	RCWV applied for 1.5 hours on and 0.5 hour off Solder bath at 260 $\pm$ 5 °C Dipping time: 30 $\pm$ 1 seconds  At room temperature; 2.5 × RCWV applied for 1 second on and 25 seconds off; total 10,000	$\pm (2.0\% + 0.05 \ \Omega)$ for 5% No visible damage $\pm (1.0\% + 0.05 \ \Omega)$ for 1%	% tol.
Leaching  Intermittent Overload  Resistance to Vibration  Moisture	IEC 60115-8 4.24.8  EIA/IS 4.13B; IEC 60115-8 4.18  JIS C 5202 5.8	RCWV applied for 1.5 hours on and 0.5 hour off Solder bath at 260 $\pm$ 5 °C Dipping time: $30 \pm 1$ seconds  At room temperature; $2.5 \times$ RCWV applied for 1 second on and 25 seconds off; total 10,000 cycles	$\pm (2.0\% + 0.05 \ \Omega)$ for 5% No visible damage $\pm (1.0\% + 0.05 \ \Omega)$ for 1%	% tol. % tol. % tol.
Leaching  Intermittent Overload  Resistance to Vibration	IEC 60115-8 4.24.8  EIA/IS 4.13B; IEC 60115-8 4.18  JIS C 5202 5.8  On request	RCWV applied for 1.5 hours on and 0.5 hour off Solder bath at $260 \pm 5$ °C Dipping time: $30 \pm 1$ seconds  At room temperature; $2.5 \times$ RCWV applied for 1 second on and 25 seconds off; total 10,000 cycles  On request	$\pm (2.0\% + 0.05 \Omega)$ for 5%  No visible damage $\pm (1.0\% + 0.05 \Omega)$ for 1% $\pm (2.0\% + 0.05 \Omega)$ for 5%	% tol. % tol. % tol.

**Chip Resistor Surface Mount** 

YC/TC

SERIES

164 (Pb Free)





Product specification 8/8

Chip Resistor Surface Mount YC/TC SERIES 164 (Pb Free)

# REVISION HISTORY

REVISION	DATE	CHANGE NOTIFICATION	DESCRIPTION
Version 2	Mar 01, 2005	-	- New datasheet for $4\times0603$ thick film 1% and 5% with lead-free terminations
			- Replace the 4 $\times$ 0603 part of pdf file: ARC241_242_ARV241_242_51_L_0.pdf
			- Test method and procedure updated
Version 0	Dec 05, 2003	-	-