



DB0.5 → 0.1 - 4020  
2040

Part nos 705 - 5950 ⇒ 6000.

## INJECTION MOLDING BEVEL GEARS



Ratio 2/1 40, 20 Bevel Gears ( $m0.5 \sim m1$ ) Material: Duracon 20° Pressure Angle

Catalog No.	$m$	$z$	A	B	C	D	E	F	G	H	I	J	(Type) Weight-gf	705-
DB0.5-4020	0.5	40	4	12	20	20.3	12	7.3	4	7	2.5	15	(B) 1.9	5950
DS0.5-2040	0.5	20	3	8	10	11.2	16	6.3	4	8.5	2.5	7	(B) 0.9	5961
DB0.8-4020	0.8	40	5	15	32	32.5	18	10.5	6	10	3.5	25	(B) 5.9	5973
DB0.8-2040	0.8	20	4	12	16	17.9	24	8.5	5	11.5	3.5	11	(B) 3.3	5985
DB1 -4020	1	40	6	18	40	40.6	22	12.6	7	12	4.5	31	(B) 11.7	5997
DB1 -2040	1	20	5	15	20	22.4	30	10.6	7	14.5	4.5	14	(B) 6.4	6000

Gear Pinion  
Pitch Angle 63°26' 26°34'  
Face Angle 65°36' 30°29'