

# Vishay BCcomponents

# **Film Dielectric Trimmers**

#### **TEST VOLTAGE (DC) FOR 1 MINUTE:**

600 V

#### **MAXIMUM CONTACT RESISTANCE:**

 $5~\text{m}\Omega$ 

# MINIMUM INSULATION RESISTANCE BETWEEN STATOR AND ROTOR:

10 000 MO

#### **CATEGORY TEMPERATURE RANGE:**

- 40 to + 125 °C

#### **CLIMATIC CATEGORY (IEC 60068):**

40/125/21

#### **MINIMUM STORAGE TEMPERATURE:**

- 55 °C

#### **RELATED SPECIFICATION:**

IEC 60418-1 and 4

#### **EFFECTIVE ANGLE OF ROTATION:**

180° (rotation in 180° only, see "Life of Trimmer")

#### **OPERATING TORQUE:**

 $C_{max} < 3.5 pF$ 

1 to 15 mNm

 $C_{max} \geq 3.5 \ pF$ 

1 to 20 mNm

#### **MAXIMUM AXIAL THRUST:**

2 N

#### **FEATURES**

- · High temperature type
- Housing dimensions:6 mm x 8 mm x 9 mm
- For a basic grid of 2.54 mm
- Top and bottom adjustment
- Round head
- Vertical version

#### **APPLICATIONS**

· For fine adjustment in professional applications

#### **DESCRIPTION:**

The trimmers consist of a polysulphone housing, brass rotor and plated brass stator with PTFE film as the dielectric. The stator plate tags are heat sealed to the housing.

The rotor contact surfaces are plated to ensure a long life and a stable contact even under severe climatic conditions. A coloured dot indicates the maximum capacitance.

Cleaning with solvents is not advised.

Versions are available with either a round head or hexagonal head.

Both versions have top adjustment by means of a screwdriver or trimming key and bottom adjustment by means of a key.

#### **QUALITY LEVEL:**

Sampling and data evaluation for quality level in accordance with "MIL-STD-105D" and "IEC 60410":

- < 0.15 % major defects
- < 0.65 % minor defects

Each capacitor is tested for minimum  $C_{max}$  and is also subjected to the full test voltage.

#### C<sub>min</sub>/C<sub>max</sub>:

0.5/2 to 2/18 pF

#### **RATED VOLTAGE (DC):**

300 V

#### **LIFE OF TRIMMER:**


Maximum 10 cycles: rotation in 180° only (the electrical and mechanical performance is not guaranteed if rotated beyond 10 cycles)





## Film Dielectric Trimmers







Trimmers BFC2 809 05... series, with round heads

#### Dimensions in millimeters

#### **ADJUSTMENT**

For top adjustment a screwdriver or trimming key can be used; for bottom adjustment a key is required as shown below





Hole pattern

Bottom adjustment key

### Film Dielectric Trimmers

# Vishay BCcomponents

#### **ORDERING INFORMATION**

|                                    | CATALOG NUMBER BFC2 809 05 |                              |  |  |
|------------------------------------|----------------------------|------------------------------|--|--|
| C <sub>min</sub> /C <sub>max</sub> | TOP AND BOTTOM ADJUSTMENT  |                              |  |  |
| (pF)                               | ROUND HEAD                 | ROUND HEAD AND<br>FLUX GUARD |  |  |
| 0.5/2                              | 011                        | -                            |  |  |
| 1.2/3.5                            | 215                        | 001                          |  |  |
| 1.8/10                             | 216                        | 002                          |  |  |
| 2/18                               | 217                        | 003                          |  |  |

#### **MOUNTING**

The trimmer can be mounted on printed-circuit boards with a minimum hole diameter of 2.54 mm.

#### **PACKAGING**

Blister packs of 70 units each. For smallest packaging quantity (SPQ) see Electrical Data Table.

#### **ELECTRICAL DATA**

| GUARANTEED MAX. C <sub>min</sub> / SHAF     | SHAPE   | <b>=</b> | TAN δ AT<br>C <sub>max</sub> x 10 <sup>-4</sup> |           | ТЕМР.   | MIN. f <sub>res</sub>        | COL.      |     | CATALOG<br>NUMBER |
|---|---|----------|---|-----------|---|------------------------------|-----------|-----|-------------------|
| MIN. C <sub>max</sub><br>AT 200 kHz<br>(pF) | OF HEAD   | FIG.     | 1 MHz   | 100 MHz   | COEFF. <sup>1)</sup><br>(10 <sup>-6</sup> /K) | AT C <sub>max</sub><br>(MHz) | OF<br>DOT | SPQ | BFC2              |
| 0.5/2                                       | round   | 1        | ≤ 10  | ≤ 20      | - 250 ± 350                                   | 1200                         | none      | 700 | 809 05011         |
| 1.2/3.5 rour                                | round   | round 1  | 1 ≤ 10  | ≤ 20      | - 250 ± 350                                   | 850                          | orange    | 700 | 809 05001         |
|   | Tourid  |          |   |           |   |                              |           | 700 | 809 05215         |
| 1.9/10                                      | 1.8/10   round   1   $\leq$ 10   $\leq$ 20   -250 ± 350 | 1200     | none  | 700       | 809 05002                                     |                              |           |     |                   |
| 1.6/10                                      |   | 580      | white   | 700       | 809 05216                                     |                              |           |     |                   |
| 2/18  | round   | 1        | ≤ 10  | ≤ 10 ≤ 25 | - 250 ± 350                                   | 360                          | rod       | 700 | 809 05217         |
|   |   | Touriu I | '   | ≥ 10      | ≥ 25  | - 250 ± 350                  | 300       | red | 700               |

#### Note:

#### **TEST PROCEDURES AND REQUIREMENTS**

| IEC<br>60418-1<br>CLAUSE | IEC 60068<br>TEST<br>METHOD | TEST                        | PROCEDURE                       | REQUIREMENTS                             |  |
|--------------------------|-----------------------------|-----------------------------|---------------------------------|--|--|
| 4.2                      |                             | method of mounting          | method A                        |  |  |
| 14                       |                             | capacitance drift           | after TC measurement            | $\Delta$ C/C: $\leq$ 2.5 %; 4 % for 2 pF |  |
| 19                       |                             | thrust                      | axial thrust of 2 N             | ΔC/C: ≤ 0.3 %                            |  |
| 21                       |                             | robustness of terminations: |                                 |  |  |
| 21.1                     | Ua                          | tensile                     | 1 N                             | no damage                                |  |
| 21.2                     | Ub                          | bending                     | 1 cycle                         | no damage                                |  |
| 22                       | Na                          | rapid change of temperature | 1 cycle; 0.5 hours at lower and | ΔC/C: ≤ 2.5 %                            |  |
|                          |                             |                             | 0.5 hours at upper category     |  |  |
|                          |                             |                             | temperature                     |  |  |

<sup>1.</sup> C: 60 % to 80 % of  $C_{max}$ ;  $T_{amb}$ : from + 20 °C to + 125 °C

# BFC2 809 05...

# Vishay BCcomponents

# Film Dielectric Trimmers



| IEC<br>60418-1<br>CLAUSE | IEC 60068<br>TEST<br>METHOD | TEST PROCEDURE         |   | REQUIREMENTS   |  |  |
|--------------------------|-----------------------------|------------------------|---|--|--|--|
| 23                       | Т                           | soldering:             |   |  |  |  |
|                          | Ta                          | solderability          | solder bath immersion 3 mm;   | good wetting   |  |  |
|                          |                             |                        | 235 °C; 2 s   | no mechanical damage   |  |  |
|                          | Tb                          | resistance to heat     | solder bath: 260 °C; 10 s   | no mechanical damage   |  |  |
| 24                       | Eb                          | impact bump            | $4000 \pm 10 \text{ bumps}$ ; $40 \text{ g}$ ; $6 \text{ ms}$         | $\Delta$ C/C: $\leq$ 0.6 %;  |  |  |
|                          |                             |                        |   | no mechanical damage   |  |  |
| 25                       | Fc                          | vibration              | frequency 10 to 55 Hz;  | $\Delta$ C/C: $\leq$ 0.6 %;  |  |  |
|                          |                             |                        | amplitude 0.35 mm;  | no mechanical damage   |  |  |
|                          |                             |                        | 1.5 hours   |  |  |  |
| 26                       |                             | climatic sequence:     |   | ΔC/C: ≤ 2.5  |  |  |
| 26.1                     | В                           | dry heat               | 16 hours at upper category  | tan $\delta$ : $\leq$ 10 x 10 <sup>-4</sup> for $C_{max}$ < 18 pF;   |  |  |
|                          |                             |                        | temperature   | tan $\delta$ : $\leq$ 40 x 10 <sup>-4</sup> for $C_{max} \geq$ 18 pF |  |  |
|                          |                             |                        |   | $R_{ins}$ : $\geq$ 10 000 $M\Omega$ ;                                |  |  |
|                          |                             |                        |   | rotor contact R: $\leq 5 \text{ m}\Omega$                            |  |  |
| 26.2                     | D                           | damp heat accelerated, | 1 cycle; 24 hours; + 40 °C;   | voltage proof:   |  |  |
|                          |                             | first cycle            | 95 to 100 % RH  | 600 V for 1 minute   |  |  |
| 26.3                     | Aa                          | cold                   | 16 hours; - 40 °C   | visual examination:  |  |  |
|                          |                             |                        |   | no mechanical damage   |  |  |
| 26.5                     |                             | damp heat accelerated, | 1 cycle; 24 hours; + 40 °C;   | operating torque:  |  |  |
|                          |                             | remaining cycles       | 95 to 100 % RH  | 1 to 20 mNm  |  |  |
| 27                       | Ca                          | damp heat steady state | 21 days; + 40 °C;   | ΔC/C: ≤ 2.5 %  |  |  |
|                          |                             |                        | 90 to 95 % RH   | tan $\delta$ : $\leq$ 10 x 10 <sup>-4</sup> for $C_{max}$ < 18 pF;   |  |  |
|                          |                             |                        |   | tan $\delta$ : $\leq$ 25 x 10 <sup>-4</sup> for $C_{max} \geq$ 18 pF |  |  |
|                          |                             |                        |   | $R_{ins}$ : $\geq$ 10 000 $M\Omega$ ;                                |  |  |
|                          |                             |                        |   | rotor contact R: $\leq$ 5 m $\Omega$                                 |  |  |
|                          |                             |                        |   | voltage proof:   |  |  |
|                          |                             |                        |   | 600 V for 1 minute   |  |  |
|                          |                             |                        |   | visual examination:  |  |  |
|                          |                             |                        |   | no mechanical damage   |  |  |
|                          |                             |                        |   | operating torque:  |  |  |
|                          |                             |                        |   | 1 to 20 mNm  |  |  |
| 29                       |                             | mechanical endurance   | 10 cycles   | $\Delta$ C/C: $\leq$ 0.3 %; $\leq$ 2.5 % for 2 pF                    |  |  |
|                          |                             |                        |   | ΔC/C after axial thrust: ≤ 0.3 %;                                    |  |  |
|                          |                             |                        |   | rotor contact R: $\leq$ 5 m $\Omega$                                 |  |  |
|                          |                             |                        | Maximum 10 cycles: rotation in  | voltage proof:   |  |  |
|                          |                             |                        | 180° only (the electrical and   | 600 V for 1 minute   |  |  |
|                          |                             |                        | mechanical performance is not guaranteed if rotated beyond 10 cycles) | visual examination:  |  |  |
|                          |                             |                        |   | no mechanical damage   |  |  |
|                          |                             |                        |   | operating torque:  |  |  |
|                          |                             |                        |   | 1 to 20 mNm  |  |  |

Document Number 28529 Revision: 18-Oct-07



Vishay

# **Disclaimer**

All product specifications and data are subject to change without notice.

Vishay Intertechnology, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

Vishay disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify Vishay's terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Vishay.

The products shown herein are not designed for use in medical, life-saving, or life-sustaining applications unless otherwise expressly indicated. Customers using or selling Vishay products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Vishay for any damages arising or resulting from such use or sale. Please contact authorized Vishay personnel to obtain written terms and conditions regarding products designed for such applications.

Product names and markings noted herein may be trademarks of their respective owners.

Revision: 18-Jul-08

Document Number: 91000 www.vishay.com