
# Vishay BCcomponents



# **Interference Suppression Film Capacitors MKP Radial Potted Type**



# NO FOCUS PRODUCT: USE MKP 3381 X1 **APPLICATIONS**

X1 class

For X1 electromagnetic interference suppression in across the line applications (50/60 Hz) with a maximum mains voltage of 275 V(AC)

For application limitations please refer to section "Application notes"

#### REFERENCE STANDARDS

"IEC 60384-14 2nd edition and EN 132400" "IEC 60065, pass. flamm. class B"

250 V: CSA-C22.2 No 1; UL1414

275 V: UL1283; ENEC

#### **MARKING**

C-value; tolerance; rated voltage; sub-class; manufacturer's type designation; code for dielectric material, only for pitch ≥ 15 mm; manufacturer location; year and week

### **DIELECTRIC**

Polypropylene film

#### **ELECTRODES**

Metallized film

#### CONSTRUCTION

Mono construction

#### **FEATURES**

15 to 27.5 mm lead pitch. Supplied loose in box, taped on reel

Lead (Pb)-free product

RoHS-compliant product





#### **RATED VOLTAGE**

AC 275 V: 50 to 60 Hz

#### PERMISSIBLE DC VOLTAGE

DC 630 V

#### **ENCAPSULATION**

Plastic case, epoxy resin sealed, flame retardant UL-class 94 V-0

#### CLIMATIC TESTING CLASS ACC. TO EN 60068-1

55/105/56/B

#### **CAPACITANCE RANGE (E12 SERIES)**

E12 series 0.01 to 1  $\mu$ F Preferred values acc. to E6

## **CAPACITANCE TOLERANCE**

± 20 %; ± 10 %; ± 5 %

## **LEADS**

Tinned wire

#### RATED TEMPERATURE

105 °C

## **MAXIMUM APPLICATION TEMPERATURE**

105 °C


#### **DETAIL SPECIFICATION**

For more detailed data and test requirements contact: rfi@vishay.com

Revision: 15-Feb-08



## **COMPOSITION OF CATALOG NUMBER**



#### Note

(1) For detailed tape specifications refer to Packaging information www.vishay.com/docs/28139/packinfo.pdf

#### SPECIFIC REFERENCE DATA MKP 336 1 275 VAC

DESCRIPTION	VALUE
Tangent of loss angle:	at 10 kHz
C ≤ 100 nF	≤ 10 x 10 <sup>-4</sup>
100 nF < C ≤ 470 nF	≤ 20 x 10 <sup>-4</sup>
C > 470 nF	≤ 70 x 10 <sup>-4</sup>
Rated voltage pulse slope (dU/dt) <sub>R</sub> at 385 V (DC):	
P = 15 mm	250 V/μs
P = 22.5 mm	150 V/μs
P = 27.5 mm	100 V/μs
R between leads, for C $\leq$ 0.33 $\mu F$ at 100 V; 1 min	> 15 000 MΩ
RC between leads, for C > 0.33 $\mu$ F at 100 V; 1 min	> 5000 s
R between leads and case; 100 V; 1 min	> 30 000 MΩ
Withstanding (DC) voltage (cut off current 10 mA); rise time 100 V/s	3400 V; 1 min
Withstanding (AC) voltage between leads and case	2050 V; 1 min

# MKP 336 1 X1

# Vishay BCcomponents Interference Suppression Film Capacitors MKP Radial Potted Type



# **MKP 336 1 GENERAL DATA**

 $U_{Rac}=$  275 V; C-tol = ± 20 %

			C	ATALOG N	UMBER BFC2 336	1 AND	PACKAGING	
•	DIMENSIONS	MAGG	LOOSE IN BOX				REEL	
C (μF)	W x H x L	MASS (g <sup>(1)</sup>	l <sub>t</sub> = 3.5 ± 0.3		I <sub>t</sub> = 25.0 ± 2.0 mm		H = 18.5 mm; P <sub>0</sub> = 12.7 mm	
,	(mm)		Last 5 digits of catalog number	SPQ	Last 5 digits of catalog number	SPQ	Last 5 digits of catalog number	SPQ
Pitch = 15	$0 \pm 0.4$ mm; $d_t = 0.6 \pm 0.0$	06 mm			•			
0.01			19001		19007		19002	
0.015	5.0 x 11.0 x 17.5	1	10153	1000	16153	1000	13153	1100
0.022			10223	1000	16223	1000	13223	
0.033	6.0 x 12.0 x 17.5	1.4	10333		16333		13333	900
Pitch = 15.	$0 \pm 0.4$ mm; dt = $0.8 \pm 0.$	08 mm						
0.047	7.0 x 13.5 x 17.5	1.8	10473	1000	16473	500	13473	800
0.068	8.5 x 15.0 x 17.5	2.4	10683	1000	16683		13683	650
0.1	10.0 x 16.5 x 17.5	3	10104	500	16104		13104	600
Pitch = 22	$.5 \pm 0.4$ mm; dt = $0.8 \pm 0.$	08 mm						
0.1	7.0 x 16.5 x 26.0	2.9	19003		19008	500	19004	550
0.15	8.5 x 18.0 x 26.0	3.8	10154	200	16154		13154	450
0.22	10.0 x 19.5 x 26.0	6.8	10224		16224		13224	400
Pitch = 27	$5 \pm 0.4$ mm; dt = $0.8 \pm 0.$	08 mm						
0.22	11.0 x 21.0 x31.0	7.4	19005		19009			
0.33	13.0 x 23.0 x 31.0	9.2	10334	100	16334	125		
0.47	15.0 x 25.0 x 31.0	12.3	10474		16474			
0.68	18.0 x 28.0 x 31.0	16.1	10684		16684			
1	21.0 x 31.0 x 31.0	20.3	10105	50	16105	75		

#### Notes

1. Weight for short lead product only



# Interference Suppression Film Capacitors

# Vishay BCcomponents

 $U_{RAC}$  = 275 V; C-TOL = ± 10 %

			CATALOG NUMBER BFC2 336 1 AND PACKAGING					
С	DIMENSIONS	MASS (g) <sup>(1)</sup>	LOOSE IN BOX				REEL	
(μ <b>F</b> )	W x H x L (mm)		It = 3.5 ± 0.3 m		It = 25.0 ± 2.0 mm		H = 18.5 mm; P <sub>0</sub> = 12.7 mm	
	()		last 5 digits	SPQ	last 5 digits	SPQ	last 5 digits	SPQ
Pitch = 15	$0.0 \pm 0.4$ mm; $d_t = 0.6 \pm 0.6$	06 mm				•		
0.01			11103		17103		14103	
0.012	5.0 x 11.0 x 17.5	1	11123		17123		14123	1100
0.015	5.0 X 11.0 X 17.5	'	11153	1000	17153	1000	14153	1100
0.018			11183	1000	17183	1000	14183	
0.022	0.0 10.0 17.5	4.4	11223		17223		14223	000
0.027	6.0 x 12.0 x 17.5	1.4	11273		17273		14273	900
Pitch = 15	$0.0 \pm 0.4$ mm; dt = $0.8 \pm 0.4$	08 mm						
0.033	7.0 x 13.5 x 17.5	1.8	11333		17333		14333	800
0.039	7.0 X 13.5 X 17.5	1.0	11393	1,000	17393	500	14393	
0.047	8.5 x 15.0 x 17.5	2.4	11473	1000	17473		14473	650
0.056	0.5 x 15.0 x 17.5	2.4	11563	17563	500	14563	030	
0.068	10.0 x 16.5 x 17.5	3	11683	500	17683		14683	600
0.082	10.0 x 16.5 x 17.5	3	11823	500	17823		14823	600
Pitch = 22	$1.5 \pm 0.4$ mm; dt = $0.8 \pm 0.4$	08 mm						
0.1	7.0 x 16.5 x 26.0	2.9	11104		17104	500	14104	550
0.12	8.5 x 18.0 x 26.0	3.8	11124	200	17124	250	14124	450
0.15	0.5 x 10.0 x 20.0	3.0	11154	200	17154	250	14154	450
0.18	10.0 x 19.5 x 26.0	6.8	11184		17184	500	14184	400
Pitch = 27	$0.5 \pm 0.4$ mm; dt = $0.8 \pm 0.4$	08 m						
0.22	11.0 x 21.0 x 31.0	7.4	11224		17224			
0.27	11.0 X 21.0 X 31.0	7.4	11274	11274 17274				
0.33	13.0 x 23.0 x 31.0	9.2	11334		17334			
0.39	15.0 x 25.0 x 31.0	12.3	11394	100	17394	125		
0.47	13.0 X 23.0 X 31.0		11474		17474			
0.56	18.0 x 28.0 x 31.0	16.1	11564		17564			
0.68	10.0 X 20.0 X 31.0	16.1	11684		17684			
0.82	21.0 x 31.0 x 31.0	20.3	11824	50	17824	75	]	

#### Note

1. Weight for short lead product only

# Vishay BCcomponents Interference Suppression Film Capacitors MKP Radial Potted Type



SAFETY APPROVALS X1	VOLTAGE	VALUE	FILE NUMBERS		
EN132400	275 V (AC)	10 nF to 1 μF	FI 2006020		
UL1414	250 V (AC)	10 nF to 1 μF	E112471		
UL1283	275V (AC)	10 nF to 1 μF	E109565		
CSA-C22.2 No.1	250 V (AC)	10 nF to 1 μF	1104860		

The Enec-approval together with the CB-Certificate replace all national marks of the following countries (they have already signed the ENEC-Agreement): Austria; Belgium; Czech. Republic; Denmark; Finland; France; Germany; Greece; Hungary; Ireland; Italy; Luxembourg; Netherlands; Norway; Portugal; Slovenian; Spain; Switzerland and United Kingdom.







#### MOUNTING

#### **Normal Use**

The capacitors are designed for mounting on printed-circuit boards. The capacitors packed in bandoliers are designed for mounting in printed-circuit boards by means of automatic insertion machines.

For detailed tape specifications refer to "Packaging information".

### Specific Method of Mounting to Withstand Vibration and Shock


In order to withstand vibration and shock tests, it must be ensured that the stand-off pips are in good contact with the printed-circuit board:

- For pitches ≤ 15 mm capacitors shall be mechanically fixed by the leads
- For longer pitches the capacitors shall be mounted in the same way and the body clamped

### **Space Requirements on printed Circuit Board**

The maximum length and width of film capacitors is shown in Figure:

- Eccentricity as in figure. The maximum eccentricity is smaller than or equal to the lead diameter of the product
- Product height with seating plane as given by "IEC 60717" as reference:  $h_{max} \le h + 0.3 \text{ mm}$



#### **Storage Temperature**

• Storage temperature:  $T_{stg}$  = 25 to + 40 °C with RH maximum 80 % without condensation

### **Ratings and Characteristics Reference Conditions**


Unless otherwise specified, all electrical values apply to an ambient temperature of 23 ± 1 °C, an atmospheric pressure of 86 to 106 kPa and a relative humidity of 50  $\pm$  2 %.

For reference testing, a conditioning period shall be applied over 96 ± 4 hours by heating the products in a circulating air oven at the rated temperature and a relative humidity not exceeding 20 %.




## **CHARACTERISTICS**


### Capacitance




## Tangent of loss angle




## **Impedance**




# **Resonant frequency**



# Max RMS voltage and AC current (sinewave)








#### **CHARACTERISTICS**

### Capacitance



## **APPLICATION NOTES**

- For X1 electromagnetic interference suppression in across the line applications (50/60 Hz) with a maximum mains voltage of 275 V (AC).
- These capacitors are not intended for continuous pulse applications. For these situations, capacitors of the AC and pulse programs must be used.
- These capacitors are not intended for series impedance application. For these situations in case safety approvals are requested, please refer to our special capacitors of 1772 series with internal series connection.
- $\bullet$  The maximum ambient temperature must not exceed 105  $^{\circ}\text{C}.$
- Rated voltage pulse slope:

If the pulse voltage is lower than the rated voltage, the values of the specific reference data can be multiplied by 385 V (DC) and divided by the applied voltage.



#### **INSPECTION REQUIREMENTS**

#### **General Notes:**

1. Sub-clause numbers of tests and performance requirements refer to the "Sectional Specification, IEC-puplication EN 132400 (IEC 60384-14) and section One of this specification".

2. In this table: D = destructive

ND = non destructive

# **Group C inspection requirements**

SUB - CLAUSE NUMBER AND TEST	D OR ND	CONDITIONS	PERFORMANCE REQUIREMENTS
SUB-GROUP C1A PART OF SAMPLE OF SUB-GROUP C1	D		
4.1 Dimensions (detail)			As specified in Chapters "General data" of this specification
Initial measurements		Capacitance Tangent of loss angle: For C ≤ 470 nF at 100 kHz For C > 470 nF at 10 kHz	
4.3 Robustness of terminations		Tensile: load 10 N; 10 s Bending: load 5 N; 4 x 90°	No visible damage
4.4 Resistance to soldering heat		No pre-drying Method: 1A Solder bath: 260 °C Duration: 10 s	
4.19 Component solvent resistance		Isopropylalcohol at room temperature Method: 2 Immersion time: 5 ± 0.5 min Recovery time: Min. 1 hour, max. 2 hours	
4.4.2 Final measurements		Visual examination	No visible damage Legible marking
		Capacitance	$ \Delta C/C  \leq 5$ % of the value measured initially
		Tangent of loss angle	Increase of $\tan \delta$ : $\leq 0.0100$ for: $C \leq 100$ nF or $\leq 0.0200$ for: $100$ nF $< C \leq 470$ nF or $\leq 0.0080$ for: $C > 470$ nF Compared to values measured initially
		Insulation resistance	As specified in Section "Insulation Resistance" of this specification



SUB - CLAUSE NUMBER AND TEST	D OR ND	CONDITIONS	PERFORMANCE REQUIREMENTS
SUB - GROUP C1B PART OF SAMPLE OF SUB - GROUP C1	D		
Initial measurements		Capacitance Tangent of loss angle: For C ≤ 470 nF at 100 kHz For C > 470 nF at 10 kHz	No visible damage Legible marking
4.20 Solvent resistance of the marking: see Section "General notes"; item 5		Isopropylalcohol at room temperature Method: 1 Rubbing material: cotton wool Immersion time: 5 ± 0.5 min	No visible damage
4.6 Rapid change of temperature		θA = - 55 °C θB = + 105 °C 5 cycles	
4.6.1 Inspection		Duration t = 30 min	
4.7 Vibration (see note 3.1)		Visual examination Mounting: see Section "Mounting" of this specification Procedure B4: Frequency range: 10 to 55 Hz Amplitude: 0.75 mm or Acceleration 98 m/s² (whichever is less severe) Total duration 6 hours	No visible damage
4.7.2 Final inspection		Visual examination	No visible damage
4.9 Shock (see note 3)		Mounting: see Section "Mounting" for more information Pulse shape: half sine Acceleration: 490 m/s² Duration of pulse: 11 ms	
4.9.2 Final measurements		Visual examination	No visible damage
		Capacitance	$ \Delta C/C  \le 5$ % of the value measured initially
		Tangent of loss angle	Increase of $\tan \delta$ : $\leq 0.0100$ for: $C \leq 100$ nF or $\leq 0.0200$ for: $100$ nF < $C \leq 470$ nF or $\leq 0.0080$ for: $C > 470$ nF Compared to values measured initially
		Insulation resistance	As specified in Section "Insulation Resistance" of this specification



SUB - CLAUSE NUMBER AND TEST	D OR ND	CONDITIONS	PERFORMANCE REQUIREMENTS
SUB - GROUP C1 COMBINED SAMPLE OF SPECIMENS OF SUB - GROUPS C1A AND C1B	D		
4.11 Climatic sequence 4.11.1 Initial measurements 4.11.2 Dry heat		Capacitance Measured in 4.4.2 and 4.9.2 Tangent of loss angle: Measured initially in C1A and C1B Temperature: 105 °C	
4.11.3 Damp heat cyclic Test Db		Duration: 16 hours	
4.11.4 Cold  4.11.5 Damp heat cyclic Test Db		Temperature: - 55 °C Duration: 2 hours	
4.11.6 Final measurements		Visual examination	No visible damage Legible marking
		Capacitance	$ \Delta C/C  \le 5$ % of the value measured in 4.11.1.
		Tangent of loss angle	Increase of tan $\delta$ : $\leq$ 0.0100 for: C $\leq$ 100 nF or $\leq$ 0.0200 for: 100 nF $<$ C $\leq$ 470 nF or $\leq$ 0.0080 for: C $>$ 470 nF Compared to values measured in 4.11.1
		Voltage proof 1200 V (DC); 1 min between term.	No permanent breakdown or flash-over
		Insulation resistance	≥ 50 % of values specified in Section "Insulation resistance" of this specification
SUB - GROUP C2	D		
4.12 Damp heat steady state		56 days, 40 °C, 90 to 95 % RH, no load Capacitance	
4.12.1 Initial measurements		Tangent of loss angle at 10 kHz	
4.12.3 Final measurements		Visual examination	No visible damage Legible marking
		Capacitance	$ \Delta C/C  \le 5$ % of the value measured in 4.12.1.
		Tangent of loss angle	Increase of tan $\delta$ : $\leq 0.0080$ Compared to values measured in 4.12.1.
		Voltage proof 1200 V (DC); 1 min between term.	No permanent breakdown or flash-over
		Insulation resistance	≥ 50 % of values specified in Section "Insulation resistance" of this specification



SUB - CLAUSE NUMBER AND TEST	D OR ND	CONDITIONS	PERFORMANCE REQUIREMENTS
SUB GROUP C3	D		
4.13.1 Initial measurements 4.13 Impulse voltage		Capacitance Tangent of loss angle: For C ≤ 470 nF at 100 kHz For C > 470 nF at 10 kHz 3 successive impulses, full wave, peak	No selfhealing breakdowns or flashover
4.14 Endurance		voltage: X1: 4 kV Max. 24 pulses Duration: 1000 hours	The semileating breakdowns of mashever
4.14 Eliuliance		1.25 $U_{Rac}$ at 105 °C Once in every hour the voltage is increased to 1000 V (RMS) for 0.1 s via resistor of 47 $\Omega$ ± 5 %	
4.14.7 Final measurements		Visual examination	No visible damage Legible marking
		Capacitance	$ \Delta C/C  \le 10$ % compared to values measured in 4.13.1.
		Tangent of loss angle	Increase of $\tan \delta$ : $\leq 0.0100$ for: $C \leq 100$ nF or $\leq 0.0200$ for: $100$ nF $< C \leq 470$ nF or $\leq 0.0080$ for: $C > 470$ nF Compared to values measured in 4.13.1.
		Voltage proof 1200 V (DC); 1 min between terminations. 2050 V (DC); 1 min between terminations and case.	No permanent breakdown or flash-over
		Insulation resistance	≥ 50 % of values specified in Section "Insulation resistance" of this specification
SUB - GROUP C 4	D		
4.15 Charge and discharge		10 000 cycles (50 c/s) charge to UR half sinewave Duration: 5 ms Discharge resistance:	
		$R = \frac{385 \text{ Vdc}}{1.5 \times C((\text{dU})/(\text{dt}))}$ $R_{\text{min}} = 2.2$	
4.15.1 Initial measurements		Capacitance Tangent of loss angle For $C \le 470$ nF at 100 kHz For $C > 470$ nF at 10 kHz	
4.15.3 Final measurements		Capacitance	$ \Delta C/C  \le 10$ % compared to values measured in 4.15.1.
		Tangent of loss angle	Increase of tan d: ≤ 0.0100 for: C £ 100 nF or ≤ 0.0200 for: 100 nF < C £ 470 nF or ≤ 0.0080 for: C > 470 nF Compared to values measured in 4.15.1
		Insulation resistance	≥ 50 % of values specified in Section "Insulation resistance" of this specification



SUB - CLAUSE NUMBER AND TEST	D OR ND	CONDITIONS	PERFORMANCE REQUIREMENTS
SUB - GROUP C5	D		
4.16 Radio frequency characteristic		Resonance frequency	As specified in Section "Resonant frequency" of this specification. ± 10 %
SUB - GROUP C6	D		
4.17 Passive flammability Class B		Bore of gas jet: Ø 0.5 mm Fuel: butane Test duration for actual volume V in mm³: $V \le 250$ : 10 s $250 < V \le 500$ : 20 s $500 < V \le 1750$ : 30 s $V > 1750$ : 60 s One flame application	After removing test flame from capacitor, the capacitor must not continue to burn for more than 10 s. No burning particle must drop from the sample.
SUB - GROUP C7	D		
4.18 Active flammability		20 x 4 kV discharges on the test capacitor connected to UR	The cheese cloth around the capacitors shall not burn with a flame.  No electrical measurements are required.



Vishay

# **Disclaimer**

All product specifications and data are subject to change without notice.

Vishay Intertechnology, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

Vishay disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify Vishay's terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Vishay.

The products shown herein are not designed for use in medical, life-saving, or life-sustaining applications unless otherwise expressly indicated. Customers using or selling Vishay products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Vishay for any damages arising or resulting from such use or sale. Please contact authorized Vishay personnel to obtain written terms and conditions regarding products designed for such applications.

Product names and markings noted herein may be trademarks of their respective owners.

Revision: 18-Jul-08

Document Number: 91000 www.vishay.com