WIMA SMD-PET

Metallized Polyester (PET) SMD Film Capacitors with Box Encapsulation

Special Features

- Size codes 1812, 2220, 2824, 4030, 5040 and 6054 with PET and encapsulated
- Operating temperature up to 100° C
- Self-healing
- According to RoHS 2002/95/EC

Typical Applications


For general DC-applications e.g.

- By-pass
- Blocking
- Coupling and decoupling
- Timing

Construction

Dielectric:

Polyethylene-terephthalate (PET) film Capacitor electrodes: Vacuum-deposited Internal construction:



Encapsulation:

Solvent-resistant, flame-retardant plastic case, UL 94 V-0

Terminations:

Tinned plates. Marking:

16

Box colour: Black.

Electrical Data

 Capacitance range:

 0.01 μF to 6.8 μF

 Rated voltages:

 63 VDC, 100 VDC, 250 VDC, 400 VDC,

 630 VDC, 1000 VDC

Capacitance tolerances: ±20%, ±10% (±5% available subject to special enquiry)

Operating temperature range: -55° C to $+100^{\circ}$ C

Climatic test category: 55/100/21 according to IEC for size codes 1812 to 2824 55/100/56 according to IEC for size codes 4030 to 6054 Insulation resistance at +20° C: Test voltage: $1.6 U_r$, 2 sec. Voltage derating:

A voltage derating factor of 1.25 % per K must be applied from +85° C for DC voltages and from +75° C for AC voltages

Reliability:

Operational life > 300 000 hours Failure rate < 2 fit (0.5 x $\rm U_r$ and 40° C)

U _r	U _{test}	C ≤ 0.33 µF	0.33 µF < C ≤ 6.8 µF
63 VDC 100 VDC	50 V 100 V		≥ 1250 sec (M Ω x µ F) (mean value: 3000 sec)
≥ 250 VDC	100 V	\ge 1 x 10 ⁴ M Ω (mean value: 5 x 10 ⁴ M Ω)	\geq 3000 sec (MQ x µF) (mean value: 10000 sec)

Measuring time: 1 min.

Dissipation factors at +20° C: tan δ

at f	C ≤ 0.1 µF	0.1 µF < C ≤ 1.0 µF	C > 1.0 µF
1 kHz 10 kHz 100 kHz	$\leq 8 \times 10^{-3}$ $\leq 15 \times 10^{-3}$ $\leq 30 \times 10^{-3}$	≤ 8 x 10 ⁻³ ≤ 15 x 10 ⁻³	≤ 10 x 10 ⁻³ -

Maximum pulse rise time: for pulses equal to the rated voltage

Capacitance µF	63 VDC		e rise time V k. operation 250 VDC	•	630 VDC	1000 VDC
0.01 0.022	30/300	35/350	40/400	35/350	40/400	50/500
0.033 0.068	20/200	20/200	40/400	21/210	25/250	32/320
0.1 0.22	10/100	10/100	12/120	14/140	17/170	-
0.33 0.68	8/80	6/60	9/90	10/100	-	-
1.0 2.2	3.5/35	4/40	7/70	-	-	-
3.3 6.8	3/30	3/30	-	-	-	-

Dip Solder Test/Processing

Resistance to soldering heat:

Test Tb in accordance with DIN IEC 60068-2-58/DIN EN 60384-19. Soldering bath temperature max. 260° C. Soldering duration max. 5 sec. Change in capacitance Δ C/C < 5%.

Soldering process:

Wave soldering and re-flow soldering (see temperature/time graphs page 12).

Packing

Available taped and reeled in 12 mm blister pack.

Detailed taping information and graphs at the end of the catalogue.

For further details and graphs please refer to Technical Information.



WIMA SMD-PET

Continuation



General Data

		63	3 VDC/40 VAC*		10	00 VDC/63 VAC*		25	0 VDC/160 VAC*
Capacitance	Size	H	Part number	Size	H	Part number	Size	Η	Part number
	code	± 0.3		code	± 0.3		code	± 0.3	
0.01 µF	1812	3.0	SMDTC02100X100	1812	3.0	SMDTD02100X100	1812	4.0	SMDTF02100X200
	2220	3.5	SMDTC02100Y100	2220	3.5	SMDTD02100Y100	2220	3.5	SMDTF02100Y100
	2824	3.0	SMDTC02100T100	2824	3.0	SMDTD02100T100	2824	3.0	SMDTF02100T100
0.015 "	1812	3.0	SMDTC02150X100	1812	3.0	SMDTD02150X100	1812	4.0	SMDTF02150X200
	2220	3.5	SMDTC02150Y100	2220	3.5	SMDTD02150Y100	2220	3.5	SMDTF02150Y100
0.000	2824	3.0	SMDTC02150T100	2824	3.0	SMDTD02150T100	2824	3.0	SMDTF02150T100
0.022 "	1812 2220	3.0 3.5	SMDTC02220X100 SMDTC02220Y100	1812 2220	3.0 3.5	SMDTD02220X100 SMDTD02220Y100	1812 2220	4.0 3.5	SMDTF02220X200 SMDTF02220Y100
	2824	3.0	SMDTC02220T100	2824	3.0	SMDTD02220T100	2824	3.0	SMDTF02220T100
0.033 "	1812	3.0	SMDTC02330X100	1812	3.0	SMDTD02330X100	2220	3.5	SMDTF02330Y100
0.000 "	2220	3.5	SMDTC02330Y100	2220	3.5	SMDTD02330Y100	2824	3.0	SMDTF02330T100
	2824	3.0	SMDTC02330T100	2824	3.0	SMDTD02330T100	4030	5.0	SMDTF02330K100
0.047 "	1812	3.0	SMDTC02470X100	1812	3.0	SMDTD02470X100	2220	3.5	SMDTF02470Y100
	2220	3.5	SMDTC02470Y100	2220	3.5	SMDTD02470Y100	2824	3.0	SMDTF02470T100
	2824	3.0	SMDTC02470T100	2824	3.0	SMDTD02470T100	4030	5.0	SMDTF02470K100
0.068 "	1812	3.0	SMDTC02680X100	1812	3.0	SMDTD02680X100	2220	3.5	SMDTF02680Y100
	2220	3.5	SMDTC02680Y100	2220	3.5	SMDTD02680Y100	2824	3.0	SMDTF02680T100
	2824	3.0	SMDTC02680T100	2824	3.0	SMDTD02680T100	4030	5.0	SMDTF02680K100
0.1 µF	1812	3.0	SMDTC03100X100	1812	3.0	SMDTD03100X100	2220	3.5	SMDTF03100Y100
	2220 2824	3.5 3.0	SMDTC03100Y100 SMDTC03100T100	2220 2824	3.5 3.0	SMDTD03100Y100 SMDTD03100T100	2824 4030	5.0 5.0	SMDTF03100T200 SMDTF03100K100
0.15 "	1812	3.0	SMDTC03150X100	1812	4.0	SMDTD03150X200	2220	4.5	SMDTF03150Y200
0.15 "	2220	3.5	SMDTC03150Y100	2220	3.5	SMDTD03150Y100	2824	4.3 5.0	SMDTF03150T200
	2824	3.0	SMDTC03150T100	2824	3.0	SMDTD03150T100	4030	5.0	SMDTF03150K100
0.22 "	1812	3.0	SMDTC03220X100	1812	4.0	SMDTD03220X200	2220	4.5	SMDTF03220Y200
0.22 "	2220	3.5	SMDTC03220Y100	2220	3.5	SMDTD03220Y100	2824	5.0	SMDTF03220T200
	2824	3.0	SMDTC03220T100	2824	3.0	SMDTD03220T100	4030	5.0	SMDTF03220K100
0.33 "	1812	4.0	SMDTC03330X200	2220	4.5	SMDTD03330Y200	2824	5.0	SMDTF03330T200
	2220	3.5	SMDTC03330Y100	2824	5.0	SMDTD03330T200	4030	5.0	SMDTF03330K100
	2824	3.0	SMDTC03330T100	4030	5.0	SMDTD03330K100	5040	6.0	SMDTF03330V100
0.47 "	1812	4.0	SMDTC03470X200	2220	4.5	SMDTD03470Y200	4030	5.0	SMDTF03470K100
	2220 2824	3.5 3.0	SMDTC03470Y100 SMDTC03470T100	2824 4030	5.0	SMDTD03470T200	5040	6.0	SMDTF03470V100
0.49		4.5			5.0	SMDTD03470K100	E040	4.0	
0.68 "	2220 2824	4.5	SMDTC03680Y200 SMDTC03680T100	2824 4030	5.0	SMDTD03680T200 SMDTD03680K100	5040	6.0	SMDTF03680V100
	4030	5.0	SMDTC03680K100	5040	6.0	SMDTD03680V100			
1.0 µF	2220	4.5	SMDTC04100Y200	2824	5.0	SMDTD04100T200	6054	7.0	SMDTF04100Q100
1.0 µ i	2824	3.0	SMDTC04100T100	4030	5.0	SMDTD04100K100	0004	/.0	
	4030	5.0	SMDTC04100K100	5040	6.0	SMDTD04100V100			
1.5 "	2824	5.0	SMDTC04150T200	4030	5.0	SMDTD04150K100			
	4030	5.0	SMDTC04150K100	5040	6.0	SMDTD04150V100			
2.2 "	2824	5.0	SMDTC04220T200	5040	6.0	SMDTD04220V100			
	4030	5.0	SMDTC04220K100						
2.2	4000	5.0		5040	10				
3.3 "	4030	5.0	SMDTC04330K100	5040	6.0	SMDTD04330V100		Part	number completion:
4.7 "	5040	6.0	SMDTC04470V100	6054	7.0	SMDTD04470Q100		lolei	rance: $20 \% = M$ 10 % = K
	0040	0.0		0004	/.0				10% = K 5% = J
								Pack	
6.8 "	6054	7.0	SMDTC04680Q100						length: none = 00
								lape	ed version see page 126.
* AC voltage	- 50 H	7.14	x] + DC ≤]						

* AC voltage: f = 50 Hz; 1.4 x U_{rms} + UDC $\leq U_r$

Dims. in mm.

11.10

Rights reserved to amend design data without prior notification.

WIMA SMD-PET




Continuation


General Data


		40	0 VDC/200 VAC*		63	0 VDC/300 VAC*		100	00 VDC/400 VAC*
Capacitance	Size code	Н ± 0.3	Part number	Size code	Н ± 0.3	Part number	Size code	Н ± 0.3	Part number
0.01 µF	2824 4030	3.0 5.0	SMDTG02100T100 SMDTG02100K100	4030	5.0	SMDTJ02100K100			
0.015 "	2824 4030	3.0 5.0	SMDTG02150T100 SMDTG02150K100	4030	5.0	SMDTJ02150K100	5040	6.0	SMDTO12150V100
0.022 "	2824 4030	3.0 5.0	SMDTG02220T100 SMDTG02220K100	5040	6.0	SMDTJ02220V100	5040	6.0	SMDTO12220V100
0.033 "	2824 4030	5.0 5.0	SMDTG02330T200 SMDTG02330K100	5040	6.0	SMDTJ02330V100	5040	6.0	SMDTO12330V100
0.047 "	2824 4030	5.0 5.0	SMDTG02470K100	5040	6.0	SMDTJ02470V100	6054	7.0	SMDTO 12470Q100
0.068 "	4030 5040	5.0 6.0	SMDTG02680K100 SMDTG02680V100	5040	6.0	SMDTJ02680V100			
0.1 µF	4030 5040	5.0 6.0	SMDTG03100K100 SMDTG03100V100	6054	7.0	SMDTJ03100Q100			
0.15 "	4030 5040	5.0 6.0	SMDTG03150V100	6054	7.0	SMDTJ03150Q100			
0.22 "	5040	6.0	SMDTG03220V100	6054	7.0	SMDTJ03220Q100			
0.33 "	5040	6.0							
0.47 "	6054	7.0	SMDTG03470Q100						

* AC voltage: f = 50 Hz; 1.4 x U_{rms} + UDC \leq U_r

Dims. in mm.







Size code	L ±0.3	W ±0.3	d	a min.	b min.	c max.
1812	4.8	3.3	0.5	1.2	3.5	3.5
2220	5.7	5.1	0.5	1.2	4	4.5
2824	7.2	6.1	0.5	1.2	4	6.5
4030	10.2	7.6	0.5	2.5	6	9
5040	12.7	10.2	0.7	2.5	6	11.5
6054	15.3	13.7	0.7	2.5	6	14

Part number	r completion:								
Tolerance:	20 % = M								
10 % = K									
	5 % = J								
Packing:	bulk = S								
Lead length	Lead length: none $= 00$								
Taped version	on see page 126.								

Rights reserved to amend design data without prior notification.


Recommendation for Processing and Application of SMD Capacitors



Layout Form

The components can generally be positioned on the carrier material as desired. In order to prevent soldering shadows or ensure regular temperature distribution, extreme concentration of the components should be avoided. In practice, it has proven best to keep a minimum distance of the soldering surfaces between two WIMA SMDs of twice the height of the components.

Solder Pad Recommendation



Size	L	W	d	а	b	С
code	± 0.3	± 0.3		min.	min.	max.
1812	4.8	3.3	0.5	1.2	3.5	3.5
2220	5.7	5.1	0.5	1.2	4	4.5
2824	7.2	6.1	0.5	1.2	4	6.5
4030	10.2	7.6	0.5	2.5	6	9
5040	12.7	10.2	0.7	2.5	6	11.5
6054	15.3	13.7	0.7	2.5	6	14

The solder pad size recommendations given for each individual series are to be understood as minimum dimensions which can at any time be adjusted to the layout form.


Processing


The processing of SMD components

- assembling
- soldering
- washing

electrical final inspection/ calibrating

must be regarded as a complete process. The soldering of the printed circuit board, for example, can constitute considerable stress on all the electronic components. The manufacturer's instructions on the processing of the components are mandatory.





Temperature/time graph for the permissible processing temperature of the WIMA SMD film capacitor for typical convection soldering processes.

Due to the diverse procedures and the varying heat requirements of the different types of components, an exact processing temperature for re-flow soldering processes cannot be specified. The graph shows the upper limits of temperature and time which must not be exceeded when establishing the solder profile according to your actual requirements.

A max. temperature of $T = 210^{\circ}$ C inside the component should not be exceeded when processing WIMA SMD capacitors.

SMD Handsoldering

WIMA SMD capacitors with plastic film dielectric are generally suitable for handsoldering with a soldering iron where, however, similar to automated soldering processes, a certain duration and temperature should not be exceeded. These parameters are dependent on the physical size of the components and the relevant heat absorption involved. The below data are to be regarded as guideline values and should serve to avoid damage to the dielectric caused by excessive heat during the soldering process. The soldering quality depends on the tool used and on the skill and experience of the person with the soldering iron in hand.

[Size code	Temperature °C / °F	Time duration
	1812	225 / 437	2 sec plate 1 / 5 sec off / 2 sec plate 2
	2220	225 / 437	3 sec plate 1 / 5 sec off / 3 sec plate 2
	2824	250 / 482	3 sec plate 1 / 5 sec off / 3 sec plate 2
	4030	260 / 500	5 sec plate 1 / 5 sec off / 5 sec plate 2
	4030	260 / 500	5 sec plate 1 / 5 sec off / 5 sec plate 2
	5040	260 / 500	5 sec plate 1 / 5 sec off / 5 sec plate 2
	6054	260 / 500	5 sec plate 1 / 5 sec off / 5 sec plate 2

Recommendation for Processing and Application of SMD Capacitors (Continuation)



Solder Paste

To obtain the best soldering performance we suggest the use of following solder paste alloy:

Lead free solder paste

Sn - Bi Sn - Zn (Bi) Sn - Ag - Cu

Solder paste with lead

Sn - Pb - Ag (Sn60-Pb40-A, Sn63-Pb37-A)

Washing

Basically, all plastic encapsulated components, irrespective of the brand cannot be considered as being hermetically sealed. They are therefore only suitable for industrial washing processes to a limited extent. During the washing process, washing agents can penetrate the interior of the component by capillary action through microcracks which might have occurred. This is dependent on a number of parameters e.g

- washing agents
- viscosity of the washing solvent
- temperature/time of the washing process
- mechanical washing aids such as ultrasonic
 water pressure

rinsing and spraying pressure

The type of washing agent to be used is largely specific to the individual user or is often laid down by the manufacturer of the washing equipment. The aggressiveness of the washing agent to be used can thus only be judged in appropriate test series relating to each individual washing process. By and large, the basic rule is that the washing process should be carried out as gently as possible.

Drying

During the washing process, aqueous solutions can penetrate the component. This can lead to changes of the electrical parameters. Suitable drying measures should ensure that no residual moisture or traces of washing substances are left in the component.

Initial Operation/Calibration

Due to the stress which the components are subjected to during processing, reversible parameter changes occur in almost all electronic components. The capacitance recovery accuracy to be expected with careful processing is within a scope of

|∆C/C**|**≤ 5 %.

For the initial operation of the device a minimum storage time of

$t \ge 24$ hours

is to be taken into account. With calibrated devices or when the application is largely dependent on capacitance it is advisable to prolong the storage time to

t ≥ 10 days

In this way ageing effects of the capacitor structure can be anticipated. Parameter changes due to processing are not to be expected after this period of time

Humidity Protection Bags

Taped WIMA SMD capacitors are shipped in humidity protection bags according to JEDEC standard, level 1 IEMI/static-shielding bags conforming to MIL-B 81705, Type 1, Class 11. Under controlled conditions the components can be stored two years and more in the originally sealed bag. Opened packing units should be consumed instantly or resealed for specific storage under controlled conditions.

Reliability

Taking account of the manufacturer's guidelines and compatible processing, the WIMA SMD stand out for the same high quality and reliability as the analogous through-hole WIMA series. The technology of metallized film capacitors used e.g. in WIMA SMD-PET achieves the best values for all fields of application. The expected value is about:

$\lambda_0 \leqslant 2$ fit

Furthermore the production of all WIMA components is subject to the regulations laid down by ISO 9001:2000 as well as

the guidelines for component specifications set out by IEC quality assessment system (IECQ-CECC) for electronic components.

Electrical Characteristics and Fields of Application

Basically the WIMA SMD series have the same electrical characteristics as the analogous through-hole WIMA capacitors. Compared to ceramic or tantalum dielectrics WIMA SMD capacitors have a number of other outstanding gualities :


- favourable pulse rise time
- Iow ESR
- Iow dielectric absorption
- available in high voltage series
- Iarge capacitance spectrum
- stand up to high mechanical stress
- good long-term stability

As regards technical performance as well as quality and reliability, the WIMA SMD series offer the possibility to cover nearly all applications of conventionally throughhole film capacitors with SMD components. Furthermore, the WIMA SMD series can now be used for all the demanding capacitor applications for which, in the past, the use of through-hole components was mandatory:

- measuring techniques
- oscillator circuits
- differentiating and integrating circuits
- A/D or D/A transformers
- sample and hold circuits
- automotive electronics

With the WIMA SMD programme available today, the major part of all plastic film capacitors can be replaced by WIMA SMD components. The field of application ranges from standard coupling capacitors to use in switch-mode power supplies as filter or charging capacitors with high voltage and capacitance values, as well as in telecommunications e.g. the well-known telephone capacitor 1μ F/250VDC.

Blister Tape Packaging and Packing Units of the WIMA SMD Capacitors



 \oplus

-⊕-

5.1 Ø1.5 Ø1.5

-÷-

P


⊕ -⊕-

5.7

5.6

6.3

Tape advance and return:



Туре	W2max	$Wl_{1\pm0}^{2}$	N±1.5							
1812	19	12.4	62							
2220	19	12.4	62							
2824	19	12.4	62							
4030	22.4	16.4	60							
5040	30.4	24.4	90							
6054	30.4	24.4	90							

Size Code	1812	A0 +0.1	A۱	Bo ±0,1	B۱	Do +0,1	D1 +0,1	P ±0.1	Po*	P2 ±0.05	E ±0,1	F ±0.05	G	W ±0,3	W0 ±0,2	K ±0,1	T ±0,1
Box size	Code	10.1		10.1		-0	-0	10.1	20.1	10.00	20.1	10.00		10.0	10.2	10.1	20.1
4.8×3.3×3	X1	3.55	3.3	5.1	4.8	Ø1.5	Ø1.5	8	4	2	1.75	5.5	2.2	12	9.5	3.4	0.3
4.8×3.3×4	X2	3.55	3.3	5.1	4.8	Ø1.5	Ø1.5	8	4	2	1.75	5.5	2.2	12	9.5	4.4	0.3
Size Code	2220	A0 +0.1	A۱	Bo +0.1	B۱	Do +0,1	D1 +0.1	P ±0.1	Po*	P2 ±0.05	E ±0.1	F ±0.05	G	W +0,3	W0 +0.2	K +0.1	T ±0.1
Box size	Code	- 0.1				-0	-0	10.1	- 0.1	10.00	- 0.1	10.00		1.0.0	±0.2	1.0.1	- 0.1
57x51x35	YI	63	57	56	51	Ø1.5	Ø1.5	8	4	2	1 75	55	1.95	12	9.5	37	0.3

 \oplus

-Ė

Ð

Ð

C

ŧ

▲

12 9.5 4.7 0.3

⊕ -⊕-

Size Code	2824	A0 ±0,1	Aı	Bo ±0,1	B۱	Do + 0,1	D1 +0.1	P ±0.1	Po*	P ₂ ±0.05	E +0.1	F	G	W ±0,3	W0 ±0,2	K ±0,1	T +0.1
Box size	Code			10.1		-0	-0	10.1	10.1	10.00	±0.1	10.00		10.0	10.2	10.1	10.1
7.2×6.1×3	TI	6.6	6.1	7.7	7.2	Ø1.5	Ø1.5	12	4	2	1.75	5.5	0.9	12	9.5	3.4	0.3
7.2×6.1×5	T2	6.6	6.1	7.7	7.2	Ø1.5	Ø1.5	12	4	2	1.75	5.5	0.9	12	9.5	5.4	0.4

8 4 2 1.75 5.5 1.95

		Code	A0 ±0.1		Bo ±0.1						P2 ±0.05		F ±0.05			W0 ±0.2	K ±0.1	T ±0.1
Size Co	ode 4030	К1	10.7	10.2	9.7	9.1	Ø1.5	Ø1.5	16	4	2	1.75	7.5	1.9	16	13.3	5.9	0.3
Size Co	ode 5040	V١	13.2	12.7	12.1	11.5	Ø1.5	Ø1.5	16	4	2	1.75	11.5	4.7	24	21.3	7.0	0.3
Size Co	ode 6054	Q1	17.0	16.5	15.6	15.0	Ø1.5	Ø1.5	20	4	2	1.75	11.5	2.95	24	21.3	7.5	0.3

 * cumulative after 10 steps \pm 0.2 mm max.

⊕ ⊕ ⊕ ⊕

5.7x5.1x4.5

Y2

Samples and pre-production needs on request or 1 Reel minimum.

Packing units

taped Reel	taped	taped b Reel				
	330 mm Ø	Mini	Standard			
750	2500	1000	3000			
500	2000	1000	3000			

taped Reel	taped Reel	bı	ulk		
	330 mm Ø	Mini	Standard		
500	1800	1000	3000		
400	1500	1000	3000		

taped Reel	bı	ulk		
330 mm Ø	Mini	Standard		
1500	500	2000		
750	500	2000		

taped Reel	bu	ulk
330 mm Ø	Mini	Standard
775	500	2000
600	200	1000
450	100	500

Part number codes for SMD packing

Ø in mm	Code
180	Р
330	Q
330	R
330	Т
	-
	м
dard	S
	180 330 330 330

-WIMA Part Number System ·

A WIMA part number consists of 18 digits and is composed as follows:

- Field 1 4: Type description
- Field 5 6: Rated voltage
- Field 7 10: Capacitance
- Field 11 12: Size and PCM
- Field 13 14: Special features (e.g. Snubber versions)
- Field 15: Capacitance tolerance
- Field 16: Packing Field 17 18: Lead length (untaped)

Field 17	′ - 18: Lec	ıd leng	gth (un	taped)															
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18		
м	к	S	2	с	0	2	1	0	0	1	A	0	0	м	S	S	D		
	MKS 2		MKS 2			63 \	/DC		0.0	1 µF		2.5×6	.5x7.2			20%	bulk	6	-2
																_			
SMD-F SMD-F SMD-F FKP 02 MKS 02 FKS 2 FKP 2 MKP 2 FKS 3 FKP 3 MKP 4 FKP 4 FKP 4 FKP 4 FKP 1 MKP-X MKP-X MKP-Y MP 3- MP 3- MP 3- MP 3- MP 3- MP 3- Snubb	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	= SA $= SA$ $= FK$	ADI PO KSO S2 PS KS2 FS KS2 FS KS2 FS KS2 FS S3 KS4 FS FS FS FS FS FS FS FS FS FS FS FS FS	Rated v 2.5 VDC 4 VDC 14 VDC 28 VDC 5 VDC 5 VDC 5 VDC 5 VDC 5 VDC 5 VDC 6 0 VDC 1 0 0 0 VDC 1 0 0 VDC	$ \begin{array}{c} = A \\ = B \\ = C \\ = D \\ = D \\ = C \\ = C \\ = C \\ = D \\ = C \\ = C \\ = C \\ = D \\ = C \\ = D \\ = C \\ = C \\ = D \\ = D \\ = C \\ = C \\ = D \\ = C \\ = C \\ = D \\ = C $	1 22 2 47 3 10 4 15 5 22 5 22 6 33 0 47 0 15 22 68 0 15 22 68 0 0.0 0 0.2 0 0.2 0 0.2 0 1 0 2.2 0 1 0 2.2 0 1 0 2.2 0 10 0 2.2 0 10 0 2.5 0 10 0 2.5 0 10 0 2.5 0 10 0 2.5 0 10 0 2.5 0 10 0 2.5 0 10 0 <th>pF = 0 0 pF = 0 $47 \mu F = 0$ $\mu F =$</th> <th>= 0022 = 0047 = 0100 = 0150 = 0220 = 0330 = 0470 = 0680 = 1100</th> <th>4.8x 5.7x 5.7x 7.2x 7.2x 10.2 12.7y 15.3y 2.5x 3x7. 2.5x 3x7. 2.5x 3x8. 3x9 4x9 5x11 6x12 5x14 6x12 9x19 11x2 9x19 11x2 94x2 </th> <th>3.3 x 3 § 3.3 x 4 § 5.1 x 3.5 5.1 x 4.5 6.1 x 3 § 6.1 x 5 § x 7.6 x 5 x 7.6 x 5 x 10.2 x 6 f 5 x 4.6 F 6.5 x 7.2 f x 10 P 5 x 10</th> <th>CM 7.5 CM 7.5 M 10 M 10 CM 15 PCM 15 PCM 22 PCM 22 PCM 27 PCM 27 PCM 37 PCM 37 DCH_ DCH_</th> <th>$2 = X'_{220} = Y'_{41}$ $220 = Y'_{420} = T'_{420} = T'_{420}$ $4 = T'_{420} = K'_{400} = V'_{540} = 0''_{540} =$</th> <th>1 2 1 2 1 2 1 2 1 1 1 1 3 3 3 4 3 4 3 4 3 4 3 4 3 4 3 4</th> <th>Toleran 20% 10% 5% 2.5% 1% Packing AMMO AMMO AMMO AMMO AMMO AMMO AMMO AMM</th> <th>= M = K = J = H = E H16.5 3 H16.5 4 H18.5 3 H18.5 4 6.5 360 6.5 500 8.5 360 8.5 360 8.</th> <th>90 x 37(40 x 34(90 x 37(90 30) 30</th> <th></th>	pF = 0 0 pF = 0 $47 \mu F = 0$ $\mu F = $	= 0022 = 0047 = 0100 = 0150 = 0220 = 0330 = 0470 = 0680 = 1100	4.8x 5.7x 5.7x 7.2x 7.2x 10.2 12.7y 15.3y 2.5x 3x7. 2.5x 3x7. 2.5x 3x8. 3x9 4x9 5x11 6x12 5x14 6x12 9x19 11x2 9x19 11x2 94x2 	3.3 x 3 § 3.3 x 4 § 5.1 x 3.5 5.1 x 4.5 6.1 x 3 § 6.1 x 5 § x 7.6 x 5 x 7.6 x 5 x 10.2 x 6 f 5 x 4.6 F 6.5 x 7.2 f x 10 P 5 x 10	CM 7.5 CM 7.5 M 10 M 10 CM 15 PCM 15 PCM 22 PCM 22 PCM 27 PCM 27 PCM 37 PCM 37 DCH_ DCH_	$2 = X'_{220} = Y'_{41}$ $220 = Y'_{420} = T'_{420} = T'_{420}$ $4 = T'_{420} = K'_{400} = V'_{540} = 0''_{540} =$	1 2 1 2 1 2 1 2 1 1 1 1 3 3 3 4 3 4 3 4 3 4 3 4 3 4 3 4	Toleran 20% 10% 5% 2.5% 1% Packing AMMO AMMO AMMO AMMO AMMO AMMO AMMO AMM	= M = K = J = H = E H16.5 3 H16.5 4 H18.5 3 H18.5 4 6.5 360 6.5 500 8.5 360 8.5 360 8.	90 x 37(40 x 34(90 x 37(90 30) 30			

The data on this page is not complete and serves only to explain the part number system. Part number information is listed on the pages of the respective WIMA range.