


D600ML Series

		REVISIONS						
ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
-	Α	RELEASED	G. S	24/3/06	K. S	24/3/06	N. K	7/4/06

Metallised Plastic

11.5

D609



Features:

- Nickel plated ABS shell.
- Enhanced shielding of cables from RFI/EMI.
- Knockout for top or side cable entry.
- Supplied with two 59mm and two 13mm jackscrews.

Dimensions : Millimetres

This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from many reliance or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. MULTICOMP is the registered trademark of the Group. © Premier Farnell plc 2004.

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE
SPECIFIED,
DIMENSIONS ARE
FOR REFERENCE
FOR REFERENCE PURPOSES ONLY.

TOLERANCES:

DRAWN BY:	DATE:
G. Sriram	24/03/06
CHECKED BY:	DATE:
K. Suresh	24/03/06
APPROVED BY:	DATE:
N. Kiwomya	07/04/06

DRAV	VING TITLE:	D600ML Series - EMI/I	RFI Shielded 'D' S	hells
SIZE	DWG NO.	M10000240	ELECTRONIC FILE	REV


M10000240 209826_DWG A

SCALE: NTS U.O.M.: mm SHEET: 1 OF 6



D600ML Series

REVISIONS								
ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
-	Α	RELEASED	G. S	24/3/06	K. S	24/3/06	N. K	7/4/06



Dimensions : Millimetres

This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is ig rantled for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or ornission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from regigence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injuny resulting from its negligence. MULTICOMP is the registered trademark of the Group. © Premier Farnell plo 2004.

TOLERANCES:

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:	DATE:
G. Sriram	24/03/06
CHECKED BY:	DATE:
K. Suresh	24/03/06
APPROVED BY:	DATE:
N. Kiwomya	07/04/06

DRAWING TITLE: D600ML Series - EMI/RFI Shielded 'D' Shells


-	SIZE A	DWG NO.	M10000240	 TRONIC FIL 826_DWC			REV A	_
f	SCAL	E: NTS	U.O.M.: mm	SHEET:	2	OF	6	




D600ML Series

		REVISIONS						
ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
-	Α	RELEASED	G. S	24/3/06	K. S	24/3/06	N. K	7/4/06

D625





Dimensions : Millimetres

This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. MULTICOMP is the registered trademark of the Group.® Premier Farnell pic 2004.

TOLERANCES:

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:	DATE:
G. Sriram	24/03/06
CHECKED BY:	DATE:
K. Suresh	24/03/06
APPROVED BY:	DATE:
N. Kiwomya	07/04/06

D600ML	Series -	EMI/RFI	Shielded	'D'	Shells


SIZE	DWG NO.	M10000240		TRONIC FII 826_DWC			REV A
SCAL	E: NTS	U.O.M.: mm		SHEET:	3	OF	- 6



D600ML Series

		REVISIONS						
ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
-	Α	RELEASED	G. S	24/3/06	K. S	24/3/06	N. K	7/4/06

D637



This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from many reliance or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. MULTICOMP is the registered trademark of the Group. © Premier Farnell plc 2004.

TOLERANCES:

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:	DATE:
G. Sriram	24/03/06
CHECKED BY:	DATE:
K. Suresh	24/03/06
APPROVED BY:	DATE:
N. Kiwomya	07/04/06

ı	DRAWING TITLE:		
ı		D600ML Series - EMI/RFI Shielded 'D' S	shells
ı			,,,,,,,,,,

SIZE A	DWG NO.	M10000240		TRONIC FIL 826_DWG			REV A	/
SCALE: NTS		U.O.M.: mm		SHEET:	4	OF	6	



D600ML Series

	REVISIONS							
ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
-	Α	RELEASED	G. S	24/3/06	K. S	24/3/06	N. K	7/4/06

Specifications

Number		Dimensions		Maximum	Part Number		
of Ways	Height	Width	Depth	Cable Entry	Part Number		
9	41	35	17	6 x 5.5	D609ML		
15	48	43		9 x 5	D615ML		
25	48	57		9 x 6	D625ML		
37	54	74		13 x 6	D637ML		

Dimensions: Millimetres

This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the 'Group') or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. MULTICOMP is the registered trademark of the Group.® Premier Farnell ptc 2004.

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.
SPECIFIED,
DIMENSIONS ARE
FOR REFERENCE
PURPOSES ONLY.

TOLERANCES:

DRAWN BY:	DATE:
G. Sriram	24/03/06
CHECKED BY:	DATE:
K. Suresh	24/03/06
APPROVED BY:	DATE:
N. Kiwomya	07/04/06

DRAV	VING TITLE:			
		D600ML Series - EMI/I	RFI Shielded 'D' S	hells
SIZE	DWG NO.	14 4000040	ELECTRONIC FILE	REV
Α		M10000240	209826_DWG	Α

SCALE: NTS U.O.M.: mm

SHEET: 5 OF 6



D600ML Series

REVISIONS				·	·	·		·
ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
-	Α	RELEASED	G. S	24/3/06	K. S	24/3/06	N. K	7/4/06

Notes:

International Sales Offices:

AUSTRALIA - Farnell InOne

Tel No: ++ 61 2 9645 8888

AUSTRIA - Farnell InOne

BELGIUM - Farnell InOne

Fax No: ++ 61 2 9644 7898

HONG KONG -

Tel No: ++ 43 662 2180 680 Fax No: ++ 43 662 2180 670

Tel No: ++ 32 3 475 2810 Fax No: ++ 32 3 227 3648

BRAZIL - Farnell-Newark InOne ITALY - Farnell InOne

Tel No: ++ 55 11 4066 9400 Fax No: ++ 55 11 4066 9410

CHINA - Farnell-Newark InOne Farnell-Newark InOne

Tel No: ++86 10 6238 5152 Fax No: ++86 10 6238 5022

DENMARK - Farnell InOne Tel No: ++ 45 44 53 66 44

Fax No: ++ 45 44 53 66 06

ESTONIA - Farnell InOne

Tel No: ++ 358 9 560 7780 Fax No: ++ 358 9 345 5411

FINLAND - Farnell InOne Tel No: ++ 358 9 560 7780

Fax No: ++ 358 9 345 5411

FRANCE - Farnell InOne Tel No: ++ 33 474 68 99 99 Fax No: ++ 33 474 68 99 90 **GERMANY** - Farnell InOne

Tel No: ++ 49 89 61 39 39 39 Fax No: ++ 49 89 613 59 01

SINGAPORE -

Farnell-Newark InOne

Tel No: ++ 65 6788 0200

Fax No: ++ 65 6788 0300

Tel No: ++ 34 93 475 8805

Fax No: ++ 34 93 474 5107

SWEDEN - Farnell InOne

Tel No: ++ 46 8 730 50 00

Fax No: ++ 46 8 83 52 62

SWITZERLAND - Farnell InOne

Tel No: ++ 41 1 204 64 64 Fax No: ++ 41 1 204 64 54

Tel No: ++ 44 8701 200 200

Fax No: ++ 44 8701 200 201

UK - BuckHickman InOne

UK - Farnell InOne

++ 44 8450 510 150

++ 44 8450 510 130

++ 44 8701 202 530

++ 44 8701 202 531

UK-CPC

SPAIN - Farnell InOne

Farnell-Newark InOne

Tel No: ++ 852 2268 9888 Fax No: ++ 852 2268 9899

IRELAND - Farnell InOne

Tel No: ++ 353 1 830 9277 Fax No: ++ 353 1 830 9016

Tel No: ++ 39 02 93 995 200 Fax No: ++ 39 02 93 995 300

MALAYSIA -

Tel No: ++ 60 3 7873 8000 Fax No: ++ 60 3 7873 7000

NETHERLANDS - Farnell InOne

Tel No: ++ 31 30 241 7373 Fax No: ++ 31 30 241 7333

NEW ZEALAND - Farnell InOne

Tel No: ++ 64 9 357 0646 Fax No: ++ 64 9 357 0656

NORWAY - Farnell InOne

Tel No: ++ 45 44 53 66 66 Fax No: ++ 45 44 53 66 02

PORTUGAL - Farnell InOne Tel No: ++ 34 93 475 8804 Fax No: ++ 34 93 474 5288

http://www.farnellinone.com

http://www.buckhickmaninone.com

http://www.cpc.co.uk

EXPORT - Farnell InOne Tel No: ++ 44 8701 200 208 Fax No: ++ 44 8701 200 209

For enquiries from all other markets

REV

Α

This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change with out notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence.

MULTICOMP is the registered trademark of the Group. © Premier Farnell plc 2004.

UNLESS OTHERWISE SPECIFIED, **DIMENSIONS ARE** FOR REFERENCE PURPOSES ONLY.

TOLERANCES:

DRAWN BY: DATE: G. Sriram 24/03/06 CHECKED BY: DATE: 24/03/06 K. Suresh APPROVED BY: DATE: 07/04/06 N. Kiwomya

DRAWING TITLE:

D600ML Series - EMI/RFI Shielded 'D' Shells

SIZE DWG NO. M10000240 **ELECTRONIC FILE** 209826 DWG

SCALE: NTS U.O.M.: mm SHEET: 6 OF 6