



## SAFETY DATA SHEET

### SCREEN AND STENCIL WIPES

#### 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**PRODUCT NAME** SCREEN AND STENCIL WIPES

**PRODUCT NO.** ESSW100

**SUPPLIER** ELECTROLUBE. A division of  
HK WENTWORTH LTD  
KINGSBURY PARK, MIDLAND  
ROAD  
SWADLINCOTE  
DERBYSHIRE, DE11 0AN  
UNITED KINGDOM  
+44(0)1283 222 111  
+44(0)1283 550 177  
info@hkw.co.uk

**EMERGENCY TELEPHONE** +44(0)1283 222 111 between 8.30 am - 5.00pm Mon - Fri

#### 2 HAZARDS IDENTIFICATION

Irritating to eyes.

**CLASSIFICATION** Xi;R36.

#### 3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
C11-C15 Iso alkanes	292-460-6	90622-58-5	10-30%	Xn;R65.
C9-C12 Iso alkanes	292-459-0	90622-57-4	10-30%	Xn;R65. R66.
TETRAHYDROFURFURYL ALCOHOL	202-625-6	97-99-4	10-30%	Xi;R36
DIPROPYLENE GLYCOL MONOMETHYL ETHER		34590-94-8	5-10%	-
3-BUTOXYPROPAN-2-OL	225-878-4	5131-66-8	1-5%	Xi;R36/38

The Full Text for all R-Phrases are Displayed in Section 16

#### COMPOSITION COMMENTS

Ingredients not listed are classified as non-hazardous or at a concentration below reportable levels

#### 4 FIRST-AID MEASURES

##### NOTES TO THE PHYSICIAN

Treat symptomatically

##### INHALATION

Move the exposed person to fresh air at once. Provide rest, warmth and fresh air.

##### INGESTION

Rinse mouth thoroughly. Get medical attention.

##### SKIN CONTACT

Wash the skin immediately with soap and water. Get medical attention if irritation persists after washing.

##### EYE CONTACT

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

#### 5 FIRE-FIGHTING MEASURES

## SCREEN AND STENCIL WIPES

### EXTINGUISHING MEDIA

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

### 6 ACCIDENTAL RELEASE MEASURES

#### SPILL CLEAN UP METHODS

Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area.

### 7 HANDLING AND STORAGE

#### USAGE PRECAUTIONS

Avoid spilling, skin and eye contact.

#### STORAGE PRECAUTIONS

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container.

### 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	TWA - 8 hrs		STEL - 15 min		Notes
C11-C15 Iso alkanes	WEL	175 ppm	1200 mg/m3			

WEL = Workplace Exposure Limit.

#### INGREDIENT COMMENTS

WEL = Workplace Exposure Limits

#### ENGINEERING MEASURES

No particular ventilation requirements.

#### HAND PROTECTION

Use suitable protective gloves if risk of skin contact. Use protective gloves made of: Neoprene, nitrile, polyethylene or PVC.

#### EYE PROTECTION

If risk of splashing, wear safety goggles or face shield.

#### OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of skin contact.

#### HYGIENE MEASURES

Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. When using do not eat, drink or smoke.

### 9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Liquid		
COLOUR	Colourless		
ODOUR	Characteristic		
BOILING POINT (°C)	>100	MELTING POINT (°C)	<0
RELATIVE DENSITY	>=0.850 @ 20 °c	BULK DENSITY	851 kg/m3

### 10 STABILITY AND REACTIVITY

#### STABILITY

Stable under normal temperature conditions.

#### CONDITIONS TO AVOID

Avoid excessive heat for prolonged periods of time.

### 11 TOXICOLOGICAL INFORMATION

#### HEALTH WARNINGS

No specific health warnings noted.

No specific acute or chronic health impact noted, but this chemical may still have adverse impact on human health, either in general or on certain individuals with pre-existing or latent health problems.

### SCREEN AND STENCIL WIPES

#### Other Health Effects

This substance has no evidence of carcinogenic properties.

<b>Name</b>	3-BUTOXYPROPAN-2-OL
<b>Toxic Dose 1 - LD 50</b>	2612-5500 mg/kg (oral rat)
<b>Name</b>	TETRAHYDROFURFURYL ALCOHOL
<b>Toxic Dose 1 - LD 50</b>	25000 mg/kg (oral rat)
<b>Name</b>	DIPROPYLENE GLYCOL MONOMETHYL ETHER
<b>Toxic Dose 1 - LD 50</b>	>5000 mg/kg (oral rat)
<b>Toxic Conc. - LC 50</b>	55 mg/l/4h (inh-rat)

#### 12 ECOLOGICAL INFORMATION

##### ECOTOXICITY

Not regarded as dangerous for the environment.

<b>Name</b>	3-BUTOXYPROPAN-2-OL
<b>LC 50, 96 Hrs, FISH mg/l</b>	560-1000
<b>EC 50, 48 Hrs, DAPHNIA, mg/l</b>	>1000
<b>Name</b>	TETRAHYDROFURFURYL ALCOHOL
<b>EC 50, 48 Hrs, DAPHNIA, mg/l</b>	8000
<b>Name</b>	DIPROPYLENE GLYCOL MONOMETHYL ETHER
<b>LC 50, 96 Hrs, FISH mg/l</b>	>1000
<b>EC 50, 48 Hrs, DAPHNIA, mg/l</b>	1919

#### 13 DISPOSAL CONSIDERATIONS

##### DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

#### 14 TRANSPORT INFORMATION

	No transport warning sign required.		
<b>RAIL TRANSPORT NOTES</b>	Not Classified.		
<b>SEA TRANSPORT NOTES</b>	Not Classified.		
<b>AIR TRANSPORT NOTES</b>	Not Classified.		
<b>ADR CLASS</b>	Not classified for transportation.	<b>MARINE POLLUTANT</b>	No.

#### 15 REGULATORY INFORMATION

##### SYMBOLS



Irritant

##### RISK PHRASES

R36 Irritating to eyes.

##### SAFETY PHRASES

S25 Avoid contact with eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

##### UK REGULATORY REFERENCES

Chemicals (Hazard Information & Packaging) Regulations.

The Control of Substances Hazardous to Health Regulations 1988.

##### EU DIRECTIVES

Dangerous Substance Directive 67/548/EEC.

Dangerous Preparations Directive 1999/45/EC.

**SCREEN AND STENCIL WIPES**

System of specific information relating to Dangerous Preparations. 2001/58/EC.

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

**APPROVED CODE OF PRACTICE**

Classification and Labelling of Substances and Preparations Dangerous for Supply.

**GUIDANCE NOTES**

Workplace Exposure Limits EH40.

**16 OTHER INFORMATION****REVISION COMMENTS**

Revised in accordance with CHIP3 and EU Directives 1999/45/EC and 2001/58/EC

**ISSUED BY**

Helen O'Reilly

**REVISION DATE** SEPTEMBER 2008

**REV. NO./REPL. SDS** 3

**GENERATED**

**SDS NO.** 10576

**RISK PHRASES IN FULL**

NC	Not classified.
R36	Irritating to eyes.
R36/38	Irritating to eyes and skin.
R65	Harmful: may cause lung damage if swallowed.
R66	Repeated exposure may cause skin dryness or cracking.

**DISCLAIMER**

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.