

# SPLICES



F=Flared insulation

File No.: (UL) E42024 (SR) LR20812

## Parallel-Non insulated




Cable Size sq. mm.	Part No	L	øD	ød1
0.25 - 1.65	P-1.5	8.0	3.3	1.7
1.04 - 2.63	P-2	8.0	4.1	2.3
2.63-6.64	P-5.5	8.5	5.4	3.4
6.64-10.52	P-8	9.5	7.0	4.5
10.52 -16.78	P-14	11.0	18.9	5.8
16.78-26.66	P-22	13.5	11.3	7.7
26.66-42.42	P-38	16.5	13.2	9.4
42.42-60.57	P-60	19.0	15.3	11.4
60.57-76.28	P-70	19.0	17.5	13.3
76.28-96.3	P-80	19.5	19.5	14.5
96.3-117.2	P-100	20.0	22.1	16.4
117.2-152.05	P-150	27.0	26.4	19.5
152.05-192.6	P-180	28.5	28.5	21.0
192.6-242.27	P-200	32.0	32.4	24.0
242.27-325	P-325	37.0	37.0	28.0





## Parallel-Vinyl insulated

Cable Size sq. mm.	Part No	L	l	øD
0.25-1.65	VP-1.25	16.0	8.0	3.2
	FVP-1.25			4.0
1.04-2.63	VP-2	16.0	8.0	3.9
	FVP-2			4.5
2.63-6.64	VP-5.5	20.5	8.5	5.4
	FVP-5.5			6.8



## Butt-Non insulated

Cable Size sq. mm.	Part No	L	øD	ød1
0.25-1.65	C-1.25	15.0	3.3	1.7
1.04-2.63	C-2	15.0	4.1	2.3
2.63-6.64	C-5.5	15.0	5.4	3.4
6.64-10.52	C-8	21.0	7.0	4.5
10.52-16.78	C-14	26.0	8.9	5.8
16.78-26.66	C-22	29.0	11.3	7.7
26.66-42.42	C-38	32.0	13.2	9.4
42.42-60.57	C-60	36.0	15.3	11.4
60.57-76.28	C-70	37.0	17.5	13.3
76.28-96.3	C-80	38.0	19.5	14.5
96.3-117.2	C-100	38.0	22.1	16.4
117.2-152.05	C-150	54.0	26.4	19.5
152.05-192.6	C-180	57.0	28.5	21.0
192.6-242.27	C-200	63.0	32.4	24.0
242.27-325	C-325	72.0	37.0	28.0



## Butt-Vinyl insulated

Cable Size sq. mm.	Part No	L	l	øD
0.25-1.65	VC-1.25	22.7	15.0	3.2
	FVC-1.25			4.0
1.04-2.63	VC-2	22.7	15.0	3.9
	FVC-2			4.5
2.63-6.64	VC-5.5	26.7	15.0	5.4
	FVC-5.5			6.8

