5061921

part number SW8244X.

This iron is a fixed temperature 15W 230V soldering iron fitted with a 1.5M lead and a standard British plug. The iron handle has the word 'Multicomp' printed on it specific to Farnell. A standard chrome plated soldering bit type 1100 is fitted to the main element.

Product Information					
Order Code / Sku	5061921				
Product Details	IRON, 15W - 230V UK PLUG; Colour: Black; Diameter, external: 23mm At the Bottom, 17mm at the flex end; Length, body: Handle Length 122mm Total = 200mm (Including Tip etc.); Length, cable: 1.5m 3 core 3x0.75mm ² Insulated				
Description	IRON, 15W - 230V UK PLUG; Colour: Black; Diameter, external: 23mm At the Bottom, 17mm at the flex end; Length, body: Handle Length 122mm Total = 200mm (Including Tip etc.); Length, cable: 1.5m 3 core 3x0.75mm ² Insulated PVC; Length, Handle: 122mm; Length, lead: 1.5m 3 core 3x0.75mm ² Insulated PVC; Length: Total Length 200mm Including Tip etc.; Power rating: 15W; Temperature, max: 370°C; Temperature, operating (a) max: 370°C; Tip type: Chisel; Voltage, breakdown max: 2500V; Voltage, supply AC: 230V ac; Weight: 170g				
Pack Details	1				
Catalogue Page Number 911 / UK4					
Manufacturer	MULTICOMP	MULTICOMP			
Manufacturer Part Numl	5061921				
Family Pricing Code	0				
Stock Availability In Stock					
Fixed Temperature Soldering Irons					
15W and 25W					
 230V ac operation Lightweight ergonomic design Strong high quality polycarbonate handle UK manufactured Fitted with moulded UK 3-pin mains plug CE approved All the replacement tips are iron and chrome plated (except 108-518) 					
	.5 m , 3-Core 3x0.75mm ² Insulated PVC with strain elief				
Max Tip Temperature 3	70 °C	390 °C			
	22 mm				
(11p)) mm				
	mm at the bottom, 17mm at the flex end				
Weight 1	70 g	180 g			
<u> </u>					

Breakdown Voltage	2500 V					
Standard Tip Fitted	2.3mm Chisel(418-614)				3.0mm Chisel(418- 699)	
			[Price Ea	ch	
Description		Order Code				
15 W Soldering Iron		506-1921				
25 W Soldering Iron		506-1933				
Tip Size			Style			
Tips for use with 15W Iron (370 ° C)						
0.1mm			Point		108-518	
1.0mm			Chisel		418-596	
2.3mm			Chisel		418-614	
3.0mm			Chisel		418-687	
4.7mm			Chisel		418-730	
Tips for use with 25V	V Iron (390 ° C)					
0.5mm			Point		418-572	
2.3mm			Chisel		418-626	
2.3mm			Screwdrive	r	418-638	
3.0mm			Chisel		418-699	
3.0mm			Screwdriver		418-705	
4.7mm			Chisel		418-754	