
DURATOOL




Features:

- This series offers adjustable loaded feet (ALF'S).
- Available with either a polypropylene, nylon conical base with a threaded stem in either zinc plated finish or all stainless and nut to allow for adjustment.
- All stems have a ball at the base to allow for fit.


Black Polypropylene Base With Zinc Plated Stem



White Polypropylene Base With An All Stainless Stem



Black Nylon 66 Base With Synthetic Rubber Absorption Pad (Food Grade)



http://www.farnell.com http://www.newark.com http://www.cpc.co.uk



Adjustable Load Feet



Specifications:

Recommended uses:

For adjusting heights on worktables, machinery and conveyor systems. The stainless stem is for use in the food and pharmaceutical industries.

Carrying capacity:

Where indicated are for a static constant load.

Base diameters:

30mm - 105mm.

Temperature:

Polypropylene base	: -10°C to +60°C.						
Nylon base	: -20°C to +80°C.						
Material:							
MS = Mild steel zinc plated.							
SS = Stainless steel.							

Specification Table

Description	Base Diameter (A)	Height to Stem (B)	Stem Size (C x D)	Static Load (Kg)	Unit Weight (Kg)	Thread Length (B)		Base Height (D)	Stem Diameter (E)	Part Number	
Foot, Load, 32mm Diameter	30 40	40		8 x 25	75	0.02	-	-	-	-	ALF 30MS 8
Foot, 40mm Diameter			21	8 x 25	100	0.03	-	-	-	-	ALF 40MS 8
Foot, Load, 47mm Diameter	-			10 x 38		0.04	-	-	-	-	ALF 50MS 10
Foot, 50mm Diameter			42	10 x 75	250	0.1	-	-	-	-	ALF 50SS 10 x 75
Foot, Load, 50mm Diameter		42	10 x 100		0.12	-	-	-	-	ALF 50SS 10 x 100	
Foot, Load, 80mm Diameter	- 80			12 x 100	400	0.22	-	-	-	-	ALF 80SS 12
Foot, Load, 80mm Diameter			55	16 x 150	1000	0.37	-	-	-	-	ALF 80SS 16
Foot, Load, 105mm Diameter	105		20 x 150	1200	0.6	-	-	-	-	ALF 105SS 20	
Foot, Load, 60mm Diameter	90	150	-	800		150	51	25	M12	ALF 60MS 16 x 150	

Dimensions : Millimetres

Disclaimer This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheets here should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. DURATOOL is the registered trademark of the Group. © Premier Farnell plc 2009.



http://www.farnell.com http://www.newark.com http://www.cpc.co.uk