

KNIPEX Tool Cases

Safe transport of valuable tools





particularly suitable for the electrical domain



particularly suitable for the sanitary domain

Tool Cases for individual equipment



- ► ABS hard-shell construction
- with aluminium frame
- ▶ 15 kg maximum load

 with base tray, cover plate, document compartment, lid holder, metal hinges and hand-friendly handle

Article-No.	Description	Internal Dimensions	47
		mm	g
00 21 05 LE	Tool Case "Basic"	440 x 350 x 180	4200



- ► ABS hard-shell construction
- ▶ aluminium frame
- ▶ hard-wearing Con-Pearl® tool boards with 21 push-in compartments
- keep-safe compartment 400 mm
- ▶ 20 kg maximum load
- base tray, height 58 mm, with tool plate with subdivisions for cover plate
- with tilting locks, sturdy handle and register hinges

Article-No.	Description	Internal Dimensions	47
		mm	g
00 21 20 LE	Tool Case "Standard"	465 x 310 x 170	3700



lid holder not necessary

- ► ABS hard-shell construction
- with double aluminium frame
- ➤ 3 hard-wearing Con-Pearl® tool boards with a total of 50 push-in compartments
- document compartment in the lid
- base tray, height 58 mm, with cover plate
- ergonomic handle with padded grip recesses
- ▶ 30 kg maximum load
- barrel locks, register hinges with cover locking and bottom studs

Article-No.	Description	Internal Dimensions	47
		mm	g
00 21 31 LE	Tool Case "Classic I"	460 x 360 x 165	4700



- ► ABS hard-shell construction
- with double aluminium frame
- > 3 hard-wearing Con-Pearl® tool boards with CP-7 tool holders
- document compartment in the lid
- base tray, height 58 mm, with cover plate
- ergonomic handle with padded grip recesses
- 30 kg maximum load
- barrel locks, register hinges with cover locking and bottom

Article-No.	Description	Internal Dimension	ns 🖧
		mm	g
00 21 32 LE	Tool Case "Classic II"	460 x 310 x 165	4700



CP-7 tool holders

- extra large in height, width and depth
- ABS hard-shell construction
- with double aluminium frame
- ► hard-wearing Con-Pearl® tool boards with a total of 40 pushin compartments
- ▶ document compartment in the lid + 2 keep-safe compartments 400 mm
- base tray, height 88 mm, with cover plate
- ergonomic handle with padded grip recesses
- 30 kg maximum load
- barrel locks, register hinges with cover locking and bottom studs

Article-No.	Description	Internal Dimensions	s 42
		mm	g
00 21 33 LE	Tool Case "Comfort"	470 x 360 x 180	5100

Innovation: Space saving upright position. Easy access to the complete contents.

- ► ABS hard-shell construction
- sturdy aluminium frame with hooks for belt
- 2 tool boards with 13 push-in compartments each
- multi-purpose push-in facilities in the center board
- base tray, height 58 mm, with cover plate
- ▶ slide bottom studs to protect delicate surfaces
- 30 kg maximum load
- can be opened on one or both
- unlockable lid holder loops
- stands securely in any opening position

Article-No.	Description	Internal Dimensions	47
		mm	g
00 21 40 LE	Tool Case "BIG Twin"	450 x 360 x 180	6600







Tool Cases for individual equipment



- side walls and bottom tray made of impact and moisture resistant double wall HDPE material
- front wall and lid made of calf leather
- fold-out front wall with 8 adjustable loops
- rear wall with injection-moulded loop holder with 11 loops
- with front pouch, ring caps, standard barrel locks, sturdy handle
- case reinforced with aluminium brackets

Article-No.	Description	Internal Dimensions	\$ \$\d\dagger
		mm	g
00 21 02 LE	Tool Case "New Classic Basic"	420 x 160 x 250	2600



- side walls and bottom tray made of impact and moisture resistant double wall HDPE material
- front wall and lid made of calf leather
- fold-out front wall with 8 adjustable loops
- rear wall with 8 adjustable loops
- case reinforced with aluminium brackets
- ► PARAT barrel locks

Article-No.	Description	Internal Dimensions	42
		mm	g
00 21 04 LE	Tool Case "New Classic Midi"	440 x 185 x 230	2900
00 21 01 22	Tool case "Item classic imai	110 X 100 X 200	2000



- side walls and bottom tray made of impact and moisture resistant double wall HDPE material
- front, rear and centre wall as well as the lid made of calf leather
- semi-fold-out front and rear walls with 9 loops each
- center wall with 10 loops and 8 adjustable loops as well as storage compartment
- case reinforced with aluminium brackets
- ► PARAT barrel locks

Article-No.	Description	Internal Dimensions	\$ \$\displaystar
		mm	g
00 21 06 LE	Tool Case "New Classic Maxi"	460 x 210 x 340	4700

Distriduted by:

KNIPEX-Werk C. Gustav Putsch KG

P.O. Box 12 04 05 42334 Wuppertal Germany

Tel.: +49(0)2 02/47 94-0 Fax: +49(0)2 02/47 74 94

Internet: www.knipex.de E-Mail: info@knipex.de