



TLS 2200®/TLS PC Link™ Label Index By Size (Continued)

Diagram	Catalog Number	Labels Per Roll	Material	Color	B-Number	Label Width Inch (mm) A	Label Height Inch (mm) B	Write-On Height Inch (mm) C	Wire Gauge
1.765" (Continued)									
Fig. 20	BPSPT-1000-175-WT	500	Polyolefin	White	B-342	1.765 (44.8)	1.660 (42.2)	–	1 to 500
Fig. 20	PSPT-1000-175-YL	50	Polyolefin	Yellow	B-342	1.765 (44.8)	1.660 (42.2)	–	1 to 500
Fig. 20	BPSPT-1000-175-WT	500	Polyolefin	White	B-342	1.765 (44.8)	1.660 (42.2)	–	–
Fig. 20	PSPT-1000-175-BK	50	Polyolefin	Black	B-342	1.765 (44.8)	1.660 (42.2)	–	–
Fig. 20	PSPT-1000-175-BL	50	Polyolefin	Blue	B-342	1.765 (44.8)	1.660 (42.2)	–	–
Fig. 20	PSPT-1000-175-BR	50	Polyolefin	Brown	B-342	1.765 (44.8)	1.660 (42.2)	–	–
Fig. 20	PSPT-1000-175-GR	50	Polyolefin	Green	B-342	1.765 (44.8)	1.660 (42.2)	–	–
Fig. 20	PSPT-1000-175-GY	50	Polyolefin	Grey	B-342	1.765 (44.8)	1.660 (42.2)	–	–
Fig. 20	PSPT-1000-175-OR	50	Polyolefin	Orange	B-342	1.765 (44.8)	1.660 (42.2)	–	–
Fig. 20	PSPT-1000-175-PK	50	Polyolefin	Pink	B-342	1.765 (44.8)	1.660 (42.2)	–	–
Fig. 20	PSPT-1000-175-RD	50	Polyolefin	Red	B-342	1.765 (44.8)	1.660 (42.2)	–	–
Fig. 20	PSPT-1000-175-VT	50	Polyolefin	Violet	B-342	1.765 (44.8)	1.660 (42.2)	–	–
Fig. 20	PSPT-1000-175-WT	50	Polyolefin	White	B-342	1.765 (44.8)	1.660 (42.2)	–	–
Fig. 20	PSPT-1000-175-YL	50	Polyolefin	Yellow	B-342	1.765 (44.8)	1.660 (42.2)	–	–
1.800"									
Fig. 25	PTLEP-169-593	100	Polyester	White	B-593	1.800 (45.7)	1.800 (45.7)	–	–
Fig. 25	PTLEP-169-593-BK	100	Polyester	Black	B-593	1.800 (45.7)	1.800 (45.7)	–	–
Fig. 25	PTLEP-169-593-GN	100	Polyester	Green	B-593	1.800 (45.7)	1.800 (45.7)	–	–
Fig. 25	PTLEP-169-593-RD	100	Polyester	Red	B-593	1.800 (45.7)	1.800 (45.7)	–	–
Fig. 25	PTLEP-169-593-YL	100	Polyester	Yellow	B-593	1.800 (45.7)	1.800 (45.7)	–	–
1.900"									
Fig. 4	PTL-81-499	750	Nylon	Yellow	B-499	1.900 (48.3)	0.250 (6.3)	–	–
Fig. 4	PTL-81-488	750	Polyester	White	B-488	1.900 (48.3)	0.250 (6.3)	–	–
Fig. 11	PTS-1.90-350-321	500	Polyolefin	White	B-321	1.900 (48.3)	0.350 (8.9)	–	16 to 10
Fig. 11	PTS-1.90-500-321	500	Polyolefin	White	B-321	1.900 (48.3)	0.500 (12.7)	–	10 to 8
Fig. 11	PTS-1.90-750-321	250	Polyolefin	White	B-321	1.900 (48.3)	0.750 (19.1)	–	4 to 2
Fig. 11	PTS-1.90-1000-321	250	Polyolefin	White	B-321	1.900 (48.3)	1.000 (25.4)	–	1 to 00
Fig. 4	PTL-78-427-AW	250	Vinyl	White	B-427	1.900 (48.3)	1.000 (25.4)	–	–
Fig. 4	PTL-78-490	250	Polyester	White	B-490	1.900 (48.3)	1.000 (25.4)	–	–
Fig. 4	PTL-78-499	250	Nylon	White	B-499	1.900 (48.3)	1.000 (25.4)	–	–
Fig. 4	PTL-78-488	250	Polyester	White	B-488	1.900 (48.3)	1.000 (25.4)	–	–
Fig. 4	PTL-78-490	250	Polyester	White	B-490	1.900 (48.3)	1.000 (25.4)	–	–
Fig. 8	PTL-43-422	Continuous	Polyester	White	B-422	1.900 (48.3)	50 ft. (15.2 m)	–	–
Fig. 8	PTL-43-430	Continuous	Polyester	Clear	B-430	1.900 (48.3)	50 ft. (15.2 m)	–	–
Fig. 8	PTL-43-432	Continuous	Polyester	Clear	B-432	1.900 (48.3)	50 ft. (15.2 m)	–	–
Fig. 8	PTL-43-439	Continuous	Vinyl	White	B-439	1.900 (48.3)	50 ft. (15.2 m)	–	–
Fig. 8	PTL-43-439-BK	Continuous	Vinyl	Black	B-439	1.900 (48.3)	50 ft. (15.2 m)	–	–

