
STORAGE PRODUCTS


DURHAM


Established in 1922


MEW PRODUCTS 15, 16, 18, 19



























THE DURHAM MANUFACTURING COMPANY 201 Main Street, P.O. Box 230, Durham, Connecticut 06422-0230

TEL: 1-(800)-243-3774 • FAX: 1-(800)-782-5499 IN CT: 1-(203)-349-3427 • FAX: 1-(203)-349-8572


DRAWER CABINETS


Durham Drawer Cabinets have a reputation for quality construction. They are manufactured on automated tooling to provide uniformity. Only prime cold-rolled steel is used, and finishes are rust and acid resistant baked enamel. Vertical supports provide strength, and embossed mounting holes allow the cabinets to be stacked. Drawers have two runners for smooth, easy travel and are prevented from

being accidentally pulled out of the cabinet by a positive stop.


Drawers for all Durham Drawer Cabinets also feature interlocked design, resulting in unequalled strength. They have full width handles for easy opening and drawer sides are slotted on one inch centers to hold dividers. Two high impact

slotted on one inch centers to hold dividers. Two high impact plastic dividers, with special snap-in features to hold them in place, are provided with each drawer.







MODEL 001* (6DV)



MODEL 004* (9D)



MODEL 003* (8D)




MODEL 005* (18D)



MODEL 013* (12D)




					MO	DEL				
SPECIFICATIONS	002* (6D)	001* (6DV)	003* (8D)	004* (9D)	013* (12D)	005* (18D)	006* (18DV)	007* (24D)	014 (30D)	009 (2417D)
Width, inches	33¾	113/4	223/4	171/4	33¾	33¾	171/4	33¾	33¾	33¾
Height, inches	4	101/8	73/8	101/8	7¾	101/8	211/4	14%	173/4	101/8
Depth, inches	11%	115/8	115/8	115/8	115/8	115/8	115/8	115/8	11%	171/4
No. of Drawers	6	6	8	9	12	18	18	24	30	24
Drawer Width, inches	5%	5¾	53/8	5%	5%	5%	5%	5 %	5%	5%
Drawer Height, inches	23/4	23/4	23/4	23/4	2¾	23/4	2¾	23/4	23/4	2
Drawer Depth, inches	111/4	111/4	111/4	111/4	111/4	111/4	111/4	111/4	111/4	17
Drawer Dividers	12	12	16	18	24	36	36	48	60	48
Material		Prime	cold roll	ed steel	- interlo	cking a	nd welde	ed cons	truction	
Color	Gray baked enamel									
Packing per Carton	1	1	1	1	1	1	1	1	1	1
Weight per Carton, lbs.	18	17	23	28	34	50	50	62	72	80







MODEL 006* (18DV)

Durham Drawer Cabinets are modular and stackable. Unit above consists of **MODELS 002**, **005** and **007**.





Durham drawers feature sides slotted on one inch centers to hold high impact plastic dividers firmly in place. They also have two easy glide runners and full width handles.



MODEL 009 (2417D) 2" high drawers

SIZE PART #	BLZE: PART #	SIZE PART #	BART #	PART #	SIZE PART 6
\$126	\$121				
PART 6	PART #	S	ZE:	SIZE:	
\$121	3126	P	ART #	PART	#
PART I	PARI #				
SIZE	\$12E				
PART 6	PART #	S	ZE:	SIZE:	
		P	ART #	PART	#
SIZE	SIZE	1		1711)	"
PART #	PART #	L			

Labels for drawers and dividers are available. Black on white pressure sensitive labels are printed 36 per page and sold in 10 page sets. Durham 11%" Deep Drawer Cabinets are modular for use with 12" Deep Bins. Refer to pages 10 and 11. For Cabinet Bases, refer to page 4.


DRAWER CABINETS (Jumbo Drawers)

Featuring the same quality Durham construction as the cabinets on the preceding two pages, Durham Jumbo Drawer Cabinets feature drawers, 3½" high, either 11¼" or 17" deep.

These cabinets are widely used in industrial and commercial applications for the storage of large quantities of fasteners, fittings, tools, and components. Each drawer comes with two high impact plastic dividers.




MODEL 030* (18DR11)



MODEL 031 (24DR11)



MODEL 032 (18DR17)




MODEL 033 (24DR17)



MODEL 034 (30DR11)



MODEL 035 (30DR17)



Sturdy, all-steel bases are available for the cabinets listed below, shipped unassembled, fasteners provided.

Model	H"xW"xD"	Weight (lbs.)	Use with Cabinet Models
364	5¾"x341/8"x121/4"	13	002, 013, 005, 007,
			014, 030, 031, 034
037	5¾"x34%"x17½"	17	009, 032, 033, 035

*Ship via UPS



Durham 11¾" Deep Drawer Cabinets are modular for use with 12" Deep Bins. Refer to pages 10 and 11.

		MODEL									
SPECIFICATIONS	030* (18DR11)	032 (18DR17)	031 (24DR11)	033 (24DR17)	034 (30DR11)	035 (30DR17)					
Width, inches	33¾	33¾	33¾	33¾	33¾	33¾					
Height, inches	121/8	121/8	17	17	211/8	211/8					
Depth, inches	11¾	171/4	113/4	171/4	113/4	171/4					
No. of Drawers	18	18	24	24	30	30					
Drawer Width, inches	53/8	5%	5%	53/8	5¾	5¾s					
Drawer Height, inches	31/2	31/2	31/2	3½	3½	31/2					
Drawer Depth, inches	111/4	17	111/4	17	111/4	17					
Drawer Dividers	36	36	48	48	60	60					
Material	Pri	ime cold rolled	steel - interle	ocking and we	elded construc						
Color				ed enamel							
Packing per Carton	1	1	1	1	1	1					
Weight per Carton, lbs.	54	75	71	96	87	118					

DRAWER CABINET SYSTEMS

These all steel Drawer Cabinet Systems come complete with their own rugged bases. They are manufactured on automated tooling to provide uniformity. Only prime cold rolled steel is used, and they are finished in rust and acid resistant baked enamel. Drawers feature a special interlocking design resulting in superior strength. Each drawer comes

with two high impact plastic dividers. They also include full width handles, embossed runners for smooth, easy opening, and positive stops to prevent spilling. Units having 96, 72, or 48 drawers are available, or custom designed systems can be made using cabinets and bases on pages 2, 3, and 4.







\$4215	\$175	\$42E	9425	812E:	SERE:
PART #	PART #	PART #	PART 4	PART 4	PART
SUZE	ыл				
PART #	PART #	S	ZE:	SIZE	:
\$129	\$125	P.	ART#	PAR	T #
PART 4	PART 4				
SHZE.	\$426	_			
PART #	PART #	S	ZE:	SIZE	:
		P	ART#	PAR	T #
\$12E	\$175	1			

Labels for drawers and dividers are available. Black on white pressure sensitive labels are printed 36 per page and sold in 10 page sets.

Durham drawers feature sides slotted on one inch centers to hold high impact plastic dividers firmly in place. They also have two easy glide runners and full width handles.

		MODEL	
SPECIFICATIONS	017 (48D)	019 (72D)	022 (96D)
Width, inches	341/8	341/8	341/8
Height, inches (includes base with legs	33¾	481/s	621/2
Depth, inches	121/4	121/4	121/4
No. of Drawers	48	72	96
Drawer Width, inches	5 %	5%	5%
Drawer Height, inches	2¾	2¾	2¾
Drawer Depth, inches	111/4	111/4	111/4
Drawer Dividers	96	144	192
Material	Prime cold rolle	d steel - interlocking and we	lded construction
Color		Gray baked enamel	
Packing per Carton	1 pallet	1 pallet	1 pallet
Weight per Pallet, lbs.	161	216	300






SMALL SCOOP COMPARTMENT BOXES

13%"W x 2"H x 91/4"D

Durham offers the only complete line of Scoop Compartment Boxes. Automated production facilities, plus exclusive design features, result in unparalleled quality and strength. Manufactured of prime cold rolled steel and finished in rust and acid resistant baked enamel. Durham Small Scoop Compartment Boxes (DS) have high impact plastic inserts.

The inserts have rounded scoops, making it easy to remove small parts. The use of pure resin insures that the inserts keep their original color even with heavy use. All models have covers designed to stay open making it easy to access parts and read cover labels. Each model also has a handle and comes with a positive, pull-down catch.



*Ship via UPS




	MODEL											
SPECIFICATIONS	202* (DS24C)	204* (DS21C)	206* (DS20C)	227* (DS17C)	209* (DS16C)	211* (DS12C)	213* (DS8C)	215* (ADSC)				
Width, inches	13%	13%	13%	13%	13%	13%	13%	13%				
Height, inches	2	2	2	2	2	2	2	2				
Depth, inches	91/4	91/4	91/4	91/4	91/4	91/4	91/4	91/4				
Material		Prime cold	rolled steel -			gh impact styre		374				
Color				Grav bake	ed enamel	gir iiripaot styrt	che macria					
No. of Compartments	24	21	20	17	16	12	8	Variable				
Packing per Carton	6	6	6	6	6	6		6				
Weight per Carton, lbs.	25	25	25	25	25	25	25	25				


RACKS FOR SMALL SCOOP COMPARTMENT BOXES

Durham's Small Racks (SR) are designed to hold small scoop compartment boxes. They are manufactured of prime cold rolled steel and are finished in rust and acid resistant baked enamel. All parts, including cradles which support scoop boxes, and coated slides and tracks, are tooled for

quality and uniformity. A center panel on each cradle supports boxes and special stops prevent units from being accidentally pulled from the rack. Racks are reinforced for strength and support loaded boxes in the open position without tilting.



MODEL 308* (6SR)



MODEL 307* (4SR)



MODEL 306* (2SR)



Plated locking hinges with swivel padlock attachments are available. MODELS 313* for use with the Model 307, and 312*, for use with the Model 308, lock scoop boxes into the racks and hold them securely in place. They have mounting holes and can be easily installed using sheet metal screws or pop rivets. Padlock not provided.






	MODEL								
SPECIFICATIONS	306* (2SR)	307* (4SR)	308* (6SR)	315* (BSR)					
Width, inches	151/4	151/4	151/4	151/2					
Height, inches	61/4	111/4	16%	151/8					
Depth, inches	113/4	113/4	113/4	121/8					
Material	Prime cold roll	ed steel - inter	locked and weld	ed construction					
Color			ked enamel						
No. of Drawers	2	4	6	N/A					
Packing per Carton	1	1	1	1					
Weight per Carton, lbs.	12	22	32	12					



MODEL 315* (BSR) rack base (15½"W x 15½"H x 12½"D; weight 12 lbs.) available for all small (SR) slide racks.

Small Scoop Compartment Boxes (DS) are sold separately. Refer to page six.

LARGE SCOOP COMPARTMENT BOXES



Adjustable Series. Durham Scoop Compartment Boxes with adjustable dividers offer the opportunity to customize the number, size, and shape of compartments.



MODEL 119* (ADLC) Adjustable Drawer with catch and nine straight dividers.



MODEL 099* (ADLHC) Horizontal Adjustable Compartment Box with twelve dividers.



MODEL 131* (EXLC) Expando-Box with moveable dividers.

*Ship via UPS

MODEL 115* (DL12C)




	MODEL										
SPECIFICATIONS	107* (DL32C)	102* (DL24C)		111* (DL20C)			117* (DL6VC)	125* (DL6HC)	119* (ADLC)	099* (ADLHC)	131* (EXLC)
Width, inches	18	18	18	18	18	18	18	18	18	18	18
Height, inches	3	3	3	3	3	3	3	3	3	3	3
Depth, inches	12	12	12	12	12	12	12	12	12	12	12
Material			Prim	e cold roll	ed steel -	interlocke	d and wel	ded const	ruction		
Color					Gray	baked er	amel				
No. of Compartments	32	24	21	20	16	12	6 Vert.	6 Horiz.	Variable	Variable	Variable
Packing per Carton	4	4	4	4	4	4	4	4	4	4	4
Weight per Carton, lbs.	32	32	32	32	32	32	32	32	32	32	32


MODEL 117*

(DL6VC)

RACKS FOR LARGE SCOOP COMPARTMENT BOXES

Durham's Large Racks (LR) for Large Scoop Compartment Boxes are produced using the same high quality construction as the small racks described on page seven. A specially designed Triple-Track space saver model has telescoping tracks which allows stacking on 12" Deep Bins and Drawer Cabinets.






Large Scoop Compartment Boxes (DL) are sold separately. Refer to page eight.



MODEL 312* plated locking hinge with swivel padlock attachment is available for Models 303 (4LR) and 310 (4LR-TT) to lock drawers into the racks and hold them securely in place. They have mounting holes


and can be easily installed using sheet metal screws or pop rivets. Padlock not provided.





'Ship via UPS






12" DEEP BINS

Designed as heavy duty units for storing a wide variety of small parts, Durham Bins are extremely sturdy and are welded on specially designed machines. They are produced of prime cold rolled steel and will not warp, twist or sag. Each shelf has a fully hemmed 1½" turn on the front providing

space to hold labels for content identification.

Dividers are hemmed in a tear drop design to avoid sharp edges, and vertical ribs provide added strength. Doors with padlock attachments and bases are available for most models.

(40B)






MODEL 357*


(32B)




					ı	MODE	_				
SPECIFICATIONS	352* (8B)	353* (16B)	354* (18B)	355* (21B)	356* (24B)	357* (32B)	358* (36B)	359* (40B)	360 (42B)	361 (56B)	363 (72B)
Width, inches	33¾	33¾	33¾	171/8	33¾	33¾	171/8	33¾	33¾	33¾	33¾
Height, inches	51/4	111/2	191/4	42	23%	191/4	42	23%	42	42	42
Depth, inches	12	12	12	12	12	12	12	12	12	12	12
No. of Bins	8	16	18	21	24	32	36	40	42	56	72
Bin Width, inches	4	4	5%	5%	5¾	4	4	4	5%	47/8	4
Bin Height, inches	51/4	51/8	63/8	5%	51/2	41/2	41/2	41/2	5½	51/8	41/2
Bin Depth, inches	11 ⁷ /8	111/8	111/8	111/8	111/8	111/8	1111/8	111/8	117/8	111/8	117/8
Material			Prime	cold rolle	ed steel -	interlocked	and weld	ded constr	uction		
Color					Gray	baked er	amel				
Packing per Carton	1	1	1	11	1	1	1	1	1	1	1
Weight per Carton, lbs.	15	25	38	37	44	41	50	50	71	75	80












Exclusive hemmed and ribbed dividers add strength to all Durham Bins.




Pressure Sensitive Bin Labels are available for use with all parts bins. USS or SAE Cap Screw Sets consist of six pages each and are printed black on heavy coated yellow paper. Metric Sets

consist of nine pages printed black on heavy coated white paper. Six-page Miscellaneous Sets which include carriage bolts, plow bolts, stove bolts, nuts, washers, cotter pins, and sheet metal screws are printed black on heavy coated yellow paper. Stainless Steel Sets consist of four pages and are printed black on heavy coated silver paper. Blank Labels (36 per page) are available in white or yellow and are sold in 10 page sets.



Model 363 (72B). They are shipped separately and attached using sheet metal screws or pop rivets. Padlock not provided.



MODEL 364* (BBC-12) Bin Base is available for all models except the 355 and 358. The (BBC-12) is 5¾"H x 34½"W x 12½"D; weight 13 lbs. It is sold separately. Legs can be attached by using fasteners provided.


All 12" Deep Bins are modular for use with 12" Deep Drawer Cabinets. Refer to pages 2, 3, and 4.


9" DEEP BINS

Durham's 9" Deep Bins feature the same quality construction as the 12" deep models described on pages 10 and 11. They are ideal for use when floor space is at a premium or the full 12" depth is not needed. All 9" Deep Durham Bins are modular and easily combined to make


larger units. Parts are accessible, and a 11/4" turn on each shelf provides space to hold labels for content identification.


All 9" Deep Bins ship via UPS with the exception of the Model 350 (9" 72B-1).






Ships via UPS in two parts (2 Model 340).









			M	ODEL					
SPECIFICATIONS	340*	344*	349*	341* (9" 56B)	350	348*			
		(9 320)	(9 406)	(9 568)	(9 /28-1)	(9" 72B-2)			
Width, inches	33¾	33¾	33¾	33¾	33¾	33¾			
Height, inches	21	191/4	221/4	42	42	42			
Depth, inches	81/2	81/2	81/2	81/2	81/2	81/2			
No. of Bins	28	32	40	56	72	72			
Bin Width, inches	4 ⁷ /8	4	4	47/8	4	4			
Bin Height, inches	45/8	41/2	4	45/8	41/2	41/2			
Bin Depth, inches	83/8	8%	83/8	83/8	83/8	83/8			
Material	Prime	cold rolled	steel - inte	rlocked and	welded cons	truction			
Color	. Gray baked enamel								
No. of Cartons	1	1	1	2	1	2			
Weight per Carton, lbs.	34	35	40	68	70	75			

Pressure Sensitive Bin Labels are available, see page 11 for details.



MODEL 365* Hinged Door Set with padlock attachment is available for use with Models 341 (9" 56B), 348 (9" 72B-2), and 350 (9" 72B-1). MODEL 378* Hinged Door Set with padlock attachment is available for use with Model 349 (9"40B). They are shipped separately and attached using sheet metal screws or pop rivets. Padlock not provided. Bases for 9" Deep Bins are also available. For information refer to page 12.



MODEL 348* (9" 72B-2) Ships via UPS in two parts 1 Model 344 and 1 Model 349.

MULTI-PURPOSE BINS



SPECIFICATIONS

Bin Width, inches

Bin Height, inches

Bin Depth, inches

Packing per Carton

Weight per Carton, lbs.


Width, inches

Height, inches Depth, inches


No. of Bins

Material

Color



Dura-Hang™ Panel Hangers are available. See page 15.



*Ship via UPS



319* (MB-18) 314* (MB-36) 23¾ 23¾ 23¾ 43/4 43/4 36 18 31/8 33/4 45/8 45/8 Prime cold rolled steel - interlocking construction Gray baked enamel 13 25

MODEL

Durham's heavy-duty, all steel Multi-Purpose Bins feature removable vertica dividers for the creation of multi-width compartments. Scooped shelves allow contents to be easily removed. These bins are ideal for the storage of fasteners, electrical connectors, fittings, and most other small components. Keyhole slots are provided for wall mounting. These bins are 23¾" wide and can be easily attached to the end of back-to-back 12" shelving.


13

SMALL PLASTIC COMPARTMENT BOXES

11"W x 134"H x 634"D


Durham Small Plastic Compartment Boxes (SP) are ideal for organizing, storing and protecting a wide variety of small parts. Four different configurations provide a wide selection of compartment sizes and shapes to fit just about every need.

Manufactured of high strength, oil resistant polypropylene, Durham Plastic Compartment Boxes are furnished with heavy duty reinforced hinges that have a special feature which allows the cover to stand up in the open position. Each cover is designed to overlap on all sides of the box, fitting snugly against a shelf-like ledge. This results in extra protection against dirt, dust and moisture. Two snap latches assure secure closure and prevent parts from moving between compartments. These boxes are available in transparent or opaque yellow and are stackable.



Customized hot stamping of company logos available on both transparent and opaque yellow models.

An optional locking hinge MODEL 313* is offered for use with either MODEL 290 (SPR) or 291 (LPR) to hold boxes in place when being transported in a moving vehicle. Padlock not provided.





MODEL SP-6



MODEL SP-13




MODEL SP-12



MODEL SP-18

The MODEL 290* (SPR) Rack is manufactured of cold rolled steel and finished in durable gray baked enamel. The unit holds 5 MODEL SP Plastic Compartment Boxes to create a compact and efficient small parts storage system. The versatile rack has been designed for three way use. Keyhole slots are furnished for wall mounting. A handle is provided and bolt holes permit stacking. Boxes sold separately.



The removable handle is offset to hold the boxes securely while being carried.

SP-18*

13/4

290* (SPR)

> 10¾ 6¾ N/A



SPECIFICATIONS	SP-6*	SP-12 ⁺	MODEL SP-13*	
Width, inches	11	11	11	
Height, inches	13⁄4	13/4	1¾	
Depth, inches	6¾	6¾	6¾	
No. of Compartments	6	12	13	
Cpt. Width, (i.d.)	13⁄4	13⁄4	13/4, 101/2	
Cpt. Height, (i.d.)	19/16	19/16	19/16	
Cpt. Depth, (i.d.)	61/4	31/6	25/8, 13/8, 2	
Packing per Carton	10 or 50	10 or 50	10 or 50	

Cpt. Width, (i.d.)	174	174	174, IU/2	19/4	N/A
Cpt. Height, (i.d.)	19/16	19/16	19/16	19/16	N/A
Cpt. Depth, (i.d.)	61/4	31/8	25/8, 13/8, 2	2	N/A
Packing per Carton	10 or 50	10 or 50	10 or 50	10 or 50	1
Ship Weight, lbs.	7 or 31	7 or 31	7 or 31	7 or 31	7
Material		Polypr	opylene		Cold rolled steel
Color		Transpare	nt or Yellow		Gray
Rack Capacity	N/A	٨	I/A		5 SP's

ASTIC COMPARTMENT BOXES


131/8"W x 25/16"H x 9"D

Durham's Large Plastic Compartment Boxes (LP) have all the same features of the Small Plastic Compartment Boxes. They also offer different internal configurations and rounded scoop compartments for easy removal of parts.



Customized hot stamping of company logos available on both transparent and opaque yellow models.

Dura-Hang™ Panel Hangers are available to hang either Model 290 (SPR) or 291 (LPR) racks on movable partitions. They are easily adjustable to fit up to 3%" wide panels.





MODEL LP-6



MODEL LP-12



MODEL LP-16




MODEL LP-18



MODEL LP-24

The MODEL 291 (LPR) Rack is identical to the MODEL 290 (SPR) Rack except for its larger size. The unit holds 5 LP Plastic Compartment ~ Boxes to create a compact and efficient small parts storage system. It is manufactured of cold rolled steel and finished in gray baked enamel. Keyhole slots are furnished for wall mounting. A handle is provided and bolt holes permit stacking. Boxes sold separately.



The removable handle is offset to hold the boxes securely while being carried.

			МО	DEL		
SPECIFICATIONS	LP-6*	LP-12*	LP-16*	LP-18*	LP-24*	291* (LPR)
Width, inches	131/6	131/8	131/8	13%	131/4	13½
Height, inches	25/16	25/16	25/16	25/16	25/16	13¼
Depth, inches	9	9	9	9	9	91/8
No. of Compartments	6	12	16	18	24	N/A
Cpt. Width, (i.d.)	21/16	21/16	31/8	21/16	21/16	N/A
Cpt. Height, (i.d.)	2	2	2	2	2	N/A
Cpt. Depth, (i.d.)	81/2	41/4	21/16	21/16, 41/4	21/16	N/A
Packing per Carton	5 or 20	5 or 20	5 or 20	5 or 20	5 or 20	1
Ship Weight, Ibs.	7 or 24	7 or 24	7 or 24	7 or 24	7 or 24	11
Material			Polypropylene			Cold rolled steel
Color			Transparent or Yello	w		Gray
Rack	N/A	N/A	N/A	N/A	N/A	5 LP's







ITERATURE

Durham all steel Con-Tur® § Literature Racks provide a convenient and compact way to store literature while keeping it readily accessible and visible. Each pocket is designed to hold up to 150 sheets of 81/2" x 11" literature with the top 21/2" remaining visible for content identification. There are keyhole

slots for wall mounting and pre-assembled optional legs may be used to make any rack free standing. Colors available are tan, putty, gray or black. The new Durham Con-Tur® design totally eliminates paper curl.



NEW Dura-Hang™ Panel Hangers are available to hang Con-Tur* Horizontal Literature Racks on movable partitions. They are easily adjustable to fit up to 33/8" wide panels.











(20)20 pockets




5 pockets

(33)







MODEL 400*



MODEL 402* (32)

11 pockets

	MODEL						
SPECIFICATIONS	401* (31)	400* (20)	402* (32)	403 ³ (33)			
Width, inches	9¾	9¾	93/4	93/4			
Height, inches	65	581/2	36	21			
Depth, inches	4	4	4	4			
A. Opening, Width, inches	813/16	813/16	813/16	813/16			
B. Opening, Height, inches	3/4	3/4	3/4	3/4			
C. Opening, Depth, inches	81/2	81/2	81/2	81/2			
Paper Width, inches	81/2	81/2	81/2	81/2			
No. of Pockets	23	20	11	5			
Packing per Carton	1	1	1	1			
Weight per Carton, lbs.	32	30	15	à			

§ Patent applied for.

MODEL 401* (31)23 pockets

ROTARY CON-TUR® LITERATURE RACKS

Durham Rotary Con-Tur* § Literature Racks provide the ideal way to store and display a wide variety of literature in a compact area. These sturdy four-sided racks rotate on ball-bearing turntables making all materials easily visible as

well as accessible. When standard 8½" x 11" literature is displayed, the top 2½" is exposed for easy identification. All models are available in tan, putty, gray or black.





MODEL 409* (2033R) 20 pockets



MODEL 410* (4032R) 44 pockets



MODEL 416* (8020R) 80 pockets



MODEL 415* (8831R) 92 pockets

HORIZONTAL LITERATURE RACKS


Durham's all steel Horizontal Literature Racks for floor or desk top use, provide handy storage for literature in 3" high sections. Eleven inch wide openings allow for file folders and other oversized literature to be stored without bending. These racks are reinforced and will not warp or twist. They are shipped set up, ready for use, and may be arranged vertically or horizontally. Fasteners are provided to join individual racks which are available with 9, 12 or 15 openings. Each rack comes with a set of 4 rubber feet for desk or counter top protection. All units are finished in tan baked enamel.



MODEL 434-75* (HLR-15)




MODEL 432-75* (HLR-12)




MODEL 431-75* (HLR-9)

				MODEL			
SPECIFICATIONS	431-75* (HLR-9)	432-75* (HLR-12)	434-75* (HLR-15)	409* (2033R)	410* (4032R)	416* (8020R)	415* (8831R)
Width, inches	33¾	33¾	33¾	141/8	141/8	141/8	141/8
Height, inches	101/8	141/4	173/4	23	50¾	60¾	681/4
Depth, inches	115/8	115/8	115/8	141/8	141/8	141/8	141/8
A. Opening, Width, inches	11	11	11	811/16	811/16	811/16	811/16
B. Opening, Height, inches	3	3	3	1	1	1	1
C. Opening, Depth, inches	11½	111/2	11½	81/2	81/2	81/2	81/2
Paper Width, inches	81/2	81/2	81/2	8½	81/2	81/2	81/2
No. of Pockets/Openings	9	12	15	20	44	80	92
No. of Cartons	1	1	1	5	5	5	5
Total Weight, lbs.	21	27	36	47	88	101	136









VERTICAL LITERATURE-FORMS RACKS

Durham's Vertical Literature-Form Racks have been designed with 121/4" wide pockets. The top 21/2" of the stored materials remain visible for easy identification. Keyhole slots are provided for wall mounting. Available in tan, putty, gray and black.









MODEL 405* (32-12) ANTIQUES ANT


MODEL 411* (20-12)

Dura-Hang™ Panel Hangers are available for use with all products on this page. See page 16 for details.

PLASTIC DRAWER, AEROSOL/UTILITY CABINETS

Heavy duty steel cabinets **MODEL 317*** (BFC-64) and **016*** (BFC-20) include scooped drawers made of clear K-Resin plastic which will not crack or break under normal use.

The MODEL 343* (AU1) is divided into four sections and includes a lock and two keys. The MODELS 055* (AU2) and 056* (AU3) each feature two adjustable shelves and a lock attachment. Padlock not provided. Keyhole slots allow easy wall mounting.



Each drawer, measuring 2%"W x 1%"H x 5½"D has lock-in dividers to keep small parts separated.




MODEL 055* (AU2)



MODEL 056* (AU3)




(AC6) Aerosol can caddy



*Ship via UPS




			MO	DEL					
SPECIFICATIONS	406* (34-12)	405 * (32-12)	411* (20-12)	343* (AU1)	055* (AU2)	056* (AU3)	385* (AC6)	016* (BFC-20)	317* (BFC-64)
Width, inches	131/6	131/6	131/6	33¾	13¾	197/6	211/2	16¾	251/%
Height, inches	26	36	581/2	221/4	30	32¾	51/4	12	21%
Depth, inches	2	4	4	81/2	12¾	141/4	31/8	6%	63/s
A. Opening Width, inches	121/2	121/4	121/4						*
B. Opening Depth, inches	5/16	1	1						
C. Opening Height, inches	6	8%	10%						
Paper Width, inches	12	12	12						
No. of Sections/Pockets	10	11	20	4	Adjustable	Adjustable	6	20	64
Material					Prime cold	rolled steel -	interlocking o	construction	
							((Clear K-Resin	Drawers)
Color						Gray b	aked ename		
Packing per Carton	1	1	1	1	1	1	1 & 12	1	1
Weight per Carton, lbs.	13	24	44	45	31	41	3 & 36	10	33




TRUCK/VAN PRODUCTS

These units have been specifically designed for use in customizing trucks and vans.



MODEL 806* (DT-3)



The **MODELS 802*** (DT-1) and **806*** (DT-3) door trays, furnished with covers, provide convenient storage in otherwise unusable space. Adjustable dividers are also included.

MODEL 611*
(TB9D)


Locking bar keeps storage cabinet drawers securely shut

MODEL 610*


(TB4D)

The MODEL 611* (TB9D) has nine drawers with 81 adjustable dividers. The MODEL 610* (TB4D) has a fixed center partition in each of its four drawers. Both units feature locking bars to hold drawers in place in a moving vehicle. Padlock not provided.

MODEL 307*
(4SR) Slide Rack
is designed to hold 4
Small Scoop Compartment Boxes.
An optional locking hinge is available to
prevent boxes from coming out when
the vehicle is in motion. Boxes sold
separately. (See pages 6-9 for similar units.)




18 Drawer Cabinet (See pages 2-4 for similar units).




HOSE CLAMP RACKS

Hose Clamp Racks provide easy access to adjustable hose clamps. The **MODEL 907*** is designed to hold sizes from the smallest mini-clamp up to the 2¾" diameter #36 clamp. The **MODEL 905*** holds from the 2½° diameter #40 to the 5" #72. For countertop use or may be wall-mounted using two built-in hanger loops provided. Sign panel lists clamp diameters.



MODEL 907*
(10-loop clamp rack)




MOL	ノニト	30	3
5-loop	clan	ηp	rack)

					MODEL				
SPECIFICATIONS	611* (TB9D)	610* (TB4D)	806* (DT-3)	802* (DT-1)	403* (33)	307* (4SR)	005* (18D)	905* (5 Loop)	907* (10 Loop)
Width, inches	125%	12%	21	21	9¾	151/4	33¾	231/4	231/4
Height, inches	241/2	241/2	21	8	201/4	111/4	101/6	161/6	15¾
Depth, inches	121/6	121/6	474	43/4	41/8	113/4	115%	53/8	53/8
No. Drawers/Trays	9	4	3	1	N/A	4	18	5	10
No. Pockets/Open./Sect.	N/A	N/A	N/A	N/A	5	N/A	N/A	N/A	N/A
A. Opening, Width, inches	11	11	18¼	181/4	811/16	N/A	5	N/A	N/A
B. Opening, Height, Inches	22	47/8	31/4	31/4	81/2	N/A	23/4	N/A	N/A
C. Opening, Depth, inches	10¾	10%	41/2	41/2	1	N/A	113/4	N/A	N/A
No. of Dividers	81	0	9	N/A	N/A	N/A	36	N/A	N/A
Paper Width, inches	N/A	N/A	N/A	N/A	81/2	N/A	N/A	N/A	N/A
Material		Heavy dut	y steel – int	erlocked an	d welded co	nstruction		Heavy o	duty wire
Color			Gra	y baked ena	mel			Black bak	ed enamel
Packing per Carton	1	1	1	1	1	1	1	1	1
Weight per Carton, lbs.	46	32	18	8	9	22	50	5	5




MISCELLANEOUS STORAGE UNITS

Durham offers a number of units designed for specialized storage applications. New items are being developed and added to the line based on the needs of the marketplace.



MODEL 368* (WSR-4)




Durham's heavy duty Wire Spool Racks include models with one, two, and four plated 5%" diameter steel rods for the convenient storing and dispensing of wire. The four rod rack (MODEL 368) holds spools up to 10" in diameter. The two rod rack (MODEL 384) is ideal for counter top use, and the single rod rack (MODEL 383) has a handle. All models are shipped knocked down and easily assembled.



MODEL 381* Key Stock Rack.
Ten compartments hold key stock up to ¾" square and approximately 12" long. Keyholes permit wall mounting.



MODEL 921* Welding Rod Cabinet. Holds welding rod up to 18" long in six compartments. Each compartment is 18%" deep x 4" high x 51/4" wide.



MODEL 367* Threaded Rod Rack. Separates and protects threaded rods. Eighteen 21/16" diameter openings accommodate different sizes. Shipped fully assembled.

*Ship via UPS
*
ups

	MODEL							
SPECIFICAT:ONS	368* (WSR-4)	384* (WSR-2)	383* (WSR-1)	381*	367*	921*		
Width, inches	261/8	261/8	261/8	121/4	241/8	161/8		
Height, inches	371/6	171/6	10%	12	24	81/8		
Depth, inches	6	6	6	61/4	67/8	181/2		
No. of Sections	4	2	1	10	18	6		
Material	1	Prime cold r	olled steel -	interlocking	construction	1		
Color	Gray baked enamel							
Packing per Carton	1	1	1	1	1	1		
Weight per Carton, lbs.	25	11	9	8	16	17		

lodels and specifications subject to change without notice.



THE DURHAM MANUFACTURING COMPANY 201 Main Street, P.O. Box 230, Durham, Connecticut 06422-0230

TEL: 1-(800)-243-3774 • FAX: 1-(800)-782-5499 IN CT: 1-(203)-349-3427 • FAX: 1-(203)-349-8572 **DISTRIBUTED BY:**



20

Printed in U.S.A.

095052025M

© 1995, Durham Manufacturing