



# 3M Electronic Handling and Protection Division

- 93 1/2
- Workstation Products
- Permanent Flooring
- Packaging & Consumables
- Component Handling Materials
- Sockets & Contactors
- EMI S

**SEARCH**

Go >

**General Site Information**

- [Where to Buy](#)
- [Reference](#)
- [News Room](#)
- [Site Map](#)
- [Using This Web Site](#)

**Product Information**

- [Hot Products](#)
- [Static Digest](#)
- [Instruction Booklets](#)
- [Samples](#)
- [Trade Shows](#)
- [ESD Training](#)
- [Related Links](#)
- [MSDS Search](#)


Contact US

[Y2K Updates](#)

**[HOME](#)**

Packaging and Consumables > Flexible and Rigid Packaging

## 3M™ Static Shielding Bags-1900/1910



The 3M™ 1900/1910 Metal-In Shielding Bag is an economical shielding bag for less demanding applications where reusing bags is a prime consideration.

Aluminum is vapor-coated on polyester. This shielding layer between the polyester layer and a dissipative polyethylene inner lining. 1900/1910 bags are amine-free

corrosive and meet EIA-541 definition for static shielding/dissipative packaging.

The 1910 features a zipper closure for easy opening and closing.

Product No.	Description
<b>1900</b>	Metal-In Static Shielding bag. 100 bags per pack

**Standard Sizes, in. (cm)**

- 3 x 5 (7,6 x 12,5)
- 4 x 4 (10,2 x 10,2)
- 4 x 6 (10,2 x 15,2)
- 4 x 24 (10,2 x 61)
- 4 x 26 (10,2 x 66,0)
- 4 x 30 (10,2 x 76,2)
- 5 x 8 (12,7 x 20,3)
- 5 x 10 (12,7 x 25,4)
- 6 x 8 (15,2 x 20,3)
- 6 x 10 (15,2 x 25,4)
- 7 x 15 (17,8 x 38,1)
- 8 x 8 (20,3 x 20,3)
- 8 x 10 (20,3 x 30,5)
- 8 x 12 (20,3 x 30,5)
- 10 x 12 (15,2 x 30,5)
- 10 x 14 (15,2 x 35,6)
- 10 x 24 (15,2 x 61)
- 10 x 26 (15,2 x 66,0)
- 10 x 30 (15,2 x 76,2)
- 11 x 15 (27,9 x 38,1)
- 12 x 16 (30,5 x 40,6)
- 12 x 18 (30,5 x 45,7)
- 14 x 18 (35,6 x 45,7)
- 15 x 18 (38,1 x 45,7)
- 16 x 24 (40,6 x 61)
- 18 x 18 (45,7 x 45,7)
- 18 x 24 (45,7 x 61)

**Custom Size Limits, in. (cm)**

2 x 3 to 24 x 34 (5 x 8 to 61 x 86)

Product No.	Description
<b>1910</b>	1900 with zipper closure. 100 bags per pack