


$\Box$	RT	B 14	_

## SVP556-TA

REVISIONS								
ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
-	Α	RELEASED	Ramya	08/8/09	Sridhar	08/8/09	Farnell	21/8/09



The female pin plating gold, thickness 0.05μm (SOLDER).

## **Specifications**

Item	Description	Material	Plating	Part Number
1	Insulator	PA	-	
2	Copper Pillar	65Mn	Nickel	
3	Push Button	ABS	-	
4	Body	H59-1	Nickel	
5	Female Pin	Phosphor Bronze	Gold	SVP556-TA
6	Medium Cover	PE	-	
7	Clamp Terminal	H62	Nickel	
8	Сар	ABS	-	
9	Boot	PVC	-	

http://www.farnell.com

http://www.newark.com

http://www.cpc.co.uk

This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are is licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or or mission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. SPC MULITICOMP is the registered trademark of the Group. © Premier Farnell jpc 2009.

UNLESS OTHERWISE
LSPECIFIED
DIMENSIONS ARE
FOR REFERENCE
PURPOSES ONLY.
1

**TOLERANCES:** 

DRAWN BY:	DATE:
Ramya	08/08/09
CHECKED BY:	DATE:
Sridhar	08/08/09
APPROVED BY:	DATE:
Farnell	21/08/09

4	DRAW	ING IIILE:	XLR Socket - 3 Way,	Outor Diameter: 2r	nm
4		IVIII II /	ALN SOCKEL - 3 Way,	Outer Diameter. 21	111111
4	SIZE	DWG NO.	M10002205	ELECTRONIC FILE	REV

A | M10002295 | 1715947-TDS\_DWG | A | SCALE: NTS | U.O.M.: mm | SHEET: 1 OF 1