© COPYRIGHT 1998 BY SPC TECHNOLOGY.
ALL RIGHTS RESERVED NO PORTION OF
THIS PUBLICATION, WHETHER IN WHOLE
OR IN PART CAN BE REPRODUCED
WITHOUT THE EXPRESS WRITTEN
CONSENT OF SPC TECHNOLOGY.


		REVISIONS	DOC. NO. SPC-F004, Total Pages: 2  Effective: 7/15/97, DCP No: 229 Supersedes DCP No: 10.							
DCP #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE		
3158950	28	T-1 3/4MIDGET FLANGE LAMP	CL	2000. 1. 24	LEI	2000. 1. 24	SHIH	2000. 1. 24		
		28VO. 04A 0. 30CP 10000HRS C-2F								

## NOTE:

1. LAMPS SHALL BE CAPABLE OF OPERATION AND STORAGE AT TEMPERATURES FROM -40°C TO +85°C WITHOUT DEGRADATION.

2. DIMENSIONS ARE IN MILLIMETERS.





SPC-F004.DWG

DISTANCE.  ALL STATEMENTS AND TECHNICAL INFORMATION CONTAINED HEREIN ARE BASED UPON INFORMATION AND/OR TESTS WE BELIEVE TO BE ACCURATE AND RELIBILE. SINCE CONDITIONS OF USE ARE SEVOND OUR CONIPOL, THE USER SHALL DETERMINE THE SUITABLETY OF THE PRODUCT FOR THE INTENDED USE AND ASSUME ALL RISK AND LIABILITY WHATSOEVER IN CONNECTION THEREWISH.				multicomp						
•	DRAWN BY:	DATE:	DRAWING TITLE:							
	CL	2000. 1. 24		MCFPF-007						
T-13/4FB	CHECKED BY:	DATE:	SIZE	DWG. NO.	ELECTRONIC FILE		REV			
	LEI	2000. 1. 24	5. 84X15. 9 MAX	P 0PE. 157. 5. 6 ф FB. (FS). 7		1				
	APPROVED BY:	DATE:			CUEET		- 1			
	SHIH	2000. 1. 24	SCAL	E: U.O.M.:	SHFFT: 1 OF 1					