1/2" Socket Sets

S106



Manufactured from matt chromeplated vanadium steel conforming to ISO standards. Supplied in an impact proof, oil and temperature resistant polypropylene transport case.

The S106 set contains:-

- Ine S106 set contains:
 1/4*hex sockets 4, 4.5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm

 1/4*hex deep sockets 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm

 1/4*hex deep sockets 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm

 1/4*hex sockets 10, 12, 13, 14, 15, 16, 17, 18, 20, 21, 23, 24, 27, 32, 34mm

 1/4*hex sockets 3/4, 1/6, 1/4, 1/6, 1/4, 1/6, 1/4, 1/46 in AF

 1/4*socket drivers Phillips N01, 2, 3, 4

 1/4*socket drivers Phillips N01, 2, 3, 4

 1/4*socket drivers Sotted 4, 5.5, 7mm

 1/4*socket drivers Pozidriv No 1, 2, 3


 1/4*socket drivers Pozidriv No 1, 2, 3

 1/4*socket drivers Torx 8, 10, 15, 20, 25, 27, 30, 40

 1/4*socket sobrem and 100mm

- ●1/4" extension bars 50mm and 100mm ●1/4" sliding T bar
- ●¼" universal joint ¼in spinner handle ●½" extension bars 125mm and 250mm

- Combination spanners 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



S240 & S240AF



The S240 set contains:-

- ◆Socket dynamic drive 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm ◆Extension bar 125mm and 250mm
- Universal joint
- T-adaptor
- Flexible handle 250mm
 Ratchet handle

- The S240AF set contains:●¾, ¼6, ½, ¾6, ¾, ¼6, ¾, ¼6, ¾, ½6, 1, 1¼6, 1¼, 1¾6, 1¼ inch AF
 ●Extension bars 125mm and 250mm
- OUniversal joint
- T-adaptor
 Spark plug sockets 5/sin and 13/sin AF
 Flexible handle
 Ratchet handle

		Price Per Set
Set	Order Gode	
S240	135-6171	
S240AF	135-6172	

\$400





The S400 set contains:-

- Socket dynamic drive 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32mm
- ●Extension bars 125mm and 250mm
- ●Universal joint ●T-adaptor

- Flexible handle 250mm
 Ratchet handle
 Combination spanners 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

		Price Per Set
Set	Order Code	11100101
S400	135-6 175	

S87+7



The S87+7 set contains:-

- Nain sockets Dynamic Drive 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm

 Vain sockets Dynamic Drive 4, 5, 6, 7, 8, 9, 10, 11, 13mm

 Vain sockets Dynamic Drive 10, 12, 13, 14, 15, 16, 17, 18, 20, 21, 23, 24, 27, 32, 34mm

 Vain sockets Dynamic Drive 10, 12, 13, 14, 15, 16, 17, 18, 20, 21, 23, 24, 27, 32, 34mm

 Vain sockets Dynamic Drive 36, 7/16, 1/2, 1/16, 3/4, 13/16, 7/6, 13/16 AF

 Vain impact sockets 17, 19, 21, 24mm

 Vain socket drivers 1, 2, 3, 4mm

 Vain socket drivers Hex 3, 4, 5, 6, 8, 10mm

- ●¼in extension bars 50mm and 100mm ●¼in sliding T-bar
- ●1/4in universal joint ●1/4in spinner handle
- | 4/in spinner nandle
 | 1/in extension bars 125mm and 250mm
 | 1/in extension bars 125mm and 250mm
 | 1/in extension bars 125mm and 250mm
 | 1/in spark plug socket 21mm
 | 1/in T-adaptor | 1/in adaptor |

- Vian 1-adaptor
 L-keys Hex 1.5, 2, 2.5mm
 Vian ratchet handle
 Vian ratchet handle
 Flex head spanners 8-9, 10-11, 12-13, 14-15mm
- •Combination spanners 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



S910



The S910 set contains:-

- Váin sockets Dynamic Drive 4, 4, 5, 5, 5, 5, 6, 7, 8, 9, 10, 11, 12, 13mm

 Váin deep sockets dynamic drive 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm

 Váin sockets dynamic drive 10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27, 30, 32mm

 Váin extension bars 50mm and 100mm

 Váin sliding T-bar
- ●1/4in universal joint ●1/4in bit holder
- ●1/4in bit adaptor

- ¼in spinner handle ¼in magnetic adaptor ¼in bits Phillips No.0, 1.2, 3

- ¼in magnetic adaptor
 ¼in bits Phillips No. 0, 1.2, 3
 ¼in bits slotted 4, 5.5, 7mm
 ¼in bits Pozidriv No. 1, 2, 3
 ¼in bits Pozidriv No. 1, 2, 3
 ¼in bits Forx 8, 10, 15, 20, 25, 27, 30, 40
 ¾in bits Torx 8, 10, 15, 20, 25, 27, 30, 40
 ¾in bits Torx 45, 50, 55
 ½in extension bars 125mm and 250mm
 ½in universal joint
 ½in Spark plug socket 21mm
 ½ x ¾in bit holder
 ½in T-adaptor
 L-keys hex 1.5, 2, 2.5mm
 ¼in ratchet handle
 ½in ratchet handle
 Flex head wrenches 8-9, 10-11, 12-13, 14-15mm
 Combination wrenches 8, 10, 12, 13, 14, 17mm

488173

		Price Per Set
Set	Order Code	
S910	135-6177	