

# **Z8 Encore!**® MCU Development Kit



#### **OVERVIEW**

Get the ZiLOG Z8 Encore!® Microcontroller (MCU) Development Kit today to see how perfectly the Z8 Encore!® MCUs fit into applications such as motor control, security systems, systems monitoring, personal electronic devices, home appliances, and home automation. You will receive a complete development platform – including all hardware and software – plus a full-version ANSI C-Compiler.

ZiLOG delivers extra value after you have finished evaluation, because our kit then serves as your complete Z8 Encore!® product development solution. Evaluate, Design, Build – it's that simple. There's nothing more to buy. Discover the value and flexibility Z8 Encore!® MCU brings to your next design. Order your ZiLOG Z8 Encore!® MCU Development Kit today!

## **Z8** Encore!® MCU Development Kit Contents

#### Hardware

- Z8 Encore!® Development Board
- Serial or USB Smart Cable
- 5 V DC Universal Power Supply

#### Software

- ZDS II Integrated Development Environment (ZDS II-IDE)
- ANSI C-Compiler
- Sample Code

#### Documentation/CD-ROM

- Development Kit Quick Start Guide
- Development Kit User Manual
- ZDS II-IDE User Manual
- eZ8 CPU User Manual
- Product Specifications
- Product Briefs
- Application Notes


#### **Development Board Features**

- 78 Encore!® MCU
- Three LEDs
- RS-232 interface
- IrDA transceiver
- Two push buttons, RESET and TEST
- 5 V DC power connector
- On-Chip Debugger interface
- Header for ADC input (not present on 8-pin board)
- Prototyping area
- External interface connectors
- 2.7 V to 3.6 V operating range with 5 V-tolerant inputs

Z i L O G

WWW.ZiLOG.COM

# Z8 Encore!® MCU Development Kit



## **Z8 Encore!® MCU ZDS II-IDE GUI**

ZiLOG Developer Studio II-Integrated Development Environment is a complete suite of software tools that supports development with the Z8 Encore!® MCU. Its easy-to-use Windowsbased GUI provides an environment that accelerates the edit, compile, and debug cycle. Included in ZDS II is a language sensitive editor, Project manager, Compiler, Assembler, Linker, Librarian, and Debugger.

# **C-Compiler**

A full-version ANSI C-Compiler is included in this kit at no additional cost allowing you to begin your design immediately. The C-Compiler supports a powerful configurable optimizer allowing code to be optimized for speed or size.

#### **Smart Cable**

This small circuit board provides reliable and robust communication between your PC and the development board. Use it for your development board and again with your final product's hardware.

**Serial Smart Cable** converts RS-232 signals to communicate with the of the eZ8 core.

P/N: Z8ENCORE000ZAC

**USB Smart Cable** is compatible with both USB high speed and full-speed standards and converts the signals sent from the USB port to your development PC to communicate with the On-Chip.

P/N: ZUSBSC00100ZACG (RoHS) P/N: ZUSBOPTSC01ZACG (RoHS)

Device	Men Flash/ ROM (Bytes)	RAM (Bytes)	Core Speed (MHz)	I/O Lines	Interrupts	16-Bit Timers w/ PWMs	10-Bit A/D Channels	DMA Controller	Precision Osc.	SPI and I <sup>2</sup> C	UARTs	Operating Voltage	Pin Count	Development Kit
Z8F64	64K	4K	20	60	24	4	12	$\sqrt{}$	-	$\sqrt{}$	2	3.0 - 3.6 V	40, 44, 64, 68, 80	Z8F64200100KITG (RoHS)
Z8F48	48K	4K	20	60	24	4	12	$\sqrt{}$	-	$\sqrt{}$	2	3.0 - 3.6 V	40, 44, 64, 68, 80	Z8F64200100KITG (RoHS)
Z8F32	32K	2K	20	46	24	4	12	$\sqrt{}$	-	$\sqrt{}$	2	3.0 - 3.6 V	40, 44, 64, 68	Z8F64200100KITG (RoHS)
Z8F24	24K	2K	20	46	24	4	12	$\sqrt{}$	-	$\sqrt{}$	2	3.0 - 3.6 V	40, 44, 64, 68	Z8F64200100KITG (RoHS)
Z8F16	16K	2K	20	46	24	4	12	$\sqrt{}$	-	$\sqrt{}$	2	3.0 - 3.6 V	40, 44, 64, 68	Z8F64200100KITG (RoHS)
Z8F08	8K	1K	20	19	19	2	5	-	-	$\sqrt{}$	1	2.7 - 3.6 V	20, 28	Z8F08200100KITG (RoHS)
Z8F08x3	8K	1K	5	24	18	2	8	-	$\sqrt{}$	-	1	2.7 - 3.6 V	8, 20, 28	Z8F04A08100KITG (RoHS) Z8F08A28100KITG (RoHS)
Z8F04	4K	1K	20	19	19	2	5	-	-	$\sqrt{}$	1	2.7 - 3.6 V	20, 28	Z8F08200100KITG (RoHS)
Z8F04x3	4K	1K	5	24	18	2	8	-	$\sqrt{}$	-	1	2.7 - 3.6 V	8, 20, 28	Z8F04A08100KITG (RoHS) Z8F04A28100KITG (RoHS)
Z8F02x3	2K	512	5	24	18	2	8	-	$\sqrt{}$	-	1	2.7 - 3.6 V	8, 20, 28	Z8F04A08100KITG (RoHS) Z8F04A28100KITG (RoHS)
Z8F01x3	1K	256	5	24	18	2	8	-	$\sqrt{}$	-	1	2.7 - 3.6 V	8, 20, 28	Z8F04A08100KITG (RoHS) Z8F04A28100KITG (RoHS)

Order your ZiLOG Development Kits at http://www.zilog.com to get your applications to market in recored time.

Z8 Encore!® is a registered trademarks of ZiLOG, Inc. in the United States and in the other countries. FL004607-0607

