


6601 Series

		REVISIONS						
ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
-	Α	RELEASED	sahana	26/5/05	shashi	26/5/05	NK	07/6/05



Features:

- · Through-hole.
- Through-hole version has copper alloy contacts, tin plated.
- Polyphenylene sulphide body.
- · Supplied both individually and in tube multiples.

Specifications:

Materials:

Contact : Copper alloy tin plated.

Housing : Ryton (R-4) pps compounds brown.

Electrical Characteristics:

 $\begin{array}{lll} \text{Current rating} & : \text{ 1A minimum.} \\ \text{Withstanding voltage} & : 500 \text{V ac R.M.S.} \\ \text{Insulation resistance} & : 1000 \text{M}\Omega \text{ up.} \\ \end{array}$

Contact resistance : 30 milli Ω maximum.

Operating temperature : Continuous -55°C to +110°C.

Gold plate : 1.5 to 2.0μ ".

This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from regilgence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. MULTICOMP is the registered trademark of the Group. © Premier Farnell plc 2004.

TOLERANCES:

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:	DATE:
sahana	26/05/05
CHECKED BY:	DATE:
shashi	26/05/05
APPROVED BY:	DATE:
NK	07/06/05

DRAWING TITLE:

6601 Series PLCC IC Sockets - Through-Hole Mounting



6601 Series

REVISIONS								
ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
-	Α	RELEASED	sahana	26/5/05	shashi	26/5/05	NK	07/6/05

Specification Table

Number of ways	Α	В	С	D	E	F	G	н	I	J	Tube Qty	Code ID	Part Number		
20	5.08	15.56	17.06	10.16	9	.3			15.56	5.08	39	-	6601-20-PPS		
28	7.00	40.4	20.7	40.7	11	1.9			18.1	7.62	32	-	6601-28-PPS		
32	7.62	18.1	22.8	12.7	11.9	14			20.64	10.16	28	-	6601-32-PPS		
44	12.7	23.18	27.8	17.78	16	.76			23.18	12.7	25	-	6601-44-PPS		
52	15.24	25.72	31.5	20.32	19	.12			25.72	15.24	22	-	6601-52-PPS		
68	20.32	30.8	39	25.4	25.25				30.8	20.32	19	-	6601-68-PPS		
84	25.4	35.88	46.15	30.48	29.28		29.28		11.2	8.1	35.88	25.4	15	-	6601-84-PPS
20	5.08	15.56	17.06	10.16	9.3	9.3	9.3 9.3	11.3	8.1	15.56	5.08	-	18	6601-20-PPS-18	
28	7.00	40.4	20.7	40.7	11					18.1	7.62	-	10	6601-28-PPS-16	
32	7.62	18.1	18.1	22.8	12.7	11.9	14			20.64	10.16	-	16	6601-32-PPS-16	
44	12.7	23.18	27.8	17.78	16	.76			23.18	12.7	-	12	6601-44-PPS-12		
52	15.24	25.72	31.5	20.32	19	19.12			25.72	15.24	-	11	6601-52-PPS-11		
68	20.32	30.8	39	25.4	25	.25	1		30.8	20.32	-	9	6601-68-PPS-09		
84	25.4	35.88	46.15	30.48	29	.28			35.88	25.4	-	8	6601-84-PPS-08		

Dimensions: Millimetres

This data sheet and its contents (the "Information") belong to the Premier Famell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. MULTICOMP is the registered trademark of the Group. © Premier Famell plc 2004.

TOLLITANOLS.	וֹם
UNLESS OTHERWISE	sah
SPECIFIED.	CH
DIMENSIONS ARE FOR REFERENCE	sha
PURPOSES ONLY.	AP
	NK

DRAWN BY:	DATE:
sahana	26/05/05
CHECKED BY:	DATE:
shashi	26/05/05
APPROVED BY:	DATE:
NK	07/06/05


	VING TITLE: O1 Series PLCO	C IC Sockets - Th	roug	h-Hole Mour	nting
SIZE A	DWG NO.	M10000005	_	TRONIC FILE 18_DWG	REV
SCAL	E: NTS	U.O.M.: mm		SHEET: 2 C	F 4



6601 Series

REVISIONS								
ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
-	Α	RELEASED	sahana	26/5/05	shashi	26/5/05	NK	07/6/05

Part Number Explanation



This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the 'Group') or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. MULTICOMP is the registered trademark of the Group. @ Premier Famell pic 2004.

TOLERANCES:

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:	DATE:
sahana	26/05/05
CHECKED BY:	DATE:
shashi	26/05/05
APPROVED BY:	DATE:
NK	07/06/05

DRAWING TITLE:

SCALE: NTS

6601 Series PLCC IC Sockets - Through-Hole Mounting **ELECTRONIC FILE** DWG NO. SIZE **REV**

M10000005 U.O.M.: mm 45718_DWG SHEET: 3 OF 4



6601 Series

REVISIONS								
ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
-	Α	RELEASED	sahana	26/5/05	shashi	26/5/05	NK	07/6/05

Notes:

International Sales Offices:

AUSTRALIA - Farnell InOne

Tel No: ++ 61 2 9645 8888

Fax No: ++ 61 2 9644 7898

AUSTRIA - Farnell InOne

Tel No: ++ 43 662 2180 680 Fax No: ++ 43 662 2180 670

BELGIUM - Farnell InOne

Tel No: ++ 32 3 475 2810 Fax No: ++ 32 3 227 3648

BRAZIL - Farnell-Newark InOne

Tel No: ++ 55 11 4066 9400 Fax No: ++ 55 11 4066 9410

CHINA - Farnell-Newark InOne Tel No: ++86 10 6238 5152

Fax No: ++86 10 6238 5022

DENMARK - Farnell InOne Tel No: ++ 45 44 53 66 44

Fax No: ++ 45 44 53 66 06 ESTONIA - Farnell InOne

Tel No: ++ 358 9 560 7780 Fax No: ++ 358 9 345 5411

FINLAND - Farnell InOne Tel No: ++ 358 9 560 7780 Fax No: ++ 358 9 345 5411

FRANCE - Farnell InOne Tel No: ++ 33 474 68 99 99

Fax No: ++ 33 474 68 99 90

GERMANY - Farnell InOne

Tel No: ++ 49 89 61 39 39 39 Fax No: ++ 49 89 613 59 01

SINGAPORE -

Farnell-Newark InOne

Tel No: ++ 65 6788 0200

Fax No: ++ 65 6788 0300

Tel No: ++ 34 93 475 8805

Fax No: ++ 34 93 474 5107

SWEDEN - Farnell InOne

Tel No: ++ 46 8 730 50 00

Fax No: ++ 46 8 83 52 62

SWITZERLAND - Farnell InOne

Tel No: ++ 41 1 204 64 64 Fax No: ++ 41 1 204 64 54

Tel No: ++ 44 8701 200 200

Fax No: ++ 44 8701 200 201

UK - BuckHickman InOne

UK - Farnell InOne

++ 44 8450 510 150

++ 44 8450 510 130

++ 44 8701 202 530

++ 44 8701 202 531

UK-CPC

SPAIN - Farnell InOne

HONG KONG -Farnell-Newark InOne

Tel No: ++ 852 2268 9888 Fax No: ++ 852 2268 9899

IRELAND - Farnell InOne

Tel No: ++ 353 1 830 9277 Fax No: ++ 353 1 830 9016

ITALY - Farnell InOne

Tel No: ++ 39 02 93 995 200 Fax No: ++ 39 02 93 995 300

MALAYSIA -

Farnell-Newark InOne Tel No: ++ 60 3 7873 8000 Fax No: ++ 60 3 7873 7000

NETHERLANDS - Farnell InOne

Tel No: ++ 31 30 241 7373 Fax No: ++ 31 30 241 7333

NEW ZEALAND - Farnell InOne

Tel No: ++ 64 9 357 0646 Fax No: ++ 64 9 357 0656

NORWAY - Farnell InOne Tel No: ++ 45 44 53 66 66 Fax No: ++ 45 44 53 66 02

PORTUGAL - Farnell InOne Tel No: ++ 34 93 475 8804

Fax No: ++ 34 93 474 5288

http://www.farnellinone.com

http://www.buckhickmaninone.com

http://www.cpc.co.uk

EXPORT - Farnell InOne Tel No: ++ 44 8701 200 208 Fax No: ++ 44 8701 200 209

For enquiries from all other markets

This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change with out notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence.

MULTICOMP is the registered trademark of the Group. © Premier Farnell plc 2004.

TOLERANCES: UNLESS OTHERWISE

SPECIFIED, **DIMENSIONS ARE** FOR REFERENCE PURPOSES ONLY.

DRAWN BY: DATE: sahana 26/05/05 CHECKED BY: DATE: 26/05/05 shashi APPROVED BY: DATE: 07/06/05 NK

DRAWING TITLE:

6601 Series PLCC IC Sockets - Through-Hole Mounting

SIZE DWG NO.

M10000005

ELECTRONIC FILE 45718 DWG

REV

SCALE: NTS U.O.M.: mm SHEET: 4 OF 4