Date of issue: 19.02.2003	7Cu3	Revised: 14.10.200	4	Page 1 of 2		
. Chemical Identifica	ation					
Trade-name:	Solder S	n97Cu3				
Manufacturer:	Oskarstr.3-7	Stannol GmbH Oskarstr.3-7 42283 Wuppertal Phone.: 0202 / 5850 sec.phone:-0202 / 585119 0202 / 585118				
Phone:	Phone.: 020					
. Composition/Inform	mation of In	gredients				
Chemical characteristic:	Alloy Tin-Co					
Ingredients Content CAS-No.	Symbols	Risk-Phrases	Chemical name			
Remainder% 7440-31-5 2,5-3,5% 7440-50-8	·		Tin Copper			
. Hazards Identificat	ion:					
		Dangerous Substances Reg	ulations, but nevertheless observe it	ems 4-16		
. First Aid Measures	:					
In case of contact with skin:	-	ntact with molten liquid solde	r, cool with plenty of water, seek me	dical attention		
. Fire Fighting Meas	ures					
Extinguishing Media:		This material is not flammable Use extinguishing media appropriate to surrounding fire con				
Special Fire-fighting Proced	ures: Wear se					
. Accidental Release	e Measures:	_				

The fumes produced during soldering should be extracted away from the breathing zone of the operators. Ensure the area is well ventilated. Wash hands with soap and warm water after handling, particularly before eating, drinking or smoking. The product should be stored in a cool, dry area.

# **EG-Material- Safety- Data- Sheet**

#### Trade-name: Solder Sn97Cu3

Date of issue: 19.02.2003

Revised: 14.10.2004

Page 2 of 2

### **8. Exposure Controls / Personal Protection:**

Local exhaust and control of process conditions are suitable methods when dust, fumes and vapours are developed. Where engineering controls and work practises are not effective in controlling exposure then suitable respiratory protective equipment should be used

Substance	CAS-No	ml/m³ (ppm)	mg/m³	Art
Tin	7440-31-5		2	MAK (NL)
Copper	7440-50-8		1	MAK(DFG)

Respiratory Protection:If concentrations are over the exposure limit, use a supplied air respirator.Hand Protection:Use heat resistant gloves if required.Eye Protection:Operators should wear goggles

# 9. Physical and Chemical Properties

Appearance :	Form: Colour:	solid metallic	Odour:	odourless
Melting Point:	230-250°C			
Vapour Pressure:	n.a.			
Density(20°C):	7-8 g/cm <sup>3</sup>			

# 10. Stability and Reacivity:

Dangerous reactions: Hazardous combustion or decomposition products:

Possible with oxidising agents. none

# **11. Toxicological Information**

Acute Effects: None toxic metal. Toxicity Data:

### **12. Ecological Information:**

No effect to environment known

### 13. Disposal Considerations:

Contact a licensed professional waste disposal service to dispose of this material. Observe all federal, state and local environmental regulations. Collect metal for recycling

### 14. Transport Information:

GGVS/ADR/RID:

The product is not classified as hazardous for transport

# **15. Regulatory Information:**

Not subject to current legislation

# 16. Other Information:

#### Other information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide.. **Safety data-sheet is written by:** Stannol GmbH **Contact-person:** Dr. W. Kruppa