



© COPYRIGHT 1998 BY SPC TECHNOLOGY. ALL RIGHTS RESERVED. NO PORTION OF THIS PUBLICATION, WHETHER IN WHOLE OR IN PART CAN BE REPRODUCED WITHOUT THE EXPRESS WRITTEN CONSENT OF SPC TECHNOLOGY.

REVISIONS			DOC. NO. SPC-F004, Total Pages: 2 Effective: 7/15/97, DCP No: 229 Supersedes DCP No: 103					
DCP #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
3159346	12	T-1 WIRE ENDED LAMP	CL	2000.1.24	LBI	2000.1.24	SHIN	2000.1.24
		12V0.06A 0.15CP 5000HRS C-2F						

NOTE:

- LAMPS SHALL BE CAPABLE OF OPERATION AND STORAGE AT TEMPERATURES FROM -40°C TO +85°C WITHOUT DEGRADATION.
- ALL DIMENSIONS ARE IN MILLIMETERS.
- LAMP LEADS TO BE TIN PLATED.



SPC-F004.DWG

DISCLAIMER
ALL STATEMENTS AND TECHNICAL INFORMATION CONTAINED HEREIN ARE BASED UPON INFORMATION AND/OR TESTS WE BELIEVE TO BE ACCURATE AND RELIABLE. SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL, THE USER SHALL DETERMINE THE SUITABILITY OF THE PRODUCT FOR THE INTENDED USE AND ASSUME ALL RISK AND LIABILITY WHATSOEVER IN CONNECTION THEREWITH.

multicomp

T-1 W. T.	DRAWN BY:	DATE:	DRAWING TITLE:			
	CL	2000.1.24	MCFPT3-004			
	CHECKED BY:	DATE:	SIZE	DWG. NO.	ELECTRONIC FILE	REV
	LBI	2000.1.24	3.15X6.35 MAX	OPE. 157.3φ WT. (FS). 4		
APPROVED BY:	DATE:	SCALE:		U.O.M.:	SHEET: 1 OF 1	
SHIN	2000.1.24					