
© COPYRIGHT 1998 BY SPC TECHNOLOGY.
ALL RIGHTS RESERVED NO PORTION OF
THIS PUBLICATION, WHETHER IN WHOLE
OR IN PART CAN BE REPRODUCED
WITHOUT THE EXPRESS WRITTEN
CONSENT OF SPC TECHNOLOGY.


REVISIONS			DOC. NO. SPC -F004, Total Pages: 2 Effective: 7/15/97, DCP No. 229 Supersedes DCP No. 103					
DCP #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
3158974	6. 3	T-1 3/4MIDGET GROOVE LAMP	CL	2000. 1. 24	LEI	2000. 1. 24	SHIM	2000. 1. 24
		6. 3VO. 2A 0. 4CP 20000HRS C-2F						

## NOTE:

1. LAMPS SHALL BE CAPABLE OF OPERATION AND STORAGE AT TEMPERATURES FROM -40°C TO +85°C WITHOUT DEGRADATION.

2. DIMENSIONS ARE IN MILLIMETERS.





NISTARRE:
ALL STATEMENTS AND TECHNICAL INFORMATION CONTAINED HEREIN ARE BASED UPON INFORMATION AND/OR TESTS WE BELIEVE TO BE ACCURATE AND RETURBLE. SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL, THE USER SHALL DETERMINE THE SUITABLES OF THE PROBUCT FOR THE INTENDED USE AND ASSUME ALL RISK AND LIABLITY WHATSOEVER IN CONNECTION THEREWITH. DRAWN BY: DRAWING TITLE:

SHIM

CL 2000. 1. 24 CHECKED BY: DATE: SIZE LEI 2000. 1. 24 DATE: APPROVED BY:

multicomp

MCFPM-001 DWG. NO. OPE. 157. 5. 6 φ GB. (FS). 1

ELECTRONIC FILE

T-13/4GB

SPC -F004.DWG

5. 84X15. 9 MAX SCALE: 2000. 1. 24

U.O.M.:

1 OF 1 SHEET:

₽ĘV