



恆忻企業股份有限公司 (EASY MAGNET CORP)

SPECIFICATION FOR APPROVAL

CUSTOMER FARNELL

DESCRIPTION SURFACE MOUNT BEADS

ITEM NO. 23NB423226

VER. 1.0

DWG.NO. NB-001

CUSTOMER P/N. 9265260

DATE 2006.01.05

APPROVAL CONDITION	"V"	APPROVED STAMP	NOTE
FULL APPROVED			
CONDITIONAL APPROVED			
REJECTED			

EASY MAGNET CORP. 恆忻企業股份有限公司

12F-7, NO. 79, SEC. 1, HSIN TAI WU RD. HIS-CHIH, TAIPEI HSIEN, TAIWAN, R.O.C

TEL: 886-2-26989699 FAX: 886-2-26989399 <http://www.easymagnet.com.tw>

SPECIFICATION FOR APPROVAL



Item Number: 23NB423226 VER:1.0

<p>(1) MECHANICAL ASSEMBLY</p> <div style="text-align: center; margin-top: 20px;"> </div>	A	4.00	±	0.25		mm
	B	3.00	±	0.15		mm
	C	2.55	±	0.15		mm
	D	1.50		(REF)		mm
	E	1.30		(REF)		mm
	F					mm
	G					mm
	H					mm
	I					mm
	J					
	K					mm
	L					mm

(2) ELECTRICAL REQUIREMENTS				(3) SCHEMATIC	
TEST	FREQ	25 MHZ	Z	25	(NIN)
TEST	FREQ	100 MHZ	Z	30	(NIN)

(4) TEST INSTRUMENTS

HP 4191A RF IMPEDENCE ANALYZER .

APPROVED BY DAVID	CHECKED BY VANESSA	DRAWN BY LINDA
--------------------------	---------------------------	-----------------------

SPECIFICATION FOR APPROVAL



Item Number: 23NB423226									VER:1.0
MEAS ITEM	A mm	B mm	C mm						
YOUR SUGGEST	<i>4.00</i> ± <i>0.25</i>	<i>3.00</i> ± <i>0.15</i>	<i>2.55</i> ± <i>0.15</i>						
1	<i>4.05</i>	<i>3.05</i>	<i>2.54</i>						
2	<i>4.06</i>	<i>3.05</i>	<i>2.57</i>						
3	<i>4.07</i>	<i>3.05</i>	<i>2.54</i>						
4	<i>4.08</i>	<i>3.05</i>	<i>2.55</i>						
5	<i>4.02</i>	<i>3.04</i>	<i>2.54</i>						
6	<i>4.05</i>	<i>3.04</i>	<i>2.57</i>						
7	<i>4.05</i>	<i>3.06</i>	<i>2.54</i>						
8	<i>4.08</i>	<i>3.06</i>	<i>2.54</i>						
9	<i>4.04</i>	<i>3.04</i>	<i>2.55</i>						
10	<i>4.06</i>	<i>3.06</i>	<i>2.54</i>						
AVERAGE	<i>4.06</i>	<i>3.05</i>	<i>2.55</i>						
R	<i>0.06</i>	<i>0.02</i>	<i>0.03</i>						
REMARK:									
APPROVED BY			CHECKED BY			DRAWN BY			
DAVID			VANESSA			LINDA			

FR-EA-003 V1.1

SPECIFICATION FOR APPROVAL



Item Number: 23NB423226									VER:1.0
MEAS	Z	Z							
ITEM	Ω	Ω							
YOUR SUGGEST	25	30							
	(NIN)	(NIN)							
TEST FREQ	25 MHZ	100 MHZ							
1	29	49							
2	29	48							
3	28	48							
4	29	49							
5	28	49							
6	29	48							
7	29	49							
8	28	48							
9	28	49							
10	29	49							
AVERAGE	29	49							
R	1	1							
REMARK:									
APPROVED BY			CHECKED BY			DRAWN BY			
DAVID			VANESSA			LINDA			

FR-EA-003 V1.1

EASY MAGNET CORP. 恆忻企業股份有限公司

12F-7,NO.79,SEC.1,HSIN TAI WU RD.HIS-CHIH,TAIPEI HSIEN,TAIWAN,R.O.C

TEL:886-2-26989699 FAX:886-2-26989399 <http://www.easymagnet.com.tw>