

157-855

**multicomp**  
SPECIFICATION AND APPROVALS

- 1) Model Number : 50A MC 33523-001-91  
Multicomp PN#157-855
- 2) Description : Rocker Switch B/B-S, QC Terminals
- 3) Name of Manufacturer : Swann Industries Pte Ltd
- 4) Rating :  
UL - 15A 125VAC  
- 7.5A 250VAC  
- 3A 120VL  
- 6A 125 / 250VAC\*  
- 6A 28 VDC\*  
- 6A 14VT\*  
CSA - 15A 125VAC  
- 8A 250VAC  
- 0.5HP 125VAC  
- 6A 125 / 250VAC\*
- \* with unplated terminals*
- 5) Contact Resistance :  $20 \times 10^{-3} \Omega$
- 6) Insulation Resistance :  $> 50 \times 10^6 \Omega$
- 7) Dielectric Strength : Up To 3.5kVAC
- 8) Mechanical Endurance : >100,000 cycles
- 9) Circuit : SPST, SPDT, DPST, DPDT.  
Illumination (Optional).
- 10) Approvals & Certificate No. :  
UL E59618  
CSA LR 52381
- 11) Recommended Panel Cut-Out: 



Thickness (mm)	Cut-Out Size(mm)
1.0 (min)	27.2 x 22.1
3.0 (max)	27.2 x 22.3
- 12) Terminal : 6.35mm Quick Connect  
Solder Tail

Issued by :

Date : 23 September 1998

© COPYRIGHT 1998 BY SPC TECHNOLOGY. ALL RIGHTS RESERVED. NO PORTION OF THIS PUBLICATION, WHETHER IN WHOLE OR IN PART CAN BE REPRODUCED WITHOUT THE EXPRESS WRITTEN CONSENT OF SPC TECHNOLOGY.

REVISIONS			DOC. NO. SPC-F004, Total Pages: 2 Effective: 7/15/97, DCP No: 229 Supercedes DCP No: 103					
DCP #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE



APPROVALS



SPC-F004.DWG

DISCLAIMER  
ALL STATEMENTS AND TECHNICAL INFORMATION CONTAINED HEREIN ARE BASED UPON INFORMATION AND/OR TESTS WE BELIEVE TO BE ACCURATE AND RELIABLE. SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL, THE USER SHALL DETERMINE THE SUITABILITY OF THE PRODUCT FOR THE INTENDED USE AND ASSUME ALL RISK AND LIABILITY WHATSOEVER IN CONNECTION THEREWITH.

**multicomp**

DRAWN BY:	DATE:	DRAWING TITLE: ROCKER SWITCH MC 33523-001-91 50A	MULTICOMP PN: 157-855				
	DATE:		ELECTRONIC FILE	REV			
	CHECKED BY:	DATE:		SIZE	DWG. NO.	SCALE: 2 : 1	U.O.M.:
APPROVED BY:	DATE:						