Slim Incremental 50-mm-dia. Rotary Encoder

E6C2-C

Tough and Easy

- Sealed bearings with IP64 oilproof construction.
- Improved shaft loading performance. Radial: 50 N, Thrust: 30 N
- Pre-wired Models with cable connected at an angle. Side or back cable connections also possible.
- Improved reliability with reverse connection and load shortcircuit protection (except for line-driver outputs).



((



Be sure to read Safety Precautions on page 4.

Ordering Information

Encoder

Power supply voltage	Output configuration	Resolution (pulses/rotation)	Model	
5 to 24 VDC	Open-collector output (NPN)	10, 20, 30, 40, 50, 60, 100, 200, 300, 360, 400, 500, 600	E6C2-CWZ6C	
		720, 800, 1,000, 1,024, 1,200, 1,500, 1,800, 2,000		
12 to 24 VDC	Open-collector output (PNP)	100, 200, 360, 500, 600	E6C2-CWZ5B	
		1,000, 2,000		
5 to 12 VDC	Voltage output	10, 20, 30, 40, 50, 60, 100, 200, 300, 360, 400, 500, 600	E6C2-CWZ3E	
		720, 800, 1,000, 1,024, 1,200, 1,500, 1,800, 2,000		
5 VDC	Line-driver output	10, 20, 30, 40, 50, 60, 100, 200, 300, 360, 400, 500, 600		E6C2-CWZ1X
		720, 800, 1,000, 1,024, 1,200, 1,500, 1,800, 2,000	LUCZ-CWZIX	

Note: When ordering, specify the resolution in addition to the model number (example: E6C2-CWZ6C 100 P/R).

Accessories (Order Separately)

Name	Model	Remarks	
	E69-C06B		
Couplings	E69-C68B	Different end diameter	
Coupings	E69-C610B	Different end diameter	
	E69-C06M	Metal construction	
Florage	E69-FCA		
Flanges	E69-FCA02	E69-2 Servo Mounting Bracket provided.	
Servo Mounting Bracket E69-2		Provided with E69-FCA02 Flange.	




(c)Copyright OMRON Corporation 2007 All Rights Reserved.

Ratings and Specifications

Item	Model	E6C2-CWZ6C	E6C2-CWZ5B	E6C2-CWZ3E	E6C2-CWZ1X	
Power si voltage	upply	5 VDC -5% to 24 VDC +15%, ripple (p-p): 5% max.	12 VDC -10% to 24 VDC +15%, ripple (p-p): 5% max.	5 VDC -5% to 12 VDC +10%, ripple (p-p): 5% max.	5 VDC ±5%, ripple (p-p): 5% max.	
Current consump	ption*1	80 mA max.	100 mA max.		160 mA max.	
Resolution (pulses/rotation)		10, 20, 30, 40, 50, 60, 100, 200, 300, 360, 400, 500, 600, 720, 800, 1,000, 1,024, 1,200, 1,500, 1,800, 2,000	100, 200, 360, 500, 600, 1,000, 2,000 10, 200, 1,000, 1,024, 1,200, 1,500, 1,800		300, 360, 400, 500, 600, 720, 800, 0, 2,000	
Output phases		Phases A, B, and Z	Phases A, \overline{A} , B, \overline{B} , Z, and \overline{Z}			
Output c	onfiguration	NPN open-collector output	PNP open-collector output	Voltage output (NPN output)	Line driver output*2	
Output c	apacity	Applied voltage: 30 VDC max. Sink current: 35 mA max. Residual voltage: 0.4 V max. (at sink current of 35 mA)	Applied voltage: 30 VDC max. Source current: 35 mA max. Residual voltage: 0.4 V max. (at source current of 35 mA)	Output resistance: $2 \text{ k}\Omega$ Output current: 20 mA max. Residual voltage: 0.4 V max. (at sink current of 20 mA)	AM26LS31 equivalent Output voltage: High level: $lo = -20 \text{ mA}$ Low level: $ls = 20 \text{ mA}$ Output voltage: $Vo = 2.5 \text{ V min.}$ $Vs = 0.5 \text{ V max.}$	
Maximum response frequency*3		100 kHz	50 kHz	100 kHz		
Phase di between	ifference outputs	90°±45° between A and B (1/4 T ± 1/8 T)				
Rise and fall times of output		1 μs max. (Control output voltage: 5 V, Load resistance: 1 $k\Omega$, Cable length: 2 m)	1 μs max. (Cable length: 2 m, Sink current: 10 mA)		0.1 µs max. (Cable length: 2 m, lo = -20 mA, ls = 20 mA)	
Starting	torque	10 mN·m max.				
Moment	of inertia	$1 \times 10^{-6} \text{ kg} \cdot \text{m}^2 \text{ max.}$; $3 \times 10^{-7} \text{ kg} \cdot \text{m}^2 \text{ max.}$ at 600 P/R max.				
Shaft Radial		50 N				
loading	Thrust	30 N				
Maximur permissi	n ible speed	6,000 r/min				
Protection circuits		Power supply reverse polarity prof				
Ambient range	temperature	Operating: -10 to 70°C (with no icing), Storage: -25 to 85°C (with no icing)				
Ambient range	humidity	Operating/Storage: 35% to 85% (with no condensation)				
Insulatio	n resistance	20 M Ω min. (at 500 VDC) between current-carrying parts and case				
Dielectri	c strength	500 VAC, 50/60 Hz for 1 min between current-carrying parts and case				
Vibration	n resistance	Destruction: 10 to 500 Hz, 150 m/s² or 2-mm double amplitude for 11 min 3 times each in X, Y, and Z directions				
Shock re	esistance	Destruction: 1,000 m/s² 3 times each in X, Y, and Z directions				
Degree o	of protection	IEC 60529 IP64, in-house standards: oilproof				
Connect	ion method	Pre-wired Models (Standard cable length: 2 m)				
Material		Case: Zinc alloy, Main unit: Aluminum, Shaft: SUS420J2				
Weight (packed	state)	Approx. 400 g				
Accesso	ries	Instruction manual				
	nin Indication	1				

Note: Origin Indication

The following illustration shows the relationship between phase Z and the origin. Set cut face D to the phase Z origin as shown in the illustration.



- *1. An inrush current of approximately 9 A will flow for approximately 0.3 ms when the power is turned ON.
 *2. The line driver output is a data transmission circuit compatible with RS-422A and long-distance transmission is possible with a twisted-pair cable.(AM26LS31 equivalent)


 *3. The maximum electrical response speed is determined by the resolution and maximum response frequency as follows:

Maximum electrical response speed (rpm) =

Maximum response frequency × 60 Resolution

This means that the E6C2-C Rotary Encoder will not operate electrically if its speed exceeds the maximum electrical response speed.

I/O Circuit Diagrams



Note: 1. The shielded cable outer core (shield) is not connected to the inner area or to the case.

- 2. The phase A, phase B, and phase Z circuits are all identical.
- 3. Normally, connect GND to 0 V or to an external ground.

Safety Precautions

Refer to Warranty and Limitations of Liability.

MARNING

This product is not designed or rated for ensuring safety of persons either directly or indirectly. Do not use it for such purposes.



Precautions for Correct Use

Do not use the Encoder under ambient conditions that exceed the ratings.

Wiring

Cable Extension Characteristics

- When the cable length is extended, the output waveform startup time is lengthened and it affects the phase difference characteristics of phases A and B. Conditions will change according to frequency, noise, and other factors. As a guideline, use a cable length of 10 m* or less. If the cable must be more than 2 m, use a Model with a Line-driver Output (max. length for line-driver output: 100 m).
- * Recommended Cable Conductor cross section: 0.2 mm² Spiral shield

Conductor resistance: 92 Ω /km max. (20°C) Insulation resistance: 5 Ω /km min. (20°C)

- The output waveform startup time changes not only according to the length of the cable, but also according to the load resistance and the cable type.
- Extending the cable length not only changes the startup time, but also increases the output residual voltage.


Connection

Spurious pulses may be generated when power is turned ON and OFF. Wait at least 0.1 s after turning ON the power to the Encoder before using the connected device, and stop using the connected device at least 0.1 s before turning OFF the power to the Encoder. Also, turn ON the power to the load only after turning ON the power to the Encoder.

(c)Copyright OMRON Corporation 2007 All Rights Reserved.

Dimensions (Unit: mm)

Encoder



Accessories (Order Separately)

 Couplings
 Flanges

 E69-C06B
 E69-FCA

 E69-C68B
 E69-FCA02

 E69-C610B
 E69-FCA02

Servo Mounting Bracket

E69-C06M

E69-2 (Three brackets in a set.)

For precautions on individual products, refer to Safety Precautions in individual product information.

WARNING

These products cannot be used in safety devices for presses or other safety devices used to protect human life. These products are designed for use in applications for sensing workpieces and workers that do not affect safety.




Precautions for Correct Use

- Do not use a voltage that exceeds the rated voltage range.
 Applying a voltage that is higher than the rated voltage range may cause explosion or burning.
- Be sure that the power supply polarity and other wiring is correct. Incorrect wiring may explosion or burning.
- Do not short-circuit the load. Doing so may cause explosion or huming
- Make sure the power is OFF before performing wiring work. If the power is ON and an output wire contacts the power supply, the output circuit may be damaged.
- Wire high-voltage lines or power lines separately from Encoder wiring. If high-voltage lines are wired in parallel with Encoder wiring, induction may cause malfunction or damage.

Precautions for Correct Use


Mounting

Mounting Procedure



Mounting

- Do not allow water or oil to splash on the Encoder.
- The Rotary Encoder consists of high-precision components.
 Dropping the Encoder may damage it. Exercise sufficient caution when handling the Encoder.
- When using reverse rotation, check the Encoder mounting direction and the increment/decrement directions before mounting.
- When aligning phase Z of the Encoder with the origin of the machine in which the Encoder is installed, be sure to verify phase Z output while mounting the Encoder.
- Make sure that an excessive load is not placed on the shaft when the gears engage.
- When securing the Rotary Encoder with screws, tighten the screws to a torque of 0.49 Nom.
- When using a coupling, do not exceed the following permitted values.




 If there are large mounting errors (eccentricity or angle deviation), an excessive load will be placed on the shaft, causing damage and an extremely shortened life.


Mounting

• When connecting with a chain timing belt and gears, hold the shaft with a bearing and use a coupling to join to the Encoder.


E6A2-C




E6B2-C E6D-C E6C-N



E6C2-C



E6C3-C□H E6C3-A




- When inserting the coupling into the shaft, do not tap it with a hammer or apply any other type of shock.
- When attaching or detaching the coupling, do not bend, compress, or pull excessively on the coupling.


Life of Rotary Encoder Bearings

The life of bearings when a radial load and thrust load are applied are shown in the following graphs (theoretical value).


E6B2-C



E6C2-C




E6C3-C□H



Wiring

 If connecting the cable after securing the Encoder, do not pull on the cable with a force of 29.4 N or greater.



 If connecting the cable after securing the Encoder, do not pull on the cable. Also do not apply shock to the Encoder or shaft.

http://www.ia.omron.com/

Connecting

Connection


- When extending the cable, check the cable type and response frequency. Wire resistance and capacitance between wires may amplify residual voltage and cause waveform distortions. If the cable is extended, it is recommended to use a line-driver output. Regardless of the output type, only lengths of 30 m or less comply with the EMC Directive.
- To avoid inductive noise, keep the cabling as short as possible (particularly when inputting to an IC).
- If surges occur in the power supply, connect a surge absorber between the power supply and the Encoder. To reduce noise, keep the wiring as short as possible.
- Spurious pulses may be generated when the power is turned ON or OFF. Wait 0.1 s after turning ON the power before using the connected device, and stop using the connected device 0.1 s (1 s for E6CP-A) before turning OFF the power to the Encoder.
- Inrush current will flow when the power is turned ON. Take the value of the inrush current into consideration before using the power supply.

(c)Copyright OMRON Corporation 2007 All Rights Reserved.

Cable Extension Characteristics

- When the cable length is extended, the output waveform startup time is lengthened and it affects the phase difference characteristics of phases A and B.
- The output waveform startup time changes not only according to the length of the cable, but also according to the load resistance and the cable type.
- Extending the cable length not only changes the startup time, but also increases the output residual voltage.

<E6B2-CWZ6C>




Measurement Example

Power supply voltage: 5 VDC

Load resistance: 1 $k\Omega$ (Output residual voltage is measured at a 35 mA load current.)

Cable: Special Cable

<E6C2-CWZ5B>



Measurement Example

Power supply voltage: 12 VDC

Load resistance: 5 mA (Output residual voltage is measured at a 35-mA load current.)


Cable: Special Cable

Preventing Counting Errors

Spurious pulses due to vibration may cause counting errors if the shaft is stationary near the rise or fall of the signal. Using an up/down counter can prevent the counting of error pulses.

Extending the Cable When Using a Line-driver Output


- Be sure to use shielded twisted-pair cable when extending the cable for a line-driver output. (Recommended Cable: TKVVBS4P-02T from Tachii Electric Wire Co.)
 - Use an RS-422A Receiver for the receiver side.
- The structure of twisted-pair cable is suitable for RS-422A transmission. By twisting the two outputs as shown in the following diagram, electromotive force occurring in the wires is reciprocally canceled, and the noise element of normal mode is eliminated.



• When using a line-driver output, a power supply of 5 VDC is needed for the Encoder. The voltage will drop approximately 1 V per 100 m

<Using a Line Receiver IC>

Recommended IC: ICs from Texas Instruments Incorporated AM26LS32, AM26C32




Others

Input to More than One Counter from Encoder (with Voltage Output)

To connect multiple identical counters to one Encoder, use the following equation to determine the number of counters that can be connected.

Number of connectable counters N = $\frac{R1(E - V)}{V \cdot R2}$



E: Power supply voltage of Encoder V: Input voltage of counter (min. value)

R1 : Input resistance of counterR2 : Output resistance of Encoder

Gray Code → Binary Code Conversion


• This section explains how to convert gray code into binary values using PLC (Programmable Controller) ladder programming when the resolution is 720.

First, the following table shows a wiring example.

Encoder output signal	PLC input signal		
Brown (2 ⁰)	00000		
Orange (21)	00001		
Yellow (2 ²)	00002		
Green (23)	00003		
Blue (2 ⁴)	00004		
Violet (2 ⁵)	00005		
Gray (2 ⁶)	00006		
White (27)	00007		
Pink (28)	00008		
Empty (29)	00009		

The following diagram shows converting gray code to binary using programming.


<Ladder Program Example>



The gray code is converted to binary and placed in IR 200. Bits 10 to 15 of IR200 are set to 0. (These bits are not used.)

Note: The ladder program example above is for a CPM1A or CQM1H PLC. Check the ladder programming with the model being considered for use.

 To convert gray code to binary code, refer to the circuits in the following diagram.



Note: 1. Vin can be connected to 0 V to convert to positive logic binary code.

- 2. Inverter
- 3. Exclusive OR

Read and Understand This Catalog

Please read and understand this catalog before purchasing the products. Please consult your OMRON representative if you have any questions or comments

Warranty and Limitations of Liability

WARRANTY

OMRON's exclusive warranty is that the products are free from defects in materials and workmanship for a period of one year (or other period if specified) from date of sale by OMRON.

OMRON MAKES NO WARRANTY OR REPRESENTATION, EXPRESS OR IMPLIED, REGARDING NON-INFRINGEMENT, MERCHANTABILITY, OR FITNESS FOR PARTICULAR PURPOSE OF THE PRODUCTS. ANY BUYER OR USER ACKNOWLEDGES THAT THE BUYER OR USER ALONE HAS DETERMINED THAT THE PRODUCTS WILL SUITABLY MEET THE REQUIREMENTS OF THEIR INTENDED USE. OMRON DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED.

LIMITATIONS OF LIABILITY

OMRON SHALL NOT BE RESPONSIBLE FOR SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES, LOSS OF PROFITS, OR COMMERCIAL LOSS IN ANY WAY CONNECTED WITH THE PRODUCTS, WHETHER SUCH CLAIM IS BASED ON CONTRACT, WARRANTY, NEGLIGENCE, OR STRICT LIABILITY.

In no event shall responsibility of OMRON for any act exceed the individual price of the product on which liability is asserted.

IN NO EVENT SHALL OMRON BE RESPONSIBLE FOR WARRANTY, REPAIR, OR OTHER CLAIMS REGARDING THE PRODUCTS UNLESS OMRON'S ANALYSIS CONFIRMS THAT THE PRODUCTS WERE PROPERLY HANDLED, STORED, INSTALLED, AND MAINTAINED AND NOT SUBJECT TO CONTAMINATION, ABUSE, MISUSE, OR INAPPROPRIATE MODIFICATION OR REPAIR.

Application Considerations

SUITABILITY FOR USE

OMRON shall not be responsible for conformity with any standards, codes, or regulations that apply to the combination of products in the customer's application or use of the product.

At the customer's request, OMRON will provide applicable third party certification documents identifying ratings and limitations of use that apply to the products. This information by itself is not sufficient for a complete determination of the suitability of the products in combination with the end product, machine, system, or other application or use.

The following are some examples of applications for which particular attention must be given. This is not intended to be an exhaustive list of all possible uses of the products, nor is it intended to imply that the uses listed may be suitable for the products:

- Outdoor use, uses involving potential chemical contamination or electrical interference, or conditions or uses not described in this catalog.
- Nuclear energy control systems, combustion systems, railroad systems, aviation systems, medical equipment, amusement machines, vehicles, safety
 equipment, and installations subject to separate industry or government regulations.
- Systems, machines, and equipment that could present a risk to life or property.

Please know and observe all prohibitions of use applicable to the products.

NEVER USE THE PRODUCTS FOR AN APPLICATION INVOLVING SERIOUS RISK TO LIFE OR PROPERTY WITHOUT ENSURING THAT THE SYSTEM AS A WHOLE HAS BEEN DESIGNED TO ADDRESS THE RISKS, AND THAT THE OMRON PRODUCT IS PROPERLY RATED AND INSTALLED FOR THE INTENDED USE WITHIN THE OVERALL EQUIPMENT OR SYSTEM.

Disclaimers

CHANGE IN SPECIFICATIONS

Product specifications and accessories may be changed at any time based on improvements and other reasons.

It is our practice to change model numbers when published ratings or features are changed, or when significant construction changes are made. However, some specifications of the product may be changed without any notice. When in doubt, special model numbers may be assigned to fix or establish key specifications for your application on your request. Please consult with your OMRON representative at any time to confirm actual specifications of purchased product.

DIMENSIONS AND WEIGHTS

Dimensions and weights are nominal and are not to be used for manufacturing purposes, even when tolerances are shown.

ERRORS AND OMISSIONS

The information in this catalog has been carefully checked and is believed to be accurate; however, no responsibility is assumed for clerical, typographical, or proofreading errors, or omissions.

PERFORMANCE DATA

Performance data given in this catalog is provided as a guide for the user in determining suitability and does not constitute a warranty. It may represent the result of OMRON's test conditions, and the users must correlate it to actual application requirements. Actual performance is subject to the OMRON Warranty and Limitations of Liability.

PROGRAMMABLE PRODUCTS

OMRON shall not be responsible for the user's programming of a programmable product, or any consequence thereof.

COPYRIGHT AND COPY PERMISSION

This catalog shall not be copied for sales or promotions without permission.

This catalog is protected by copyright and is intended solely for use in conjunction with the product. Please notify us before copying or reproducing this catalog in any manner, for any other purpose. If copying or transmitting this catalog to another, please copy or transmit it in its entirety.

2007.12