



	PART NO.			REVISIONS		NRAWN DATE CHECKD DATE APPRVD				
		ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
	4403-16-LP-6	-	А	RELEASED	Geetha	24/4/08	Suresh	24/4/08	G. C	09/5/08





Dimension A ±0.25





Specifications:

Current rating	: 1.0A ac/dc.
Voltage rating	: 30V ac/dc.
Maximum contact resistance	: 20m ohm.
Minimum insulation resistance	: 1000M ohm.
Withstanding voltage	: 500V ac for one minute.
Operating temperature range	: -40°C to +105°C.
Material and Finish	
Insulator	: High tempature plastic.
Contact	: Copper alloy.
Plating	: Selective plated.

## Engineering Dimension

16 25.77 19.05 17.78	Circuits	Dimension A	Dimension B	Dimension C
	16	25.77	19.05	17.78


Dimensions : Millimetres

**Dimensions : Millimetres** 

This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change with- out notice and replaces all data sheets previously supplied. The Information supplied is literated to the product of the supplied in the information supplied is the supplied in the Information supplied is literated.	TOLERANCES: UNLESS OTHERWISE	DRAWN BY: Geetha	DATE: 24/04/08	DRAWING TITLE:	IDC Transition	- 16 Way	
completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the information and the suitability of the prod-	SPECIFIED, DIMENSIONS ARE FOR REFERENCE	CHECKED BY: Suresh	DATE: 24/04/08	SIZE DWG NO.	M10000951	ELECTRONIC FILE 4401_3_DWG	REV A
childed. Elability for loss of damage resulting formally forlation of the information of	PURPOSES ONLY.	APPROVED BY: G.Cook	DATE: 09/05/08	SCALE: NTS	U.O.M.: mm	SHEET: 1 OI	F 2

<b>multicomp</b>	PART NO.	REVISIONS									
		ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE	
	4403-16-LP-6	-	А	RELEASED	Geetha	24/4/08	Suresh	24/4/08	G. C	09/5/08	

## **Recommended PCB Layout**



Dimensions : Millimetres

## Part Number Table

Description	Part Number
Transition, IDC, 16 Way	4403-16-LP-6

## Part Number Explanation:



http://www.farnell.com

http://www.newark.com

http://www.cpc.co.uk

This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for	TOLERANCES:	DRAWN BY:	DATE:	DRAWING TITLE:					
information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change with- out notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information based on information included or ucts for their purpose and not make any assumptions based on information or or mitted. Liability for ioss or damage resulting from any reliance on the Information or	UNLESS OTHERWISE	Geetha	24/04/08	IDC Transition - 16 Way					
	SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.	CHECKED BY:	DATE:	SIZE DWG NO.		ELECTRONIC FILE	REV		
		Suresh	24/04/08	A		4401_3_DWG	Α		
		APPROVED BY:	DATE:				<u></u>		
		G.Cook	09/05/08	SCALE: NTS	U.O.M.: mm	SHEET: 2 O	0F 2		