


E I DUPONT DE NEMOURS & CO INC  
 DUPONT POLYMERS, ENGINEERING POLYMERS  
 NYLON RESINS PO BOX 80713, CHESTNUT RUN  
 PLAZA, WILMINGTON DE 19880

E41938 (M)



Mil Dsg	Col	Min Thk mm	UL94 Flame Class	Elec	RTI Elec	Mech with Imp	w/o Imp	H W	H A	H V	D 4	C T
Polyamide, Type 66 nylon (PA66), designated "Zytel", furnished in the form of pellets.												
132F.	All	0.71	94V-2	125	65	65	4	0	—	—	—	—
133L, 135F	All	1.5	94V-2	125	75	85	3	0	0	—	—	—
		3.0	94V-2	125	75	85	2	0	0	6	0	—
		6.0	94V-2	125	75	85	2	0	0	—	—	—
✓ 101(2), 101F, 101L, E101L, E101(1)	All	0.71	94V-2	125	65	65	4	0	—	—	—	—
		1.5	94V-2	125	75	85	3	0	0	—	—	—
101(2), 101F, 101L, E101L, E101(1)	All	3.0	94V-2	125	75	85	2	0	0	6	0	—
		6.0	94V-2	125	75	85	2	0	0	—	—	—
EFE1068	All	0.71	94V-2	125	65	65	4	0	—	—	—	—
		1.5	94V-2	125	75	85	3	0	0	—	—	—
		3.0	94V-2	125	75	85	2	0	0	6	0	—
		6.0	94V-2	125	75	85	2	0	0	—	—	—
EFE1030	All	0.71	94V-2	125	—	—	4	0	—	—	—	—
		1.5	94V-2	125	75	85	3	0	0	—	—	—
		3.0	94V-2	125	75	85	2	0	0	—	—	—
		6.0	94V-2	125	75	85	2	0	0	6	0	—
FE-3370 FE-3397	NC, GY	0.84	94HB	65	65	65	—	—	—	—	—	—
		0.85	94HB	65	65	65	—	—	—	—	—	—

300-9051

<b>TOLERANCE:</b> L ≤ 10 ±0.2 10 < L ≤ 30 ±0.3 30 < L ≤ 50 ±0.5 50 < L ≤ 100 ±0.7 100 < L ≤ 250 ±1.2 ABOVE 250 ±1.5	APPROVED BY	張道陽	87.8.21.	 品固企業有限公司 品基電子塑膠製品廠 鑽隆有限公司 PINGOOD ENTERPRISE CO.,LTD.		
	REVIEWED BY	蕭存桂	87.8.21.			
	DRAWN BY	蕭存桂	87.8.21.			
	MATERIAL: NYLON 66(UL)					
FLAME CLASS: 94V-2			PART NAME:	<b>LED 套</b> <b>LED HOLDER</b>	<b>A</b> SIZE	REV.
COLOR: NATURAL			PART NO:			1
UNIT SCALE			LED-10		SHEET 1 OF 1	
mm						