
Material Handling Productivity Solutions

















Akro-Mils® Productivity Solutions

store, organize, transport & more!









Ready, Set, Organize . . . & Save!

Akro-Mils is all about storage, organization and transport solutions that increase material handling efficiency and reduce costs in virtually any industry. Our broad range of products are used to shorten assembly times, maintain accurate inventories, optimize storage space and improve parts protection - all in support of Lean practices and other initiatives to increase productivity and profitability in any setting, from industrial to commercial to retail.

Simplify Organization

Storage Bins - Replace the mess and expense of cardboard boxes with our wide selection of reusable bins. Simplify organization and maintain quality to improve efficiency in any operation.



Improve Handling Efficiency

Hand-Held Containers - Reusable containers deliver flexibility and savings. From Attached Lid to Straight Wall styles, our selection matches your needs in any industry - industrial, distribution, healthcare and more!

Custom Products

systems - all from Akro-Mils!

You can order a variety of custom products, **OEM solutions and unique merchandising**

Maximize Space Usage

Bin Systems - Take back valuable floor space and improve storage efficiency with bin systems, including shelving, cabinets, racks, rails, carts and louvered panels.







Move With Efficiency

Transport Systems - We offer a broad selection of work centers, carts, platform trucks and dollies to complement any warehouse or workflow system. We can customize to fit your unique needs.



Our unrivaled production resources, dependable quality and dedicated customer service support provide custom solutions to meet your exact needs. With five thermoplastic molding processes,

wood fabrication and quality powder-coating, Akro-Mils can match your custom project to the most effective process for optimal performance and cost-efficiency. From product concept to final product design, your project will be guided in an efficient process that incorporates quality at every stage.

Clean & Safe Work Environments

Waste Handling Systems - Durable, cost-effective carts provide years of dependable service for industrial waste collection and handling systems.





Quality You Can Trust



Manufactured under rigorous ISO 9001 standards, Akro-Mils products are quality tested to ensure they continuously meet your performance expectations. In doing so, they optimize productivity and, ultimately, customer satisfaction throughout the supply chain. Akro-Mils is proud of the quality and service awards from our customers, and we apply the recognition we receive to work toward continuous improvement.

To learn more, call 800-253-2467 or visit www.akro-mils.com

AKRO-MILS







Storage Bins, Racks & Hanging Systems

- AkroBins®
- EarthSaver AkroBins®
- ProHANGER™
- Rail Hanging Systems
- Louvered Hanging Systems
- ReadySpace™ Storage System
- Shelf Bins
- ShelfMax[™] Bins
- EarthSaver[™] Shelf Bins

- Pick Rack Systems
- AkroDrawers[™]
- TiltView[™]
- VantageBins[™]
- 1800 Series AkroBins®
- ESD Containers
- Economy Bins
- System Bins™
- Easy Flow Gravity Hopper

Heavy Duty Bins, Totes, Containers & Small Parts Storage

- Super-Size AkroBins®
- Stak-N-Store Bins
- Nest & Stack Totes
- Akro-Grids
- Attached Lid Containers
- Straight Wall Containers
- Cross-Stack Akro-Tubs
- Akro-Tubs
- Storage Cabinets
- · Storage-Go-Round
- Storage Cases
- · Roto-Shelf
- Tote Caddy

Shelving Systems & Cabinets

- Wire Shelving Systems
- Steel Shelving Systems
- Heavy-Duty Cabinets
- Standard Cabinets

45-59

36-44

4-25

26-35

Mobile Systems & Work Centers

- $\bullet \operatorname{ProCart}^{\scriptscriptstyle{\mathsf{T}}}$
- Louvered Carts
- Multi-Shelf Carts
- Tray Service Cart
- Box Trucks
- High-End Narrow Aisle Trucks
- Dollies
- Hand Trucks

- Specialty Hand Trucks
- Drum Handling Equipment
- VERSA/Deck™
- Platform Trucks
- Skids (Semi-Live)
- Portable Tables & Carts
- Mobile Work Tables
- Heavy-Duty Work Benches

Waste Transport Systems

- Akro-Tilt Trucks
- Akro-Carts
- MegaKart®
- 60

Materials/Casters & Wheels

- Materials Definitions& Benefits
- Casters & Wheels Selection Information

61

Product Index

62-63



storage bins, racks & hanging systems







- Control inventories, shorten assembly times and minimize parts handling
- Heavy-duty bins securely stack atop each other, sit on shelving and hang from Akro-Mils racks, panels, rails and carts
- Molded of high-impact polypropylene, AkroBins are unaffected by weak acids and alkalis
- Products made of polypropylene block copolymer are autoclavable up to 250° F
- Sturdy, one-piece construction is water, rust and corrosion-proof
- Guaranteed not to crack or break under normal load conditions as stated in our 1-year limited warranty
- Available in 14 sizes and 7 colors: Red, Yellow, Blue, Stone, Green, Semi-Clear and Black

accessories Ories



"See-through" Crystal Styrene Lids keep contents dust-free and protected



Lengthwise Dividers keep items separated in the bin



30320 Wide AkroBins: **Dividers** available in two sizes



33" Wide AkroBin

Great Lengths to Organize More Efficiently

- 1 to 8 compartments, depending on divider placement
- Optional lid sold separately
- 2½" and 4" dividers available (comes with two 4" dividers)
- Fits on standard Akro-Mils rail, louvered and 36" shelf systems
- · Reinforced sides for secure stacking



30320 33" Wide AkroBin with Optional Lid

features 11'es



Anti-slide stop prevents stacked bins from shifting forward



Full-width hanger lip supports bin on hanging system



Reinforced side ribs add strength and prevent spreading when stacked



Extra-wide stacking ledge saves space and prevents spills



Large front label area for easy coding and scanning




Curved-bottom hopper front makes it easy to retrieve small parts



Dividers allow you to create customizable compartment sizes







AkroBins			Outsi	de Dimen Inches	sions	E		imensior hes	ıs		Accessories					
		Model No.	L	W	Н	L	W	Н	X	Bin Load Capacity On Rack	Bin Ctn. Qty.	Dividers**	Divider Pkg. Qty.	Bin Lids***	Lid Pkg. Qty.	
		30210	5%	41/8	3	43/4	31/16	213/16	4	10 lbs.	24	40210 (1)	6	30211	24	
	A	30220	73/8	41/8	3	6¾	31/16	213/16	6	10 lbs.	24	40220 (1)	6	30221	24	
		30224	10%	41/8	4	101/4	33/16	3¾	9	30 lbs.	12	-	-	-	-	
	В	30230	10%	5½	5	101/4	43/8	43/4	9	30 lbs.	12	40230 (1)	6	30231	12	
	ь	30234	14¾	51/2	5	141/16	43/8	43/4	1213/16	50 lbs.	12	-	-	-	-	
		30239	10¾	81/4	7	10	6%6	6¾	8	50 lbs.	6	40239 (1)	6	-	-	
		30240	14¾	81/4	7	14	6%6	6¾	12	60 lbs.	12	40245 (1)	6	-	-	
		30265	18	81/4	9	171/8	6¾	81/4	141/2	60 lbs.	6	40265 (1)	6	-	-	
	D	30235	10%	11	5	101/4	10	43/4	9	50 lbs.	6	40230 (3)	6	30236	6	
	ע	30260	18	11	10	17	91/2	9¾	143/16	60 lbs.	6	40260 (3)	6	-	-	
		30255	10%	16½	5	9¾	15	43/4	9	60 lbs.	6	40230 (3)	6	_	-	
		30250	14¾	16½	7	14	14¾	6¾	12	75 lbs.	6	40245 (3)	6	-	-	
		30270	18	16½	11	171/8	14¾	101/4	14	100 lbs.*	3	40270 (3)	6	-	-	
	F	30320	85/8	33	5	7	31½	43/16	6	80 lbs.	4	40321 & 40220 (7)	7	30321	4	

One color per carton: Specify Red, Blue, Yellow, Stone, Semi-Clear, Green or Black. Order in carton quantities. *Note 30270 not designed for use with hanging systems. CAUTION: When using bins with hanging systems, do not exceed the weight capacity for the rack, which may be less than the total sum of bin capacities.

() = Max. # of dividers per bin. *Assembly required - hinge pins included.



related products

Create the perfect storage system - mix and match your selection of AkroBins with compatible products including:

- Rail Hanging Systems.....pg. 8
- Louvered Hanging Systems pg. 9
- ReadySpace Storage Systems pgs. 10-11
- Wire Shelving Systemspgs. 36-39
- Steel Shelving Systemspgs. 40-42
- Bin Cabinets......pgs. 43-44
- ProCart......pg. 45





storage bins, racks & hanging systems





Go Green

the environment!





With 100% Recycled Bins –

Boost Productivity, Reduce Waste!

Feeling the need to "Go Green"? Akro-Mils

introduces the **EarthSaver Series** – AkroBins



- AkroBins now made from 100% recycled material
- Three color options Hunter Green, Sandstone and Terra Cotta
- Optional dividers keep items neatly separated
- An eco-friendly choice in storage and organization products



related products

Create the perfect storage system – mix and match your selection of AkroBins with compatible products including:

•	Rail	Hanging	Systems	pg. 8
---	------	---------	---------	-------

- Louvered Hanging Systems pg. 9
- ReadySpace Storage Systems pgs. 10-11
- Wire Shelving Systemspgs. 36-39
- Steel Shelving Systemspgs. 40-42
- Bin Cabinets.....pgs. 43-44
- ProCart.....pg. 45

accessories Ories



Crystal Styrene **Lids** keep contents dust-free and protected




Lengthwise
Dividers keep
items separated
in the bin

	W 4%	Н	L	w								
	41/8				Н	X	Bin Load Capacity On Rack	Bin Ctn. Qty.	Dividers**	Divider Pkg. Qty.	Bin Lids***	Lid Pkg. Qty.
3/-		3	43/4	31/16	213/16	4	10 lbs.	24	40210 (1)	6	30211	24
078	41/8	3	43/4	31/16	213/16	4	10 lbs.	24	40210 (1)	6	30211	24
53/8	41//8	3	4¾	31/16	213/16	4	10 lbs.	24	40210 (1)	6	30211	24
73/8	41//8	3	6¾	31/16	213/16	6	10 lbs.	24	40220 (1)	6	30221	24
73/8	41//8	3	6¾	31/16	213/16	6	10 lbs.	24	40220 (1)	6	30221	24
73/8	41/8	3	6¾	31/16	213/16	6	10 lbs.	24	40220 (1)	6	30221	24
0%	51/2	5	101/4	43/8	4¾	9	30 lbs.	12	40230 (1)	6	30231	12
0%	51/2	5	101/4	43/8	4¾	9	30 lbs.	12	40230 (1)	6	30231	12
0%	51/2	5	101/4	43/8	4¾	9	30 lbs.	12	40230 (1)	6	30231	12
4¾	81/4	7	14	6%6	6¾	12	60 lbs.	12	40245 (1)	6	_	-
4¾	81/4	7	14	6%6	6¾	12	60 lbs.	12	40245 (1)	6	-	_
4¾	81/4	7	14	6%6	6¾	12	60 lbs.	12	40245 (1)	6	-	-
4¾	16½	7	14	14¾	6¾	12	75 lbs.	6	40245 (3)	6	-	-
4¾	16½	7	14	14¾	6¾	12	75 lbs.	6	40245 (3)	6	-	-
4¾	16½	7	14	14¾	6¾	12	75 lbs.	6	40245 (3)	6	-	-
	4¾ 4¾	73% 4½ 4½ 73% 4½ 73% 4½ 73% 4½ 73% 4½ 73% 5½ 75½ 75½ 75½ 75½ 75½ 75½ 75½ 75½ 75½	7½ 4½ 3 7½ 4½ 3 7½ 4½ 3 7½ 5 0½ 5½ 5 0½ 5 0½ 5½ 5 0½ 5 4¾ 8¼ 7 4¾ 8¼ 7 4¾ 8¼ 7 4¾ 16½ 7 4¾ 16½ 7 4¾ 16½ 7	3 6¾ 4½ 3 6¾ 4½ 3 6¾ 3 6¾ 3 6¾ 3 6¾ 3 6¾ 0½ 5½ 5 10¼ 0½ 5½ 5 10¼ 0½ 5½ 5 10¼ 4¾ 8¼ 7 14 4¾ 8¼ 7 14 4¾ 8¼ 7 14 4¾ 16½ 7 14 4¾ 16½ 7 14 4¾ 16½ 7 14 4¾ 16½ 7 14	7% 4% 3 6% 3% 3% 6% 3% 6% 3% 6% 3% 6% 3% 6% 3% 6% 3% 6% 3% 6% 3% 6% 3% 6% 3% 6% 3% 3% 6% 3% 3% 6% 3% 3% 6% 3% 3% 6% 3% 3% 6% 3% 3% 6% 3% 3% 4% 4% 6% 4% 4% 4% 4% 4% 4% 4% 4% 4% 4% 4% 4% 6% 4% </td <td>17% 4½ 3 6¾ 3¾6 2½6 17% 4½ 3 6¾ 3¾6 2½6 17% 4½ 3 6¾ 3½6 2½6 17% 4½ 3 6¾ 3½6 2½6 0½ 5½ 5 10¼ 4¾ 4¾ 0½ 5½ 5 10¼ 4¾ 4¾ 4¾ 8¼ 7 14 6%6 6¾ 4¾ 8¼ 7 14 6%6 6¾ 4¾ 8¼ 7 14 6%6 6¾ 4¾ 16½ 7 14 14¾ 6¾ 4¾ 16½ 7 14 14¾ 6¾ 4¾ 16½ 7 14 14¾ 6¾ 4¾ 16½ 7 14 14¾ 6¾</td> <td>7% 4% 3 6¾ 3%6 21%6 6 7% 4% 3 6¾ 3%6 21%6 6 7% 4% 3 6¾ 3%6 21%6 6 7% 4% 3 6¾ 3%6 21%6 6 0% 5½ 5 10¼ 4¾ 4¾ 9 0% 5½ 5 10¼ 4¾ 4¾ 9 0% 5½ 5 10¼ 4¾ 4¾ 9 4¾ 8¼ 7 14 6%6 6¾ 12 4¾ 8¼ 7 14 6%6 6¾ 12 4¾ 8¼ 7 14 14¾ 6¾ 12 4¾ 16½ 7 14 14¾ 6¾ 12 4¾ 16½ 7 14 14¾ 6¾ 12 4¾ 16½ 7 14 14¾ 6¾</td> <td>17% 4½ 3 6¾ 37% 2½% 6 10 lbs. 17% 4½ 3 6¾ 37% 2½% 6 10 lbs. 17% 4½ 3 6¾ 37% 2½% 6 10 lbs. 10% 5½ 5 10½ 4¾ 4¾ 9 30 lbs. 0% 5½ 5 10½ 4¾ 4¾ 9 30 lbs. 0% 5½ 5 10½ 4¾ 4¾ 9 30 lbs. 0% 5½ 5 10¼ 4¾ 4¾ 9 30 lbs. 0% 5½ 5 10¼ 4¾ 4¾ 9 30 lbs. 4¾ 8¼ 7 14 6% 6¾ 12 60 lbs. 4¾ 8¼ 7 14 6% 6¾ 12 60 lbs. 4¾ 16½ 7 14 14¾ 6¾ 12 75 lbs. 4</td> <td>17% 4½ 3 6¾ 3¾6 2½6 6 10 lbs. 24 17% 4½ 3 6¾ 3¾6 2½6 6 10 lbs. 24 17% 4½ 3 6¾ 3¾6 2½6 6 10 lbs. 24 17% 4½ 3 6¾ 3¾6 2½6 6 10 lbs. 24 17% 4½ 4¾ 9 30 lbs. 12 <t< td=""><td>7% 4% 3 6% 3% 21% 6 10 lbs. 24 40220(1) 7% 4% 3 6% 3% 21% 6 10 lbs. 24 40220(1) 7% 4% 3 6% 3% 21% 6 10 lbs. 24 40220(1) 0% 5½ 5 10¼ 4% 4¾ 9 30 lbs. 12 40230(1) 0% 5½ 5 10¼ 4¾ 9 30 lbs. 12 40230(1) 0% 5½ 5 10¼ 4¾ 9 30 lbs. 12 40230(1) 0% 5½ 5 10¼ 4¾ 9 30 lbs. 12 40230(1) 4¾ 8¼ 7 14 6% 6¾ 12 60 lbs. 12 40245(1) 4¾ 8¼ 7 14 6% 6¾ 12 60 lbs. 12 40245(1) 4¾ 8¼</td><td>7% 4% 3 6¾ 37/6 21¾6 6 10 lbs. 24 40220(1) 6 7% 4% 3 6¾ 37/6 21¾6 6 10 lbs. 24 40220(1) 6 7% 4½ 3 6¾ 37/6 21¾6 6 10 lbs. 24 40220(1) 6 0% 5½ 5 10¼ 4¾6 4¾4 9 30 lbs. 12 40230(1) 6 0% 5½ 5 10¼ 4¾6 4¾4 9 30 lbs. 12 40230(1) 6 0% 5½ 5 10¼ 4¾6 4¾4 9 30 lbs. 12 40230(1) 6 0% 5½ 5 10¼ 4¾6 4¾4 9 30 lbs. 12 40230(1) 6 4¾ 8¼ 7 14 6¾6 6¾4 12 60 lbs. 12 40245(1) 6 4¾4 <td< td=""><td>17% 4% 3 6¾ 37% 2½% 6 10 lbs. 24 40220(1) 6 30221 17% 4½ 3 6¾ 37% 2½% 6 10 lbs. 24 40220(1) 6 30221 17% 4½ 3 6¾ 37% 2½% 6 10 lbs. 24 40220(1) 6 30221 0% 5½ 5 10¼ 4¾ 4¾ 9 30 lbs. 12 40230(1) 6 30231 0% 5½ 5 10¼ 4¾ 4¾ 9 30 lbs. 12 40230(1) 6 30231 0% 5½ 5 10¼ 4¾ 4¾ 9 30 lbs. 12 40230(1) 6 30231 0% 5½ 5 10¼ 4¾ 4¾ 9 30 lbs. 12 40230(1) 6 30231 4¾ 8¼ 7 14 6¾ 12 6</td></td<></td></t<></td>	17% 4½ 3 6¾ 3¾6 2½6 17% 4½ 3 6¾ 3¾6 2½6 17% 4½ 3 6¾ 3½6 2½6 17% 4½ 3 6¾ 3½6 2½6 0½ 5½ 5 10¼ 4¾ 4¾ 0½ 5½ 5 10¼ 4¾ 4¾ 4¾ 8¼ 7 14 6%6 6¾ 4¾ 8¼ 7 14 6%6 6¾ 4¾ 8¼ 7 14 6%6 6¾ 4¾ 16½ 7 14 14¾ 6¾ 4¾ 16½ 7 14 14¾ 6¾ 4¾ 16½ 7 14 14¾ 6¾ 4¾ 16½ 7 14 14¾ 6¾	7% 4% 3 6¾ 3%6 21%6 6 7% 4% 3 6¾ 3%6 21%6 6 7% 4% 3 6¾ 3%6 21%6 6 7% 4% 3 6¾ 3%6 21%6 6 0% 5½ 5 10¼ 4¾ 4¾ 9 0% 5½ 5 10¼ 4¾ 4¾ 9 0% 5½ 5 10¼ 4¾ 4¾ 9 4¾ 8¼ 7 14 6%6 6¾ 12 4¾ 8¼ 7 14 6%6 6¾ 12 4¾ 8¼ 7 14 14¾ 6¾ 12 4¾ 16½ 7 14 14¾ 6¾ 12 4¾ 16½ 7 14 14¾ 6¾ 12 4¾ 16½ 7 14 14¾ 6¾	17% 4½ 3 6¾ 37% 2½% 6 10 lbs. 17% 4½ 3 6¾ 37% 2½% 6 10 lbs. 17% 4½ 3 6¾ 37% 2½% 6 10 lbs. 10% 5½ 5 10½ 4¾ 4¾ 9 30 lbs. 0% 5½ 5 10½ 4¾ 4¾ 9 30 lbs. 0% 5½ 5 10½ 4¾ 4¾ 9 30 lbs. 0% 5½ 5 10¼ 4¾ 4¾ 9 30 lbs. 0% 5½ 5 10¼ 4¾ 4¾ 9 30 lbs. 4¾ 8¼ 7 14 6% 6¾ 12 60 lbs. 4¾ 8¼ 7 14 6% 6¾ 12 60 lbs. 4¾ 16½ 7 14 14¾ 6¾ 12 75 lbs. 4	17% 4½ 3 6¾ 3¾6 2½6 6 10 lbs. 24 17% 4½ 3 6¾ 3¾6 2½6 6 10 lbs. 24 17% 4½ 3 6¾ 3¾6 2½6 6 10 lbs. 24 17% 4½ 3 6¾ 3¾6 2½6 6 10 lbs. 24 17% 4½ 4¾ 9 30 lbs. 12 <t< td=""><td>7% 4% 3 6% 3% 21% 6 10 lbs. 24 40220(1) 7% 4% 3 6% 3% 21% 6 10 lbs. 24 40220(1) 7% 4% 3 6% 3% 21% 6 10 lbs. 24 40220(1) 0% 5½ 5 10¼ 4% 4¾ 9 30 lbs. 12 40230(1) 0% 5½ 5 10¼ 4¾ 9 30 lbs. 12 40230(1) 0% 5½ 5 10¼ 4¾ 9 30 lbs. 12 40230(1) 0% 5½ 5 10¼ 4¾ 9 30 lbs. 12 40230(1) 4¾ 8¼ 7 14 6% 6¾ 12 60 lbs. 12 40245(1) 4¾ 8¼ 7 14 6% 6¾ 12 60 lbs. 12 40245(1) 4¾ 8¼</td><td>7% 4% 3 6¾ 37/6 21¾6 6 10 lbs. 24 40220(1) 6 7% 4% 3 6¾ 37/6 21¾6 6 10 lbs. 24 40220(1) 6 7% 4½ 3 6¾ 37/6 21¾6 6 10 lbs. 24 40220(1) 6 0% 5½ 5 10¼ 4¾6 4¾4 9 30 lbs. 12 40230(1) 6 0% 5½ 5 10¼ 4¾6 4¾4 9 30 lbs. 12 40230(1) 6 0% 5½ 5 10¼ 4¾6 4¾4 9 30 lbs. 12 40230(1) 6 0% 5½ 5 10¼ 4¾6 4¾4 9 30 lbs. 12 40230(1) 6 4¾ 8¼ 7 14 6¾6 6¾4 12 60 lbs. 12 40245(1) 6 4¾4 <td< td=""><td>17% 4% 3 6¾ 37% 2½% 6 10 lbs. 24 40220(1) 6 30221 17% 4½ 3 6¾ 37% 2½% 6 10 lbs. 24 40220(1) 6 30221 17% 4½ 3 6¾ 37% 2½% 6 10 lbs. 24 40220(1) 6 30221 0% 5½ 5 10¼ 4¾ 4¾ 9 30 lbs. 12 40230(1) 6 30231 0% 5½ 5 10¼ 4¾ 4¾ 9 30 lbs. 12 40230(1) 6 30231 0% 5½ 5 10¼ 4¾ 4¾ 9 30 lbs. 12 40230(1) 6 30231 0% 5½ 5 10¼ 4¾ 4¾ 9 30 lbs. 12 40230(1) 6 30231 4¾ 8¼ 7 14 6¾ 12 6</td></td<></td></t<>	7% 4% 3 6% 3% 21% 6 10 lbs. 24 40220(1) 7% 4% 3 6% 3% 21% 6 10 lbs. 24 40220(1) 7% 4% 3 6% 3% 21% 6 10 lbs. 24 40220(1) 0% 5½ 5 10¼ 4% 4¾ 9 30 lbs. 12 40230(1) 0% 5½ 5 10¼ 4¾ 9 30 lbs. 12 40230(1) 0% 5½ 5 10¼ 4¾ 9 30 lbs. 12 40230(1) 0% 5½ 5 10¼ 4¾ 9 30 lbs. 12 40230(1) 4¾ 8¼ 7 14 6% 6¾ 12 60 lbs. 12 40245(1) 4¾ 8¼ 7 14 6% 6¾ 12 60 lbs. 12 40245(1) 4¾ 8¼	7% 4% 3 6¾ 37/6 21¾6 6 10 lbs. 24 40220(1) 6 7% 4% 3 6¾ 37/6 21¾6 6 10 lbs. 24 40220(1) 6 7% 4½ 3 6¾ 37/6 21¾6 6 10 lbs. 24 40220(1) 6 0% 5½ 5 10¼ 4¾6 4¾4 9 30 lbs. 12 40230(1) 6 0% 5½ 5 10¼ 4¾6 4¾4 9 30 lbs. 12 40230(1) 6 0% 5½ 5 10¼ 4¾6 4¾4 9 30 lbs. 12 40230(1) 6 0% 5½ 5 10¼ 4¾6 4¾4 9 30 lbs. 12 40230(1) 6 4¾ 8¼ 7 14 6¾6 6¾4 12 60 lbs. 12 40245(1) 6 4¾4 <td< td=""><td>17% 4% 3 6¾ 37% 2½% 6 10 lbs. 24 40220(1) 6 30221 17% 4½ 3 6¾ 37% 2½% 6 10 lbs. 24 40220(1) 6 30221 17% 4½ 3 6¾ 37% 2½% 6 10 lbs. 24 40220(1) 6 30221 0% 5½ 5 10¼ 4¾ 4¾ 9 30 lbs. 12 40230(1) 6 30231 0% 5½ 5 10¼ 4¾ 4¾ 9 30 lbs. 12 40230(1) 6 30231 0% 5½ 5 10¼ 4¾ 4¾ 9 30 lbs. 12 40230(1) 6 30231 0% 5½ 5 10¼ 4¾ 4¾ 9 30 lbs. 12 40230(1) 6 30231 4¾ 8¼ 7 14 6¾ 12 6</td></td<>	17% 4% 3 6¾ 37% 2½% 6 10 lbs. 24 40220(1) 6 30221 17% 4½ 3 6¾ 37% 2½% 6 10 lbs. 24 40220(1) 6 30221 17% 4½ 3 6¾ 37% 2½% 6 10 lbs. 24 40220(1) 6 30221 0% 5½ 5 10¼ 4¾ 4¾ 9 30 lbs. 12 40230(1) 6 30231 0% 5½ 5 10¼ 4¾ 4¾ 9 30 lbs. 12 40230(1) 6 30231 0% 5½ 5 10¼ 4¾ 4¾ 9 30 lbs. 12 40230(1) 6 30231 0% 5½ 5 10¼ 4¾ 4¾ 9 30 lbs. 12 40230(1) 6 30231 4¾ 8¼ 7 14 6¾ 12 6

be less than the total sum of bin capacities.

() = Max. # of dividers per bin. *Assembly required – hinge pins included.









- ProHANGERs can be placed side-by-side on walls, rail rack or panel systems to support extra-long parts, supplies or materials
- Unique "J-hook design" cradles various shapes and sizes of contents
- Available End Cap inserts keep items from sliding out
- One-piece construction; molded of high-impact plastic for durability
- Each ProHANGER is capable of supporting up to 75 lbs.

Easy Long Parts Storage Wherever You Need It!

- products, including a wide range of AkroBins®
- ProHANGER can even be mounted (using Louvered Hanging System)















ProHANGER'''					Inches		
	Model No.	Description	Ctn. Qty.				Capacity (lbs.)
	30330RED	ProHANGER	6	81⁄4	73/4	5	75
	40330	End Cap	6	6¾6	1/4	41/4	-
	403302PK	End Cap	2	63/16	1/4	41/4	-
	403302PK	End Cap	2	6¾6	1/4	41⁄4	-

related products

Use your ProHANGER with:

- AkroBins.....pgs. 4-6
- Rail Hanging Systems.....pg. 8
- · Louvered Hanging Systems pg. 9



protects suspended parts or products



items contained and fit easily into molded-in slots



Full-width hanger lip supports ProHANGER on hanging systems



Notches provided in hanger lip for mounting to wall surface with screws



Substantial ribbing in base gives added strength to support heavier


Rail Hanging Systems

storage bins, racks & hanging systems









- Single-sided rail units are ideal for placement against a wall to save space
- Double-sided rail units can "float" in any room environment and be picked from both sides
- Mobile Kit available to mobilize two-sided racks
- Steel rail is ideal for workstations
- AkroBins sold separately





features 1125



Rails securely support AkroBins



Heavy-duty steel for strength and durability



Attractive, durable powder-coated finish stands up to heavy-duty use



- 1-Sided, can be assembled as 12 or 16 Rail
- 250 lb. capacity



- 2-Sided, can be assembled as 12 or 16 Rail
- 500 lb. capacity



- 14-gauge steel worktop
- 250 lb. capacity



30148 Steel Rail

Wall-mountable unit accepts 7 sizes of AkroBins. 110 lb. capacity

Rail Hanging Systems				D	imensio Inches	ns	AkroBins Model No. (Bin Weight Capacity)									
	Model No.	Description	Ctn. Qty.	L	w	Н	30210 (10 lbs.)	30220 (10 lbs.)	30224 (30 lbs.)	30230 (30 lbs.)	30234 (50 lbs.)	30235 (60 lbs.)	30239 (50 lbs.)	30240 (60 lbs.)	30250 (75 lbs.)	30255 (60 lbs.)
	30008*	Rack, 1-Sided	1	36	141/8	53	96	96	48	48	48	24	24	24	12	16
	30016*	Rack, 2-Sided	1	36	20	53	192	192	96	96	96	48	48	48	24	32
	30148	Steel Rail	1	4713/16	5/8	3	11	11	11	8	6	3	-	-	-	3
	30812	Bin Cart	1	38½	24	36½	96	96	64	48	48	24	24	24	12	16

*Can be assembled as a 12 or 16 rail rack.

Mohile Kit

Model No.	Description	Ctn. Qty.	Fits Hanging System No.	Casters
30424	Mobile Kit - Casters & Handle	1	30016	4″ Polyolefin



Two-Sided Racks can be mobilized with the Mobile Kit

Louvered Hanging Systems

storage bins, racks & hanging systems

- Louvered Hanging Systems allow for easy placement and configuration of AkroBins*
- Wall-mounted units keep items out of the way, off the floor and off the work table
- Floor standing racks can be placed near work areas to improve productivity
- Single-sided floor racks can be placed against wall to save floor space
- Double-sided units allow for picking from both sides
- Bench racks are used on work tables to keep parts within easy reach
- 11 different models available accommodates up to 288 AkroBins
- Easy, one-person assembly
- *AkroBins sold separately, see pg. 4-6





Use the following products with Louvered Hanging Systems:

- AkroBins.....pgs. 4-6
- 33" Wide AkroBins.....pgs. 4-5
- ProHANGER Pg. 7













Louvered Hanging Systems Dimensions (Inches) AkroBins Model No. (Bin Weight Capacity)																		
	Model No.	Description	Ctn. Qty	L.			Rack Wt. Cap.(lbs.)	30210 (10 lbs.)	30220 (10 lbs.)	30224 (30 lbs.)	30230 (30 lbs.)	30234 (50 lbs.)	30235 (60 lbs.)	30239 (50 lbs.)	30240 (60 lbs.)	30250 (75 lbs.)	30255 (60 lbs.)	30320 (80 lbs.)
	30618*	Louvered Panel	4	18	5/16	19	160	16	16	12	9	9	3	4	4	2	3	-
00000000000	30636*	Louvered Panel	4	35¾	5/16	19	160	32	32	24	18	18	9	8	8	4	6	3
		2 Panels		35¾	5/16	37		72	72	36	36	36	18	16	16	8	12	5
000000000000000000000000000000000000000		3 Panels		35¾	5/16	55		104	104	54	54	54	27	28	28	14	18	8
		4 Panels		35¾	5/16	73		144	144	72	72	72	36	36	36	18	24	11
110 00 0 100 0 100 00 0 100	98600*	Bench Rack	1	2715/16	8%16	19%	120	30	30	18	12	12	6	6	6	-	-	0
	98636	Bench Rack	1	36	8	20	120	40	40	24	18	18	9	8	8	4	6	3
	30161	Louvered Panel	1	36	5/16	61	120	96	96	72	54	54	28	24	24	12	18	10
	30118	Louvered Panel	1	18	5/16	61	160	48	48	36	28	28	14	12	12	6	9	-
	30653	Louvered Floor Rack	1	32	35¾	75%	2000	288	288	192	144	144	72	72	72	36	48	0
000000	30661*	Louvered Rack Single-Sided	1	36¾6	131/2	66%	500	96	96	72	54	54	28	24	24	12	18	10
	30638*	Louvered Rack Single-Sided	1	18	13½	66%	250	48	48	36	28	28	14	12	12	6	9	-
	30676*	Louvered Rack Double-Sided	1	36¾6	25	66%	1000	192	192	144	108	108	56	48	48	24	36	20
*Also available in Reig	30651	Heavy Duty Louvered Rack Single-Sided	1	35¾	17	75%	1000	144	144	98	72	72	36	36	36	18	24	11

*Also available in Beige.



steel for strength

and durability



Attractive, durable powder-coated finish stands up to heavy-duty use



Horizontal ribs provide added strength



Louvers securely support AkroBins





■ ReadySpace™ Storage System

storage bins, racks & hanging systems

- Wall, Bench or Mobile Floor Units can be purchased alone or with AkroBins
- Create a neat, attractive storage space in any environment
- Customer-friendly appearance
- Frees up valuable workspace
- Pre-configured packages with Stone color AkroBins are available or create your own custom system – see pg. 4-6 for more AkroBins!
- Easy to assemble!



- Quickly create organized storage space virtually anywhere!
- laboratories and medical offices
- Designed for use with a wide variety of Akro-Mils AkroBins®
- powder-coated finish
- ReadySpace Bench or Mobile Floor Units can double as a privacy wall!




















Mobile Floor Unit

· Quickly transports supplies



Casters come standard with the Mobile Floor Unit



Wall Unit is shipped complete with its own mounting bracket for easy installation



Bench Unit has a two-piece base for placement against or away from wall for assembly as single- or double-sided



Durable white, powder-coated finish







related products

Maximize your organization options with:

- AkroBins.....pgs. 4-6
- Bin Cabinets.....pg. 43-44



Accommodates multiple sizes of AkroBins





30536 **Wall Unit**

- Free up valuable workspace
- · Can be rearranged as needed
- · Use alone or side-by-side with
- additional wall mount units
- Wt. capacity 50 lbs.



98536 **Bench Unit**

- Utilizes valuable floor or wall space that might otherwise be wasted
- Two-piece base allows placement against or away from wall
- Can be assembled single- or double-sided
- · Wt. capacity 50 lbs. (single), 100 lbs. (double)



30553 **Mobile Floor Unit**

- · Organize, share and transport supplies and products
- Perfect for "high demand" items
- Panel locks into posts on base easily and without tools
- · Wt. capacity 150 lbs.



ReadySpace™ Wall Unit

	Model No.	Description (L x W x H)	No. of Ctns.	Ship Weight (lbs.)	Bin Qty.
	30536	37½" x 1¾" x 25%", Panel	1	35	N/A
000000000000000000000000000000000000000	305362105	Unit with 30210STONE Bins	3	45	48
	305362205	Unit with 30220STONE Bins	3	51	48
000000000000000000000000000000000000000	305362305	Unit with 30230STONE Bins	3	55	24
	305362355	Unit with 30235STONE Bins	3	55	12
	30536320S	Unit with 30320STONE Bins	2	47	4

ReadySpace™ Mobile Floor Unit

	Model No.	Description (L x W x H)	No. of Ctns.	Ship Weight (lbs.)	Bin Qty.
0000000	30553	24%" x 23" x 52"	1	82	N/A
0000000	305532105	Unit with 30210STONE Bins	6	117	120
0000000	305532205	Unit with 30220STONE Bins	6	122	120
0000000	305532305	Unit with 30230STONE Bins	6	142	60
000000000000000000000000000000000000000	305532355	Unit with 30235STONE Bins	6	127	30
	30553LF	Leveling Feet for Floor Unit	-	1	-

ReadySpace™ Bench Unit (Assemble as Single or Double-Sided)

Model No.	Description (L x W x H)	No. of Ctns.	Ship Weight (lbs.)	Bin Qty.
98536	37¾" x 12" x 26¾" (Single)	1	51	N/A
	37¾" x 22½" x 26¾" (Double)	1	51	N/A

ReadySpace™ Single-Sided Bench Unit Kits

Model No.	Description	No. of Ctns.	Ship Weight (lbs.)	Bin Qty.
98536210SS	Unit with 30210STONE Bins	3	61	48
98536220SS	Unit with 30220STONE Bins	3	67	48
98536230SS	Unit with 30230STONE Bins	3	71	24
98536235SS	Unit with 30235STONE Bins	3	71	12
98536320SS	Unit with 30320STONE Bins	2	63	4

ReadySpace Double-S	Model No.	Description	No. of Ctns.	Ship Weight (lbs.)	Bin Qty.
	98536210SD	Unit with 30210STONE Bins	5	71	96
	98536220SD	Unit with 30220STONE Bins	5	83	96
	98536230SD	Unit with 30230STONE Bins	5	91	48
	98536235SD	Unit with 30235STONE Bins	5	91	24
	98536320SD	Unit with 30320STONE Bins	3	75	8

Shelf Bins

storage bins, racks & hanging systems











Built-in rear hanglock allows bin to tilt out for complete access



Molded-in label area identifies contents

2420-120





Caccessories Offes



Dividers create additional storage compartments. Each Bin accepts up to 7 dividers (except 30110)



Extended Label Holders are designed for larger bar code scanning



Bin Cups lift out easily for parts retrieval (see chart)

- Shelf Bins outlast corrugated bins paying for themselves in reduced replacement costs
- Superior construction allows Shelf Bins to be fully loaded without spreading or cracking
- Durable polypropylene bins provide an attractive, neat appearance
- Works with 12", 18" and 24" deep shelving or vertical storage and retrieval units
- One-piece construction is waterproof and unaffected by grease or oil
- Available in 13 sizes and 5 colors: Red, Yellow, Blue, Green and White


		I-W
	L/	
H		
ïK	\mathcal{A}	//
T. F.	¥/	



related products

Expand your sorting options with:

- Pick Rack Systems.....pg. 15
- Wire Shelving Systems......pgs. 36-39
- Steel Shelving Systemspgs. 40-42





storage bins, racks & hanging systems

- Go deep! Expand your storage capacity up to 85% over traditional 4" bins
- Front opening is .75" higher than comparable products
- Superior, durable construction compared to corrugated bins
- Four sizes and five color options: Red, Blue, Yellow, Green and White
- Width dividers keep items neatly separated
- ShelfMax bins can be used alone, or with Akro-Mils' open or closed steel shelving, wire shelving, bench racks or pick racks
- · Rolled ridge for added strength when filled to maximum capacity

Maximize Your Storage Capacity!

· Available in five colors with optional width dividers – ShelfMax offers you the versatility you need to make the most

• Easy to label for quick inventory identification





ShelfMax can be used with steel shelving, wire shelving, bench

racks or pick racks



NEW! ShelfMax





ShelfMax™		Outsid	Inches	nsions	Botto	m Dime Inches		Storage Capacity			
	Model No.	L	W	Н	L	W	Н	Cubic Inches	Ctn. Qty.	Optional Dividers	Divider Pkg. Qty.
. >-W-1	30040	11%	41/8	6	9¾	2½	5 ¹⁵ / ₁₆	175	16	40020	12
H	30048	17%	41/8	6	16	21/2	5 ¹⁵ / ₁₆	280	8	40020	12
	30090	11%	65/8	6	9¾	5	5 ¹⁵ / ₁₆	310	10	40030	12
	30098	17%	65/8	6	16	5	5 ¹⁵ / ₁₆	505	10	40030	12

Large label area on Dividers keep items Reinforced side ribs Easy to carry with Built-in rear hanglock allows front of hin for added strength large handle neatly separated

bin to tilt out for complete access

related products

Use your ShelfMax bins with:

- Bench Pick Rack Systems pg. 15
- Pick Rack Systems.....pg. 15
- Wire Shelving Systemspgs. 36-39
- Steel Shelving Systemspgs. 40-42

storage bins, racks & hanging systems



Accessories



Dearthsaver

- Shelf Bins now made from 100% recycled material
- Three color options Hunter Green, Sandstone and Terra Cotta
- Optional dividers keep items neatly separated
- · An eco-friendly choice in storage and organization products

Create the perfect storage system – mix and match your selection of bins with compatible products including:

- Wire Shelving Systemspgs. 36-39
- Steel Shelving Systemspgs. 40-42
- Bin Cabinets......pgs. 43-44

Go Green With 100% Recycled Bins -**Boost Productivity, Reduce Waste!**

Feeling the need to "Go Green"? Akro-Mils introduces the EarthSaver Series -Shelf Bins and AkroBins (see pg. 6) made from 100% recycled plastic. Make a positive impact on the environment!

								11				PKG. QTY.
	30120RECYSS	11%	41/8	4	101/4	3	4	24	5	2	40120	24
	30120RECYTC	11%	41/8	4	101/4	3	4	24	5	2	40120	24
	30120RECYHG	11%	41/8	4	101/4	3	4	24	5	2	40120	24
	30130RECYSS	115/8	65/8	4	101/4	5½	4	12	9	4	40130	24
42″61 16	30130RECYTC	115/8	65/8	4	101/4	5½	4	12	9	4	40130	24
12" Shelf Bins	30130RECYHG	11%	6%	4	101/4	5½	4	12	9	4	40130	24
	30128RECYSS	17%	41/8	4	16½	3	4	12	8	3	40120	24
	30128RECYTC	17%	41//8	4	161/2	3	4	12	8	3	40120	24
	30128RECYHG	17%	41/8	4	16½	3	4	12	8	3	40120	24
	30138RECYSS	17%	65/8	4	16½	5½	4	12	15	6	40130	24
10"51 15	30138RECYTC	17%	65/8	4	16½	5½	4	12	15	6	40130	24
18" Shelf Bins	30138RECYHG	17%	6%	4	16½	5½	4	12	15	6	40130	24
	30124RECYSS	23%	41//8	4	221/8	3	4	12	11	4	40120	24
	30124RECYTC	23%	41/8	4	221/8	3	4	12	11	4	40120	24
	30124RECYHG	23%	41//8	4	22%	3	4	12	11	4	40120	24
	30164RECYSS	23%	65%	4	221/8	51/2	4	6	21	8	40130	24

221/8

21

Outside Dimensions Inside Dimensions

21	
24	
24	
24	1
24	4
	_
24	
24	
24	
24	
24	
24	
24	
24	
24	
24	
24	
24	

40130

40130

Bin Cups	L	w	Н	Ctn. Qty.
30101	2	31/4	3	48
30102	2¾	5	3	24

	nded I Holder	W	н	Ctn. Qty.
10°	40410	4	21⁄4	24
45°	40445	4	21/4	24





30164RECYTC

30164RECYHG

24" Shelf

23%

- Angled shelves keep parts at the front of bins for easy access
- Improve workspace organization and efficiency with rack and bin systems
- Convenient, high-density storage with up to 192 bins
- Easy to assemble
- Choose from 4 styles available separately or with bin packages
- 16-gauge steel construction
- Compatible with:



Shelf Bins, pgs. 12-14







Single-Sided Pick Rack

- Model No. APRS130Y
- Holds up to 96 Shelf Bins on 8 shelves
- Holds up to 64 ShelfMax Bins
- Maximum 400 lb. weight capacity



Double-Sided Pick Rack & Mobile Kit

- Model No. APRD120Y
- Creates a mobile, double-sided pick rack with APRDMOBILE
- Holds up to 192 Shelf Bins
- Holds up to 128 ShelfMax Bins
- Maximum 500 lb. weight capacity



Bench Pick Rack

- Model No. APRBENCH040
- 12" D x 36¾" W x 25" H
- Holds up to 24 Shelf Bins or ShelfMax Bins
- Holds up to (3) 30312 System Bins









ingle-Sided	12" D x 3	36¾"W x	60¼" H

Bin D	imens	ions (Inches

		Model No.	Description	Bin Model No.	L			Bin Qty.	Bonus Bins*
N		APRS	Single-Sided Pick Rack (no bins)	-	-	-	-	-	-
n!	APRS110Y APRS130Y APRS150Y APRS170Y	APRS110Y	Rack with Shelf Bins	30110YELLO	11%	23/4	4	96	-
		APRS120Y	Rack with Shelf Bins	30120YELLO	11%	41/8	4	64	8
		APRS130Y	Rack with Shelf Bins	30130YELLO	11%	65%	4	40	8
		APRS150Y	Rack with Shelf Bins	30150YELLO	11%	8%	4	32	4
		APRS170Y	Rack with Shelf Bins	30170YELLO	11%	111/8	4	24	-
		APRS040**	Rack with ShelfMax	30040	11%	41/8	6	64	-
		APRS090**	Rack with ShelfMax	30090	11%	6%	6	40	-
		APRSAST00**	Rack with ShelfMax	30040 / 30090	9	See above	9	32 / 20	-

^{*}Due to case pack, Bonus Bins are included at no extra charge. **Specify color of bins when ordering: Red, Blue, Yellow, Green or White.

Double-Sided 24" D x 36¾" W x 60¼" H

		Model No.	Description	Bin Model No.	L	W		Bin Qty.	Bonus Bins*
v		APRD	Double-Sided Pick Rack (no bins)	-	-	-	-	-	-
i		APRD110Y	Rack with Shelf Bins	30110YELLO	11%	23/4	4	192	-
		APRD120Y	Rack with Shelf Bins	30120YELLO	11%	41/8	4	128	16
		APRD130Y	Rack with Shelf Bins	30130YELLO	11%	65/8	4	80	4
		APRD150Y	Rack with Shelf Bins	30150YELLO	11%	83/8	4	64	8
		APRD170Y	Rack with Shelf Bins	30170YELLO	11%	111/8	4	48	-
		APRD040**	Rack with ShelfMax	30040	11%	41/8	6	128	-
	A. C.	APRD090**	Rack with ShelfMax	30090	11%	65/8	6	80	-
	APRDAST00** Rac		Rack with ShelfMax	30040 / 30090 See above			e	64 / 40	_
		APRDMOBILE	Mobile Kit (Handle & Dolly) for Double-Sided Pick Rack						

^{*}Due to case pack, Bonus Bins are included at no extra charge. **Specify color of bins when ordering: Red, Blue, Yellow, Green or White.

accessories Ories



APRDMOBILE Mobile Kit For double-sided Pick Rack



Bench Rack 12" D x 36¾" W x 25" H Bin Dimensions (Inches)							
	Model No.	Description	Bin Model No.	L		Н	Bin Qty.
	APRBENCH	Bench Pick Rack, No Bins	-	-	-	-	-
	APRBENCH120	Bench Pick Rack with Shelf Bins	30120YELLO	11%	41/8	4	24
	APRBENCH150	Bench Pick Rack with Shelf Bins	30150YELLO	11%	83/8	4	12
	APRBENCH040*	Bench Pick Rack with ShelfMax	30040	11%	41/8	6	24
	APRBENCH090*	Bench Pick Rack with ShelfMax	30090	11%	6%	6	15
*Specify color of hins y	when ordering: Red	Rlue Yellow Green or White					

AkroDrawers



- Available in five convenient sizes and five colors including Crystal Clear - which keeps AkroDrawer contents highly visible!
- Colors made of high-impact polystyrene
- Crystal Clear made of durable acrylic blend
- Offered in 12" or 18" depths to work with compatible shelving
- · Easy to label and color code inventory for quick identification of parts and supplies
- Drawers can be stacked to optimize space
- Wide front handle for easy gripping when AkroDrawers are loaded or contain heavy contents
- Dividers available to keep contents neatly separated in drawers
- Colors: Crystal Clear, Red, Blue, Yellow and Gray











AkroDrawers

Cover, Store, Protect & More!

- applications, AkroDrawers will help keep supplies, parts, tools and other materials secure and dust-free.
- Can be used with available shelving, racks, mobile carts or can be used by themselves




Sturdy backstop tab ensurés AkroDrawers can hang securely from shelves



Features a wide front handle for easy gripping when full or filled with heavy contents

AkroDrawers™	Outs	side Dimen Inches	sions	Bott	om Dimen: Inches	sions			
Model No.	L	W	Н	L	w	Н	Weight Capacity	Ctn. Qty.	Dividers
31142	11%	3¾	45/8	101/4	3	47/16	15 lbs.	6	41440
31162	11%	5%16	45/8	101/4	47/8	47/16	20 lbs.	6	41460
31182	11%	83/8	45/8	101/4	75/8	47/16	20 lbs.	4	41480
31168	17%	5%16	45/8	161/4	47/8	47/16	25 lbs.	6	41460
31188	17%	83/8	45/8	161/4	75/8	47/16	25 lbs.	4	41480
Specify drawer color w	hen ordering:	Red, Blue, Ye	llow, Gray or (rystal Clear.					

Dividers		Dimensions			
Model No.	W	Н	D	Pkg. Qty.	Ctn. Qty.
41440	3%16	41/5	13/16	6	30
41460	521/64	41/5	13/16	6	26
41480	8%4	41/5	1/10	6	26





Super Modular Cabinets



storage bins, racks & hanging systems

- · Organize your AkroDrawers on specially designed stackable or wall-mountable cabinets
- · Units can be safely stacked up to three high
- · AkroDrawers fit snugly on each shelf so open top on each AkroDrawer is protected from dust and debris
- Drawers hang securely in place from shelves by sturdy back stop tab
- Ships fully assembled
- 11" cabinets can be mounted to wall (light assembly required for wall mounting)
- Durable powder-coated finish
- Weight capacity: 60 lbs. 18" Modular Cabinets
- 75 lbs. 24" Modular Cabinets
- Combined stack weight capacity: 100 lbs.
- · Colors: Textured Charcoal Gray or Textured Putty



Small and Medium Super Modular Cabinets can be mounted on two rails under ProCart. *Optional two-rail hanging system (No. 30902) required.











Super Modular Ca	per Modular Cabinets 18"W x 11"D x 16-1/2"H				(Inches)	Shelf Dimensions (Inches)			
Model Number	Description	Cabinet Color	L						Qty. of Drawers
AD1811C AD1811P	Small Cabinet with no AkroDrawers	Textured Charcoal Gray Textured Putty	-	-	-	11	17	419/32	-
AD1811C62 AD1811P62	Small Cabinet with 31162 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	5%16	45/8	11	17	419/32	9
AD1811C82 AD1811P82	Small Cabinet with 31182 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	83%	45%	11	17	419/32	6
AD1811CAST AD1811PAST	Small Cabinet with 31162 and 31182 AkroDrawers	Textured Charcoal Gray Textured Putty	See Above		11	17	419/32	6/2	

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cabinet. Blue or Crystal Clear available with Putty Cabinet. Only one color per unit.

Super Modular Ca	per Modular Cabinets 23"W x 11"D x 16-1/2"H					Shelf Dimensions (Inches)			
Model Number	Description	Cabinet Color	L			D			Qty. of Drawers
AD2311C AD2311P	Medium Cabinet with no AkroDrawers	Textured Charcoal Gray Textured Putty	-	-	-	11	22¾	419/32	-
AD2311C42 AD2311P42	Medium Cabinet with 31142 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	3¾	45/8	11	22¾	419/32	18
AD2311C62 AD2311P62	Medium Cabinet with 31162 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	5%6	45/8	11	22¾	419/32	12
AD2311CAST AD2311PAST	Medium Cabinet with 31142 and 31162 AkroDrawers	Textured Charcoal Gray Textured Putty	See Above		11	22¾	419/32	6/8	
Specify drawer color	when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray C	abinet. Blue or Crystal Clear available w	ith Putty Ca	binet. Only	one color p	per unit.			

Super Modular Ca	per Modular Cabinets 18"W x 17"D x 16-1/2"H					Shelf Dimensions (Inches)			
Model Number	Description	Cabinet Color	L			D			Qty. of Drawers
AD1817C AD1817P	17" Deep Cabinet with no AkroDrawers	Textured Charcoal Gray Textured Putty	-	-	-	17	17	419/32	-
AD1817C68 AD1817P68	17" Deep Cabinet with 31168 AkroDrawers	Textured Charcoal Gray Textured Putty	17%	5%6	45/8	17	17	419/32	9
AD1817C88 AD1817P88	17" Deep Cabinet with 31188 AkroDrawers	Textured Charcoal Gray Textured Putty	17%	83/8	45/8	17	17	419/32	6
AD1817CAST AD1817PAST	17" Deep Cabinet with 31168 and 31188 AkroDrawers	Textured Charcoal Gray Textured Putty	See Above		17	17	419/32	6/2	

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cabinet. Blue or Crystal Clear available with Putty Cabinet. Only one color per unit.






Stackable Cabinets

storage bins, racks & hanging systems

- Increased storage capacity for AkroDrawers by providing more space to organize and color code inventory
- Units can be safely stacked up to three high
- Available in two sizes one for 12" AkroDrawers and one for 18" AkroDrawers
- Optional 8" high Base Stands for each size cabinet available in matching colors for either cabinet - keeps cabinets off the floor for easier clean-up underneath
- Durable powder-coated finish
- · Cabinets ship fully assembled
- · Weight capacity: 120 lbs.
- Combined stacked weight capacity: 200 lbs.
- Colors for Stackable Cabinets and optional Base Stands: Textured Charcoal Gray or **Textured Putty**







Can dealla Calinata 27/W v 11//D v 22//U	Din Din an air an (In ah aa)	Chalf Dimanaiana (Inchas)
Stackable Cabinet 35"W x 11"D x 22"H	Bin vimensions (inches)	Shelf Dimensions (Inches)

				Zin Zini cinsions (menes)					
Model Number	Description	Cabinet Color	L	W	Н	D	L	Н	Qty. of Drawers
AD3511C AD3511P	Stackable Cabinet with no AkroDrawers	Textured Charcoal Gray Textured Putty	-	-	-	11	34	411/16	-
AD3511C42 AD3511P42	Stackable Cabinet with 31142 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	3¾	45%	11	34	411/16	32
AD3511C62 AD3511P62	Stackable Cabinet with 31162 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	5%6	45%	11	34	411/16	24
AD3511C82 AD3511P82	Stackable Cabinet with 31182 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	83%	45%	11	34	411/16	16
AD3511CAST AD3511PAST	Stackable Cabinet with 31142, 31162 & 31182 AkroDrawers	Textured Charcoal Gray Textured Putty	See Above		e	11	34	411/16	8/12/4

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cabinet. Blue or Crystal Clear available with Putty Cabinet. Only one color per unit.

Stackable Cabine	ackable Cabinet 35"W x 17"D x 22"H			Bin Dimensions (Inches)			nension		
Model Number	Description	Cabinet Color	L			D			Qty. of Drawers
AD3517C AD3517P	Stackable Cabinet with no AkroDrawers	Textured Charcoal Gray Textured Putty	-	-	-	17	34	411/16	_
AD3517C68 AD3517P68	Stackable Cabinet with 31168 AkroDrawers	Textured Charcoal Gray Textured Putty	17%	5%16	45%	17	34	411/16	24
AD3517C88 AD3517P88	Stackable Cabinet with 31188 AkroDrawers	Textured Charcoal Gray Textured Putty	17%	8%	45%	17	34	411/16	16
AD3517CAST AD3517PAST	Stackable Cabinet with 31168 & 31188 AkroDrawers	Textured Charcoal Gray Textured Putty	S	ee Abov	⁄e	17	34	411/16	12/8

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cabinet. Blue or Crystal Clear available with Putty Cabinet. Only one color per unit. Color code: B= Blue, CRY= Crystal Clear, GRY=Gray, R=Red, Y=Yelllow



Optional Base Stands for Stackable Cabinets Di	mensions
--	----------

Model No.	Description	Base Stand Color	w		
AD3511BS	Base Stand for 11" Stackable Cabinet	Textured Charcoal Gray or Textured Putty	35¼	111⁄4	8
AD3517BS	Base Stand for 17" Stackable Cabinet	Textured Charcoal Gray or Textured Putty	351/4	171⁄4	8



Secure Mini-Cabinets

storage bins, racks & hanging systems





- · Lockable cabinet provides secure storage for sensitive supplies
- Accommodates 12" AkroDrawers
- · Made from 18-gauge steel
- Wall mountable
- Features standard four adjustable shelves with fully louvered panel built into back for hanging AkroBins®
- Available with a quick-view door to keep contents visible
- Solid door option keeps sensitive contents secure and out of sight
- · Foam gasket around door frame seals out dust
- Welded frame and durable powder-coated finish
- Ships fully assembled
- Weight capacity: 350 lbs.
- Colors: Textured Charcoal Gray or Textured Putty







ACS4C









Ouick-View Mini-Cahinet 19-1/4"W x 13-1/4"D x 38"H

Quick Field Milli	New Milli-Cabillet 15-1/4 W X 15-1/4 D X 30 II							
Model Number	Description	Cabinet Color	L			Qty. of Drawers		
ACQV4C ACQV4P	Secure Mini-Cabinet, Quick-View Door, no AkroDrawers	Secure Mini-Cabinet, Quick-View Door, no AkroDrawers Textured Charcoal Gray Textured Putty		-	-	-		
ACQV4C42 ACQV4P42	Secure Mini-Cabinet, Quick-View Door with 31142 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	3¾	45/8	20		
ACQV4C62 ACQV4P62	Secure Mini-Cabinet, Quick-View Door with 31162 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	5%6	45/8	12		
ACQV4C82 ACQV4P82	Secure Mini-Cabinet, Quick-View Door with 31182 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	83%	45/8	8		
ACQV4CAST ACQV4PAST	Secure Mini-Cabinet, Quick-View Door with 31142, 31162 & 31182 AkroDrawers	Textured Charcoal Gray Textured Putty	S	ee Abov	e	5/6/2		

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cabinet. Blue or Crystal Clear available with Putty Cabinet. Only one color per unit.

Model Number	Description	Cabinet Color				Qty. of Drawers
ACS4C ACS4P	Secure Mini-Cabinet, Steel Door, no AkroDrawers	Textured Charcoal Gray		-		
ACS4C42 ACS4P42	Secure Mini-Cabinet, Steel Door with 31142 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	3¾	45/8	20
ACS4C62 ACS4P62	Secure Mini-Cabinet, Steel Door with 31162 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	5%6	45/8	12
ACS4C82 ACS4P82	Secure Mini-Cabinet, Steel Door with 31182 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	83%	45/8	8
ACS4CAST ACS4PAST	Secure Mini-Cabinet , Steel Door with 31142, 31162 & 31182 AkroDrawers	Textured Charcoal Gray Textured Putty	S	ee Abov	e	5/6/2

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cabinet. Blue or Crystal Clear available with Putty Cabinet. Only one color per unit.





2" & 18" Enclosed Steel Shelving Systems



storage bins, racks & hanging systems



- Steel shelving will accommodate new 12" and 18" AkroDrawers
- · Manufactured from high-grade, 22-gauge steel with powder-coated finish
- Can be ordered independently or purchased with AkroDrawers for a complete system
- · Closed back and sides keep drawers contained to one side of shelves and further eliminate dust and debris
- Drawers can hang securely in place from shelves by sturdy backstop tab
- Easy to assemble using shelf clips
- Each shelving system can hold up to a maximum of 8,500 lbs.
 - 12" x 36" shelf holds 500 lbs.
 - 18" x 36" shelf holds 550 lbs.
- · Color: Gray



- Angled shelves keep parts and supplies at the front of AkroDrawers for easy access
- Improve workspace organization and efficiency
- 16-gauge steel construction
- Durable powder-coated finish
- Weight capacity: 400 lbs. Single-Sided; 500 lbs. Double-Sided
- · Color: Gray







For double-sided Pick Rack





12" Enclosed Shel	'Enclosed Shelving Systems (13 Shelves)					Shelf Di	mensions	(Inches)		
Model Number	Description	Drawer Model No.	L			D			Qty. of Drawers	Drawer Color
ASC1279	Shelving (no AkroDrawers)	=	-	-	-	12	36	79	-	=
ASC1279142	Shelving with AkroDrawers	31142	11%	3¾	45/8	12	36	79	108	R,B,Y,GRY,CRY
ASC1279162	Shelving with AkroDrawers	31162	11%	5%6	45/8	12	36	79	72	R,B,Y,GRY,CRY
ASC1279182	Shelving with AkroDrawers	31182	11%	8¾	45/8	12	36	79	48	R,B,Y,GRY,CRY
ASC1279AST	Shelving with AkroDrawer Mix	31142, 31162, 31182	S	ee Abov	e	12	36	79	27 / 36 / 12	R,B,Y,GRY,CRY

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear. Only one color per unit.

18" Enclosed Shel	ving Systems (13 Sheives)		Bin Dimensions (inches) Shelf Dimensions (inches)								
Model Number	Description	Drawer Model No.	L	L W H		D	L	Н	Qty. of Drawers	Drawer Color	
ASC1879	Shelving (no AkroDrawers)	=	-	-	-	18	36	79	-	-	
ASC1879168	Shelving with AkroDrawers	31168	17%	5%16	45/8	18	36	79	72	R,B,Y,GRY,CRY	
ASC1879188	Shelving with AkroDrawers	31188	17%	8%	45/8	18	36	79	48	R,B,Y,GRY,CRY	
ASC1879AST	Shelving with AkroDrawer Mix	31168, 31188	S	ee Abov	e	18	36	79	36 / 24	R,B,Y,GRY,CRY	

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear. Only one color per unit.

Single-Sided Pick	Rack 12"D x 36-3/4"W x 60-1/4" H (8 Shelves)	Drawer Dimensions								
Model Number	Description	Drawer Model No.	L	W H		Qty. of Drawers	Drawer Color			
APRS142	Rack with AkroDrawers	31142	11%	3¾	45/8	72	R,B,Y,GRY,CRY			
APRS162	Rack with AkroDrawers	31162	11%	5%6	45/8	48	R,B,Y,GRY,CRY			
APRS182	Rack with AkroDrawers	31182	11%	8%	45/8	32	R,B,Y,GRY,CRY			
APRSAST	Rack with AkroDrawer Mix	31142, 31162, 31182	S	ee Abov	e	18/24/8	R,B,Y,GRY,CRY			

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear. Only one color per unit.

Double-Sided Pick	k Rack 24″ D x 36-3/4″ W x 60-1/4″ H (16 Shelves)	Drawer Dimensions								
Model Number	Description	Drawer Model No.	L			Qty. of Drawers	Drawer Color			
APRD142	Rack with AkroDrawers	31142	11%	3¾	45/8	144	R,B,Y,GRY,CRY			
APRD162	Rack with AkroDrawers	31162	11%	5%16	45/8	96	R,B,Y,GRY,CRY			
APRD182	Rack with AkroDrawers	31182	11%	83/8	45/8	64	R,B,Y,GRY,CRY			
APRDAST	Rack with AkroDrawer Mix	31142, 31162, 31182	S	ee Abov	e	36 / 48 / 16	R,B,Y,GRY,CRY			
Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear. Only one color per unit. Color code: B= Blue, CRY= Crystal Clear, GRY=Gray, R=Red, Y=Yelllow										





storage bins, racks & hanging systems

- · Space-saving bin system improves organization and efficiency
- Ideal for small and medium-sized parts and components
- Keeps parts clean by keeping out dust and dirt
- Made of high-impact polystyrene
- Can be stacked or wall mounted or used with optional rail systems
- Available in 6 sizes
- Color: Stone

Tilting Bins Are the Clear Choice

- Bins can be removed for cleaning
- Perfect for Healthcare, Retail, Supply Rooms, Offices
















scanning

	Dimensions (Inches)							
Number of Bins	L							
2	11¾	23%	13%					
3	73/4	23%	9½					
4	65%	23%	8%					
5	51/4	23%	61/2					
6	3%	23%	41/2					
9	2½	23%	31/8					
	2 3 4 5	Number of Bins L 2 11¾ 3 7¾ 4 6% 5 5¼ 6 3%	Number of Bins L W 2 11¾ 23½ 3 7¾ 23½ 4 6½ 23½ 5 5¼ 23½ 6 3½ 23½					

Optional Dividers available for 06703 (40703) and 06704 (40704).













Dividable VantageBin™

- Sturdy bin holds dovetailed dividers to customize compartments
- Fits on standard 24" deep or wide shelving and counters
- Bins nest when empty to conserve storage space
- 24" x 5½" x 7" bin is dividable in up to 10 sections
- Sturdy polypropylene construction
- Available in two colors: White and Gray
- Longer and taller than VantageBin
- 9 divider positions per bin

VantageBin™

- Molded-in V-groove bottom keeps items upright and prevents them from sliding without dividers
- Bins nest when empty to conserve storage space
- Durable, injection-molded polypropylene construction
- Quick, easy access and identification when organizing envelopes, bags, jewel cases, photographs and more
- Ideal for retail and material handling as well as home and office storage applications
- Available in three colors: White, Gray and Yellow

'antageBin			Outs	ide Dimen Inches	sions			mensions :hes			
	Model No.	Description	L	W	Н	L	W	Н	X	Ctn. Qty.	Dividers/Pk.
	30420WHI6PK	Dividable Bin	24	51/2	7	22%	43/8	7	203/16	6	40420/12
	30420GRY6PK	Dividable Bin	24	51/2	7	22%	43/8	7	203/16	6	40420/12
	30400YEL10PK	Standard Bin	16¾	71/4	53/8	15%	67/16	5%	151/16	10	-
	30400WHI10PK	Standard Bin	16¾	71/4	53/8	15%	67/16	51/8	151/16	10	-
	30400GRY10PK	Standard Bin	16¾	71/4	5%	15%	67/16	51/8	151/16	10	-





related products

Organize your VantageBin on:

- Wire Shelving Systemspgs. 36-39
- Steel Shelving Systemspgs. 40-42

1800 Series AkroBins®, ESD Containers & Economy Bins

storage bins, racks & hanging systems







1800 Series AkroBins

- Strong, durable copolymer polypropylene construction
- Storage systems for large, heavy and bulky items
- · One black crosswise divider included per bin
- Color: Beige

ESD Containers

- Akro-Mils ESD containers dissipate electrostatic charges, which can severely damage sensitive electronic components
- Grounding Wire 98100 Designed to convert existing Akro-Mils rail and hanging systems (see pgs. 8-9). Conducts static charges away from the storage system





Grounding Wire 98100

Economy Bins

- Versatile Economy Bins make full use of shelf depth on 12" or 18" deep shelving and stack to fill space between shelves
- The only small parts bin that can nest and stack
- Molded from copolymer polypropylene
- Generous opening allows easy access to stacked items

180	00 Series		Outsi	de Dimer Inches	nsions			mensions hes					
		Model No.	L	W	Н	L	W	Н	X	Ctn. Qty.	Dividers	Pkg. Qty.	Capacity (lbs.)
	L W	30348BEIGE	20½	81⁄4	7	20	73/8	6½	20	6	40348 (3)	6	60
Ţ		30358BEIGE	20½	11	7	20	101/8	6½	20	6	40358 (3)	6	75

Available in Beige. Order in carton quantities.

ESDs		Outsi	de Dime Inches			Inside Dir Incl				
	Model No.	L	W	Н	L	W	Н	Х	Cap. on Rack	Ctn. Qty.
	30210ESD	5%	41/8	3	43/4	37/16	213/16	4	10 lbs.	24
T	30220ESD	7%	41/8	3	6¾	37/16	213/16	6	10 lbs.	24
	30230ESD	10%	5½	5	101/4	43/8	43/4	9	30 lbs.	12
	30235ESD	10%	11	5	101/4	10	43/4	9	50 lbs.	6
	30240ESD	14¾	81/4	7	14	6%	6¾	12	60 lbs.	12

Economy Bins		Outs	ide Dimen Inches	sions	Insi	de Dimens Inches	sions	
	Model No.	L			L		Н	Ctn. Qty.
	30796BLACK	8%	6%	5	63/25	4	4%10	10 each
L w	30716BLACK	11%	6%	5	93/25	4	4%10	10 each
	30776BLACK	17%	6%	7	14%	31/5	6‰	10 each
	30718BLACK	11%	83%	5	9	5¾	4%o	8 each
	30778BLACK	17%	83%	7	14%	5½	6‰	8 each
Order in carton quantities.								



1800 Series AkroBins



ESD Container



Economy Bins

storage bins, racks & hanging systems







Convenient, **Efficient Organization** in a Single-Piece Six-Bin Unit

- · Configured six across in a single unit, 33" wide x 5" high
- Available in 12" or 18" depths to fit standard shelving
- · Separate and sort parts to increase efficiency, shorten assembly times and maintain accurate inventories
- · A cost-efficient alternative to flimsy, individual cardboard boxes
- Can be safely stacked using a 3/8" wood dowel rod
- Available colors: Blue, Red, Yellow and Green





Saves space in storage areas



System Bins shown on Steel Shelving

related products

System Bins work great with:

- Pick Rack Systems.....pg. 15
- Wire Shelving Systemspgs. 36-39
- Steel Shelving Systemspgs. 40-42



for easy content identification



Smooth surfaces. Easy to fill, handle and keep clean



Sturdy interior double wall construction. One-piece, injectionmolded for durability



front allows easy access for quick parts picking

Bin Compartment Dimensions* 30312 12" System Bin 33 5 10% 313/20 447/50 5 30318 18" System Bin 18 33 16% 313/20 493/100 5 System Bin Divider (Black only)

· Holds (3) 30312 System Bins

One color per carton: Specify Red, Blue, Yellow or Green. Order in carton quantities. *One divider per compartment, six per unit. **Inside dimension per compartment.

				Inches		
	Model No.	Description	L			Bin Qty.
1	APRBENCH	Bench Pick Rack	36¾	12	25	‡
	AS1279312	12" Shelving Unit	36	12	79	10*
	AS1879318	18" Shelving Unit	36	18	79	10**

+Order bins separately. Specify bin color when ordering. *Qty. of 30312 System Bins included. **Qty. of 30318 System Bins included.

Cart Systems


Model No.	Description	L	W	Н	Bin Qty.
R5SYT5HR2436	Multi-Shelf Cart (5 shelves)	36	241/2	40	10*
R5SYT8MR2436	Multi-Shelf Cart (5 shelves)	36	241/2	43	10*
R5SYT5HR3636	Multi-Shelf Cart (5 shelves)	36	361/2	40	10**
R5SYT8MR3636	Multi-Shelf Cart (5 shelves)	36	36½	43	10**

Specify bin color when ordering. *Qty. of 30312 System Bins included. **Qty. of 30318 System Bins included.

accessories Ories




System Bin Divider



A Unique Way to Improve Workflow!

- · Unique hopper provides exceptional product storage, while saving space through a compact vertical design
- Large, angled top opening allows easy filling, whether used on the Gravity Hopper Floor Rack or on a work platform
- Generous picking area provides easy access to the loaded product, while keeping it neatly contained and sorted
- Great for: fasteners, assembly areas, kanban, inventory stock, merchandise and work cells
- 75 lbs. capacity per hopper; 900 lbs. total when used with the 31625RACK
- Rotational-molded for strength and durability LLDPE
- Allows for proper lot rotation
- 2 color options: Red and Blue







Gravity Hopper			Inches		L	oad Capacit	у	
	Model No.				lbs.	cu. in.	gal.	Ctn. Qty.
	31625	18	10¾	19½	75	2400	10.39	1
	31625RACK	36	36	69	900	-	-	1

Specify color when ordering: Red or Blue.









- per side for maximum efficiency
- 13-gauge steel
- · 900 lb. load capacity
- Adjustable rail heights

Super-Size AkroBins®

heavy duty bins, totes, containers & small parts storage

- Large-capacity storage to improve organization
- Molded of high-impact polypropylene and unaffected by weak acids or alkalis
- Sturdy, one-piece construction is water, rust and corrosion-proof
- Guaranteed not to crack or break under normal load conditions as stated in the 1-year limited warranty
- Products made of polypropylene block copolymer are autoclavable up to 250° F
- Available in three vibrant colors Red, Yellow and Blue







24" Super-Size AkroBins New Ways to Super-Size & Organize

- Provide additional options to efficiently organize large items and improve workflow
- · Heavy-duty bins securely stack atop each other or can sit on shelving or carts



(Model No. R1S8FP2) Shown with six Model No. 30287 Super-Size AkroBins. See pg. 47 for details

Shelf Cart

Platform Trucks

See pg. 54-57 for details

Make transport of heavy loads easy.



Window Insert optimizes interior space and keeps contents visible



Lengthwise **Dividers** keep items separated in the bin



Widthwise Dividers create extra storage compartments



Super-Size AkroBins			Outsi	de Dimen Inches	sions		Inside Di Inc	mension hes	s	Accessories Dividers*								
	Ltr	Model No.	L	W	Н	L	W	Н	X	Max. Cap. per Bin	Stacking Cap./= Qty. Stacked	Ctn. Qty.	Width	Length	Divider I W	Pkg. Qty. L	Windows	Window Pkg. Qty.
		30280	20	12¾	6	16%	1011/16	5%	15½	200 lbs.	40 lb./10	4	-	-			-	
	A	30281	20	12¾	8	16%	1011/16	73/8	15½	200 lbs.	50 lb./7	3	-	-			-	
		30282	20	12¾	12	16%	1011/16	11%	15½	200 lbs.	60 lb./5	2	-	-			-	
	В	30283	20	18¾	12	16%	16%	11%	15½	300 lbs.	150 lb./5	1	-	-			-	
	Ь	30290	291/4	18¾	12	26%	16%	11%	24¾	300 lbs.	150 lb./5	1	-	-			-	
		30286	23%	11	7	20%	91/8	61/8	195/16	200 lbs.	150 lb./5	1	41286 (2)	40286 (3)	2	4	21286	4
	c	30287	23%	11	10	20¾	9	91/8	195/16	300 lbs.	150 lb./5	4	41287 (2)	40287 (3)	6	6	21287	4
		30292	29%	11	10	26¾	9	91/8	255/16	300 lbs.	150 lb./5	4	41287 (2)	40292 (3)	6	6	21287	4
	D	30288	23%	16½	11	20¾	14%	101/8	195/16	300 lbs.	150 lb./5	1	41288 (2)	40287 (3)	6	6	21288	1
	ט	30293	29%	16½	11	26¾	14%	101/8	255/16	300 lbs.	150 lb./5	1	41288 (2)	40292 (3)	6	6	21288	1
	Е	30289	23%	18¼	12	20¾	16	111/8	19¼	300 lbs.	150 lb./5	1	41289 (2)	40289 (3)	2	1	21289	1

One color per carton: Specify Red, Blue, or Yellow. Not recommended to hang on rack or panel systems. Order in carton quantities. * () = Max. # of dividers per bin.

Super-Size AkroBin Car	ts		ı	Dimension Inches	IS		
	Model No.	Descriptions	L	W	Н	Capacity lbs.	Ctn. Qty.
	R214CS1841	Transports six 30283 Bins	41	18	48	900	1
	R214CS1859	Transports nine 30283 Bins	59	18	48	1,350	1
	R214CS1878	Transports twelve 30283 Bins	78	18	48	1,500	1
	R214CS2841	Transports six 30290 Bins	41	271/2	48	900	1
	R214CS2859	Transports nine 30290 Bins	59	271/2	48	1,350	1
	R214CS2878	Transports twelve 30290 Bins	78	271/2	48	1,500	1
	R216CS2236	Transports six 30286 Bins, six 30287 Bins, four 30288 Bins	351/2	221/8	35	900	1
	R216CS2836	Transports six 30292 Bins, four 30293 Bins	351/2	281/8	35	900	1
	R216CS2239	Transports four 30289 Bins	351/2	221/8	39	900	1

Optional security bar available for all sizes. Bins sold separately.

Super-Size AkroBin	Dollies			Inches	5
	Model No.	Descriptions	L	W	Н

	Model No.	Descriptions	L	W	Н	Casters	Capacity lbs.	Ctn. Qty.
	RU843HR2018	Compatible with Model 30280, 30281, 30282 & 30283 Bins	17 ¹³ / ₁₆	18¾	411/16	3" Polyolefin	500	1
	RU843HR2918	Compatible with Model 30290 Bins	2613/16	18%	411/16	3" Polyolefin	500	1
	RU843TP2122	Compatible with Model 30286 & 30287 Bins	20%	21%	411/16	3" Polyolefin	500	1
	RU843TP2227	Compatible with Model 30292 Bins	21%	26%	411/16	3" Polyolefin	500	1
	RU843TP1721	Compatible with Model 30288 Bins	16½	20%	411/16	3" Polyolefin	500	1
	RU843TP1727	Compatible with Model 30293 Bins	16½	26%	411/16	3" Polyolefin	500	1
	RU843TP1821	Compatible with Model 30289 Bins	18½	20%	411/16	3" Polyolefin	500	1
Dine cold consustals								

Bins sold separately.

related products

Increase the benefits of your Super-Size AkroBins with:

- Wire Shelving Systemspgs. 36-39
- Steel Shelving Systemspgs. 40-42
- Shelf Cartpg. 47



Carts & Dollies



Stak-N-Store Bins

heavy duty bins, totes, containers & small parts storage

• The perfect way to organize heavy, bulky items

• Bins stack to form tall, stable storage arrangements on floors or standard industrial shelving


• 75 lb. weight capacity

· Color: Gray, Red and Blue

• 13017 is also available in White









Side ribs add stability when stacked



Wide hopper front allows easy access to bulky items



grip handles



related products

Add mobility to your Stak-N-Store Bins with:

- Wire Shelving Systemspgs. 36-39
- Steel Shelving Systems.....pgs. 40-42
- Solid Steel Dollies.....pg. 50
- VERSA/Deckpg. 53
- Platform Trucks.....pgs. 54-57



Secure Stacking

Stack bins together to form vertical storage and picking systems










Solid Steel Dollies Available for efficient, easy load transport



Stak-N-Store Bins	i	Outsi	de Dime Inches	nsions		nside Diı Inc	mension hes	S		
	Model No.	L	W	Н	L	W	Н	X	Capacity Cu. Ft.	Ctn. Qty.
	13014	171/2	10%	121/2	15%	8	121/4	13½	.98	4
	13017	151/4	19%	127/16	13%	171/2	121/4	11½	1.7	3
13018		171/2	16½	12½	15%	13¾	121/4	13½	1.6	2

One color per carton. Specify Red, Blue or Gray. 13017 also available in White. Order in carton quantities.

3	teel bolly			inches					
		Model No.	L	W	Н	Ctn. Qty.	Capacity	Casters	Bin Compatibility
		RU843HR1617	16%	15¾	41/2	1	900 lbs.	3″ Polyolefin	13018
		RU843HR1519	19¼	14%	41/2	1	900 lbs.	3″ Polyolefin	13017

Nest & Stack Totes

heavy duty bins, totes, containers & small parts storage







- Extremely durable industrial-grade totes
- · Ideal for shipping, transfer and storage applications
- · NSTs stack with or without lids for storage and shipping, nest when empty
- Strong, high impact polypropylene will not rust, corrode or bend out of shape even when fully loaded
- Heavy-duty construction provides a longer service life resulting in lower replacement costs than other "budget-priced" totes
- Easy to clean, smooth surfaces are resistant to most solvents and chemicals
- NSTs are manufactured from FDA-sanctioned materials
- Optional lids protect contents from dust and damage
- Available in 9 sizes and 3 colors: Red, Blue and Gray

features







Textured bottoms provide a no-slip grip on conveyor belts



Ribs under the lip will prevent jamming when nested

related products

Add mobility to your Nest & Stack Totes with:

- Cartspgs. 45-47
- Dollies.....pgs. 49-50
- Wire Shelving Systemspgs. 36-39

Dollies

Available to transport containers - see pgs. 49-50



accessories



Clear Plastic Label Holders attach easily to NSTs, with or without the lid in place. Holders accommodate labels up to 3¾" x 5



Lids snap tight to protect contents. See lids chart for matching lid size below

Labal Haldana

Label Holders		
Model No.	Pkg. Qty.	Label Size (In.)
35010	6	3¾ x 5
35011	6	3 x 5






Nest & Stack Totes (NSTs)	Outs	ide Dimer Inches	nsions		Insid	de Dimen	sions					
Model No.	L	W	Н	A	В	c	D	E	NST Ctn. Qty.	Cu. Ft.	Lid Model	Ctn. Qty.
35180	18	11	6	10	16	151/4	9%	5%	6	0.5	35181	6
35185	18	11	9	10	16	151/8	91/8	8%	6	0.76	35181	6
35190	191/2	15½	10	141/2	17	16	131/4	9%	6	1.2	35191	6
35195	191/2	15½	13	141/2	17	15%	13%	12%	6	1.7	35191	6
35200	191/2	13½	8	12%	171/8	16¾	111/2	7%	6	0.8	35201	6
35225	231/2	19½	10	181/4	20%	19%	16%	9%	3	2	35231	3
35230	231/2	19½	13	18%	20%	19½	16%	12%	3	2.6	35231	3
35240*	231/2	151/2	12	141/4	20%	19%	13	11%	3	1.7	35241	3
35300*	291/2	191/2	15	181⁄4	26%	251/8	16%	14%	3	3.7	35301	3
One color per carton Specify color:	Rad Rlua or	Gray Orde	r in carton o	uantitios 1	Made of HI	DPF nolveth	vlono					



heavy duty bins, totes, containers & small parts storage

- Versatile work-in-process transfer containers
- Dividers allow subdivision of the containers down to a 11/8" square compartment size
- Injection-molded from polypropylene block copolymer
- Resists most solvents and chemicals
- Compatible with most racks, shelving and automated material handling equipment











Dividers allow subdivision of the containers down to a 11/4" square compartment size. Color: Black



Clear Plastic Label Holders snap securely on any side of the container




Clear Plastic Covers keep contents clean yet visible. Molded corner guides provide secure stacking







Outside Dimensions Akro-Grids Inches					Insid	le Dimens Inches	sions			Сара	city	Accessories			
Model No.	L	W	Н	A	В	C	D	E	Ctn. Qty.	y. Cu. Ft. Lbs.		Long Divider*	Short Divider*	Pkg. Qty.	
33105	10%	81/4	5	611/16	95/16	9%	61/2	45/8	20	.16	25	42105 (5)	41105 (7)	6	
33164	16½	10%	4	93/8	1415/16	1413/16	9¾16	3%	12	.29	20	42164 (7)	41164 (11)	6	
33166	161/2	10%	6	95/16	141//8	14¾	9%	5%16	8	.44	35	42166 (7)	41166 (11)	6	
33168	161/2	10%	8	95/16	1415/16	145/8	91/16	7%16	6	.59	40	42168 (7)	41168 (11)	6	
33220	22%	17%	10	151/4	201/8	19%	14%	9%	2	1.66	50	42220 (11)	41220 (15)	6	
33224	22%	17%	4	151/16	201/16	20	15	3%	6	.61	30	42224 (11)	41224 (15)	6	
33226	22%	17%	6	15%	201/8	19%	14%	5%	4	.96	40	42226 (11)	41226 (15)	6	
33228	22%	17%	8	15%	201/8	19%	14%	71/16	3	1.30	50	42228 (11)	41228 (15)	6	




Clear Plastic Covers

clear riastic covers												
Model No.	Fits Grid No.	Ctn. Qty.										
33101	33105	10										
33161	33166, 33168, 33164	4										
33221	33228, 33220, 33226, 33224	3										

Lahal Holdars

Model No.	Description	Pkg. Qty.
35010	Fits all Akro-Grids except 33164 and 33224	6
35011	Fits grids No. 33164, 33224	6





· Available to transport containers. See pgs. 49-50



Attached Lid Containers

heavy duty bins, totes, containers & small parts storage







- ALCs stack and nest for optimal space use
- Reusable shipping, distribution, order picking, and storage containers
- Attached lids snap securely closed to protect contents from dust or damage
- Containers interwork for easy pallet loading
- See chart below for color options

features



Textured bottoms provide a sure grip on conveyor belts



Strong molded-in handle grips are ergonomically designed for easy lifting and carrying



Padlock eye on both ends accommodates security ties



Reinforced hinge pins for years of smooth lid operation



Extra secure HDPE hinges "lock" when lid closes, protecting against inventory loss and theft. Available on model AA211512 only

All-Plastic Attached Lid Container Ship & Store — More Secure!

- All-plastic hinges "lock" lid for greater security in shipping, storage or picking applications
- 100% recyclable tote
- Non-steel hinge makes product lighter
- Tie holes located in both ends of lid are compatible with a variety of closures to further secure lids
- Available in Red, Blue, Green or Gray

ALCs		Out	side Dimens Inches	ions	Insid	le Dimensio Inches	ns Top	Inside Dimen Inc	sions Bottor hes	n	Capacity			
Model No.	Available Colors	L	w	н	L	w	Н	L	W	Cu. Ft.	Gal.	Lbs.	Ctn. Qty.	Stack Cap./ Qty. Stacked
39085	Blue, Gray	21½	15	9	19¾	141/2	8%	187/16	131/4	1.12	8.5	35	6	35 lbs./5
39120	Blue, Gray	21½	15	121/2	19¾	141/2	12	187/16	131/4	1.62	12	65	6	65 lbs./5
39160	Gray	27	17	12½	25	15½	11	23½	14	2.25	16.83	100	1	100 lbs./4
39170	Blue, Gray	21½	15	17	19¾	14½	16%	187/16	131⁄4	2.28	17	100	3	100 lbs./3
39175	Gray	24	19½	12½	22	18	11	201/2	16½	2.3	17.20	80	1	80 lbs./5
39280	Gray	28	21	15½	26	19	14	25	18	3.82	28.57	100	1	100 lbs./4
								1		1				
AA211512	Blue, Green, Red, Gray	21¾	15%	121/2	201/16	143/32	111/4	1711/16	121/4	1.62	12	65	6	65 lbs./5
Order in carton of	quantities. Specify color v	vhen ordering.						•			•	•	•	



Dollies

· Plastic, steel and wood dollies available to transport containers. See pgs. 49-50



Attached Lid Containers

 Models 39160, 39175 and 39280 are available in gray only



AA211512

Straight Wall Containers

heavy duty bins, totes, containers & small parts storage

- SWCs are reusable shipping, storage, and work-in-process containers
- Straight walls provide efficient internal and external space usage
- Solid-sided containers have smooth inner walls for easy, sanitary cleaning
- Mesh-sided containers allow hot or cold air ventilation
- Injection-molded from high-density polyethylene
- Available in 4 sizes and 3 styles
- · Color: Gray









3 Styles Per Size: Solid, mesh and combinations

features



One-inch wall thickness for secure stacking



Strong, 1" wide, stacking rims and external ribbing provide added strength



Straight walls provide efficient cubing in trucks and on pallets



Open .72 x .90 mesh pattern allows high visibility and good airflow

related products

Add more productivity to your Straight Wall Containers with:

•	Cartsp	gs.	45-47
•	Dolliesp	gs.	49-50
•	Platform Trucksp	gs.	54-57



Dollies

Plastic, steel and wood dollies available to transport containers. See pgs. 49-50

Straight Wall Containers (SWCs)			Outs	Outside Dimensions Inches			Inside Dimensions Top Inches			Stacking Capacity / Qty. Bottom Type		
Model No. Mesh Side & Base	Model No. Mesh Side/Solid Base	Model No. Solid Side & Base	L	W	Н	L	W	Н	Ctn. Qty.	Solid	Mesh	
37208	37278	37288	15¾	11¾	81/4	141⁄4	101/4	8	12	83 lbs./6	30 lbs./6	
37608	37678	37688	23¾	15¾	81/4	221/4	141⁄4	8	4	83 lbs./6	45 lbs./6	
37612	37672	37682	23¾	15¾	121/4	221/4	141⁄4	12	3	125 lbs./5	45 lbs./5	
37616	37676	37686	23¾	15¾	16%	221/4	141/4	16	2	150 lbs./4	45 lbs./4	
Order in carton quantities.												



Cross-Stack Akro-Tub

heavy duty bins, totes, containers & small parts storage

- · Ideal for food processing and handling operations or industrial work-in-progress activities
- Industrial-grade 90° nest and stack tub
- Nesting when empty conserves storage space
- · Molded-in side handles for comfortable lifting
- Manufactured from FDA-sanctioned materials
- Smooth surface is easy to clean
- Compatible with standard 36" shelving and conveyor systems
- Color: Gray



Akro-Tub & Rack

- · Heavy-duty, industrial-grade nesting tub
- Tub manufactured from FDA-sanctioned materials
- Smooth surface is easy to clean
- Nests when empty to conserve storage space
- Use the Akro-Tub Rack (RA6TR4MR) to provide easy loading and transport of multiple Akro-Tubs
- 75 lb. capacity per tub
- · Color: Gray



akro-tub features



Rounded corner design adds strength to stress points



Rolled top rim forms comfortable handles



Extra-thick walls for superior



Ribs prevent jamming when nested

Outside Dimensions

Cross-Stack Akro-Tub			outsi	Inches	iisioiis			
	Model No.	L	W	Н	A	В	Capacity Gal.	Ctn. Qty.
L W	34301	171⁄4	11	8	131/4	7¾	3.85	6
	34302	171⁄4	11	12	12%	7	5.51	6
H	34303	23¾	171⁄4	8	19¾	14	9.81	6
B	34304	23¾	171/4	12	19	131/4	14.38	6

Order in carton quantities.

Double-Sided Cross-Stac	k Akro-Tub Rack		Inches			
Model No. Description		L	W	н	Rack Weight/lbs.	
RACR5MR	Holds 32 (34301) Cross-Stack Akro-Tubs* or 16 (34303) Cross-Stack Akro-Tubs*	53	29	62	1000 lbs.	

Order in carton quantities. *Tubs sold separately.

Akro-Tub			Inches							
Model No.	L	W	Н	A	В	Capacity Gal.	Ctn. Qty.			
34240	19	241/2	9½	20½	15½	14.6	6			

Order in carton quantities.

Akro-Tub Rack		Inches						
Model No.	Н	W	D	Casters				
RA6TR4MR	73	24	24	4" x 2" Mold-On Rubber: 2 Rigid, 2 Swivel				

cross-stack akro-tub features



Stacking grooves allow stable



Molded-in handles for easy lifting



Extra-thick walls and reinforcing ribs provide superior strength









Double-Sided Cross-Stack Tub Rack

· Holds 32 (34301) or 16 (34303) Cross-Stack Akro-Tubs*



Akro-Tub Rack

· Holds 6 Akro-Tubs on angle-iron slides for up to 600 lb. total capacity. Welded steel frame with 12-gauge base and boltedon casters.*

*Akro-Tubs sold separately.

ESTITUTE Steel Storage Cabinets

heavy duty bins, totes, containers & small parts storage

- Two cabinets fit side by side on standard 36" wide shelving
- Removable drawers are rust, corrosion and dent-proof



19-Series Heavy-Duty Cabinets Frame: 17" wide x 11" deep x 11" high

with five different drawer sizes · 2 dividers per drawer



17-Series Light-Duty Cabinets

Frame: 18" wide x 6" deep x 91/2" high. Drawer depth 5¾"

1 divider per drawer

steel storage cabinet features — 19-Series







Strong, high-impact polystyrene drawers

19-Series Drawers

 Available separately for a variety of uses



Plastic Storage Cabinets

- Strong plastic cabinets organize and protect components
- A variety of drawer configurations provide versatile storage solutions
- Cabinets stack securely and are wall mountable
- · Dividers included











Frame back interlocks into face

steel frame with durable

powder-coated finish



Flexible, strong, see-through drawers with finger grip drawer pulls



Rugged, high-impact polystyrene frame

Storage Cabinet Hanging & Rotary Systems

Mobile Steel Cabinet Rack*

- Double-sided, mobile rail rack holds 12 of the 19-Series cabinets with as many as 336 drawers
- Supports up to 500 lbs.

Components & Quantities

- 30016 Double-Sided Rail Rack Qty: 1
- 30424 Mobile Kit Qty: 1
- 19-Series Cabinets Mix or Match Qty: 12
- 98400 Suspension Straps (Set of 2 straps) Qty: 12 Sets
 - *Assembly required

Storage -Go-Round*

- Access 20 cabinets and as many as 560 drawers in less than three square feet of floor space
- Holds up to 1,000 lbs. of parts
- Accommodates the 19-Series Steel Cabinets (sold separately)
- Swing diameter 43%" (1,108 mm)
- Stands 31" L x 31" W x 60" H (787 x 787 x 1524 mm)



10-Sories Heavy-Duty Steel Cahinet

19-Series neav	y-Duty Steel Cabinets			incnes				
Model No.	Description	Drawers Per Cabinet‡	W	Н	D	Ctn. Qty.	Drawer Model No.	Dividers 25/Pkg. Model No.
19228	Steel Storage Cabinet*	28	23/16	21/16	10%6	1	20228	40228
19320	Steel Storage Cabinet*	20	3¾6	16 21/16 101/16 1 20320		20320	40320	
19416	Steel Storage Cabinet*	16	4	21/8			20416	40416
19715	Steel Storage Cabinet*	15	3¾6	31/16			20715	40715
19909	Steel Storage Cabinet*	9	5¾6	31/16	10%	1	20909	40909
19109	Storage Cabinet w/ Locking Door	9	5¾6	31/16	10%16	1	20909	40909

Drawer Dimensions

Components & Quantities

- 98325 Storage-Go-Round with turntable base
- 19-Series Cabinets Mix or Match - Qty: 20
- *Assembly required

‡ Two removable dividers and one label per drawer included. * Available with a locking door when ordered in quantities of 50 or more, **Drawer Dimensions** 17-Series Light-Duty Steel Cabinets

Model No.	Description	Drawers Per Cabinet‡	er Cabinet [‡] W H D Ctn. Qty.		Ctn. Qty.	Drawer Model No.	Dividers 25/Pkg. Model No.	
17018	Storage Cabinet*	18	2¾	21/2	5¾	1	20902	40901
17136	Storage Cabinet*	36	2¾	11/4	53/4	1	20502	40501

‡ One removable divider and one label per drawer included. * Available with a locking door when ordered in quantities of 50 or more.

Plastic	: Storage Cal	oinets		Inches		
M	lodel No.	Description	L	W	Н	Ctn. Qty.
	10116	10%16	6%	81/2	1	
	10124	24-Drawer Cabinet	20	63/8	1513/16	1
	10126	26-Drawer Cabinet	20	63/8	1011/32	1
	10144	44-Drawer Cabinet	20	63/8	1513/16	1
	10164	64-Drawer Cabinet	20	63/8	1513/16	1

16-Drawer Cabinet has 8 dividers. All other cabinets have 8 small and 4 large dividers.

 Auditional Divi	uers (Frastic Capillets)
Model No.	Description
40716	16-Pack additional dividers for small drawers
40717	6-Pack additional dividers for large drawers



heavy duty bins, totes, containers & small parts storage

- Grid design in lid keeps items from spilling into other compartments
- Cases available in 3 sizes with different divider configurations
- Small and medium cases include 4 front-to-back adjustable dividers
- Large cases include 5 front-to-back adjustable dividers
- Clarified polypropylene for durability















Portable Organizers



- · Unique design keeps parts and equipment from migrating to other compartments when lids are shut
- Separate lid compartment holds small items
- The main compartment holds larger, bulky items
- Dividers included for both levels
- · Molded-in "feet" allow case to stand upright



Roto-Shelf



- Mobile storage unit can easily be moved to different work areas, ideal for assembly components
- 19%" wide unit takes up very little floor space
- 3 shelves rotate on an independent central metal shaft
- Shelf depth 2½", Shelf diameter 19½", 75 lbs. per shelf, 300 lb. total wt. capacity

Tote Caddy



- Hand-held tool and supply caddy
- Deep compartments hold loose parts, cleaning supplies or tools for easy transport
- Molded of heavy-duty, industrial-grade polypropylene for lasting durability
- Color: Blue

	Storage Cases		D	imensior Inches	15		
	Model No.	Description	L	W	Н	Max. Compartments	Ctn. Qty.
	05705	Small Case – 2 Fixed Dividers	85/8	51/8	15/8	15	12
	05805	Medium Case – 2 Fixed Dividers	11	7	23/8	15	6
	05807	Medium Case – 1 Fixed Divider	11	7	2¾	10	6
	05905	Large Case – 2 Fixed Dividers	14%	91/2	21/2	18	6
Ì	Ouday in cautan arra	atition					

Order in carton quantities.

Portable Organizers	Inches									
Model No.	Description	L	L W		Max. Compartments	Ctn. Qty.				
06115			115/16	31/4	11 to 46	1				
06118			13%	3%	12 to 62	1				
06217	Flat Bottom Organizer	1115/16	15	3%	9 to 32	6				

Order in carton quantities.

Roto-Shelf		Inches				
Model No.	Description	D	Н	Ctn. Qty.		
02420	Roto Shelf	19%	37½	1		

Tote Caddy	Inches				
Model No.	Description	L	W	Н	Ctn. Qty.
09185BLUE	Tote Caddy	13%	18¾	9	6

Order in carton quantities





Wire Shelving Systems

shelving systems & cabinets

- More than 30 system options for bin and shelf configurations!
- Six customizable shelf sizes available: 14" x 36", 18" x 36", 24" x 36", 18" x 48", 24" x 48" and 24" x 60"
- Wide variety of heights and styles: 63" upright with casters and 74" upright stand alone to fit all locations
- · Open wire design minimizes dust collection and improves visibility for stored contents
- NSF approved
- Stationary units hold a maximum of 2,000 lbs. (910 kg)
- Mobile units with casters have a maximum load capacity of 900 lbs. (408 kg)







Make organization **Easy** and more **Efficient**

- Build complete work cell systems
- · Constructed from steel with a chrome finish for durability and strength
- Works with a variety of Akro-Mils storage products to organize parts or products and increase workspace efficiency
- Streamlines workflow and order picking

Frames

Lightweight yet strong metal framework secures the shelving in place



Shelves

Adjustable to hold many Akro-Mils storage and organization products



Quick-Adjust Clips

Clips lock into the frame trunk, and unlock to adjust shelves



Leveling Bolts

Screws securely into uprights to level shelf system on uneven surfaces




Easy Set-up

Durable, versatile Wire Shelving allows quick, one-person set-up and installation

Create Easy, Durable Storage & Organization with **Custom Wire Shelving Packages!**

- Stationary units hold a maximum of 2,000 lbs. (910 kg)
- Mobile units with casters have a maximum load capacity of 900 lbs. (408 kg)
- Maximum weight capacity per shelf:
- -48'' or shorter = 800 lbs. (363 kg)
- Longer than 48'' = 600 lbs. (272 kg)

AkroBin® Wire Systems



Shorten Assembly Times

- Three sizes allow for a wide variety of Bin and Shelf configurations
- Durable AkroBins feature a curved-bottom hopper front, making it easy to retrieve small parts
- AkroBins, pgs. 4-6

System Bin Wire Systems



Speed Set-Up & Organization

- Available with 11 Shelves
- Holds 10 System Bins
- Quickly organize with System Bins: one-piece, six-bin units
- System Bins, pg. 24

Stak-N-Store Wire Systems



Maximize Space Utilization

- Available with 5 Shelves
- Configure for 6, 8, 9 or 12 Bins
- · Bins feature a wide hopper front for easy access - ideal for bulky items
- Stak-N-Store Bins, pg. 28

Shelf Bin Wire Systems



Sort Parts to Improve Efficiency

- Available with 12 Shelves
- · Configure for 36, 48, 60 or 96 Bins
- Strong, polypropylene Shelf Bins outlast corrugated bins
- Shelf Bins, pgs. 12-14

Akro-Grid Wire Systems



Improve Productivity

- Available with 7, 9 or 12 Shelves
- Configure for 24 or 36 Akro-Grids
- Versatile, work-in-process containers with optional dividers for compartments
- Akro-Grids, pg. 30

Nest & Stack Wire Systems



Simplify Workflow

- Available with 4 or 9 Shelves
- Configure for 12 or 36 Nest & Stack Totes
- Industrial-grade totes are ideal for transfer applications. Optional tote lids protect contents from dust, Label Holders allow quick content ID
- · Nest & Stack Totes, pg. 29

Straight Wall Container Wire Systems



Optimize Floor Space

- Configured with 6 Shelves
- Holds 12 Straight Wall Containers
- Containers available with smooth, solid sides or an open mesh pattern for high visibility and airflow
- Straight Wall Containers, pg. 32

VantageBin[™] Wire Systems



Boost Organization

- · Available with 11 Shelves
- Configure for 40 or 42 VantageBins
- · Sturdy, functional bin customizable with up to 10 compartments to fit unique sizes of products
- · VantageBins, pg. 23

Akro-Tub Wire Systems



Improve Inventory Control

- Available with 4 or 7 Shelves
- Configure for 12 or 24 Akro-Tubs
- · Akro-Tubs feature extrathick walls for strength. Rolled rims form comfortable handles
- Akro-Tubs, pg. 33

24" Super-Size AkroBin® Wire Systems



Increase Storage Capacity

- Available with 3 4 or 5 shelves that are 24" deep
- Combine with stackable 24" Super-Size AkroBins to optimize spacing between shelves
- Super-Size AkroBins, pgs. 26-27

ShelfMax[™] Wire Systems



6" Bins Maximize Storage Capacity

- Available with 8 Shelves
- · Configure for 64 or 40 Bins
- · 4 Bin Sizes & 5 Colors
- · ShelfMax Bins, pg. 13













AkroBin [®] Wire Systems			Bin	Dimensi (Inches)		Shel	f Dimens (Inches)			
Model Number	Description	AkroBin Colors	L	W	Н	D	L	Н	# of Bins	Shelves
AWS143630320	Wire Shelving w/ 30320 Bins	B, R, Y, GRN, S, BK	85/8	33	6	14	36	74	20	11
AWS143630240	Wire Shelving w/ 30240 Bins	B, R, Y, GRN, S, BK, SC	14¾	81/4	7	14	36	74	36	4
AWS143630250	Wire Shelving w/ 30250 Bins	B, R, Y, GRN, S, BK, SC	14¾	16½	7	14	36	74	18	4
AWS184830260	Wire Shelving w/ 30260 Bins	B, R, Y, GRN, S, BK, SC	18	11	10	18	48	74	24	6
AWS183630265	Wire Shelving w/ 30265 Bins	B, R, Y, GRN, S, BK, SC	18	81/4	9	18	36	74	18	5
AWS183630270	Wire Shelving w/ 30270 Bins	B, R, Y, GRN, S, BK, SC	18	16½	11	18	36	74	9	5

System Bin Wire Systems			Bin	Dimension (Inches)	ons	She	lf Dimens (Inches)			
Model Number	Description	System Bin Colors	L	W	Н	D	L	Н	# of Bins	Shelves
AWS143630312	Wire Shelving w/ 30312 Bins	B, R, Y, GRN	33	12	5	14	36	74	10	11
AWS183630318	Wire Shelving w/ 30318 Bins	B, R, Y, GRN	33	18	5	18	36	74	10	11

Stak-N-Store Wire Syste	ems		BII	(Inches)		Snei	(Inches)			
Model Number	Description	Stack-N-Store Bin Colors	L	W	Н	D	L	Н	# of Bins	Shelves
AWS184813017	Wire Shelving w/ 13017 Bins	GRY, R, B, W	15½	19%	127/16	18	48	74	9	5
AWS183613014	Wire Shelving w/ 13014 Bins	GRY, R, B	171/2	10%	12½	18	36	74	12	5
AWS183613018	Wire Shelving w/ 13018 Bins	GRY, R, B	171/2	16½	12½	18	36	74	8	5
AWS1836SNS	Wire Shelving w/ 13014 & 13017* Bins	GRY, R, B	S	see Abov	e	18	36	74	6/6	5

Bin Dimensions

Shelf Dimensions

^{*13017} also available in White.

Shelf Bin Wire Systems				(Inches)			(Inches)			
Model Number	Description	Shelf Bin Colors	L	W	Н	D	L	Н	# of Bins	Shelves
AWS143630120	Wire Shelving w/ 30120 Bins	B, R, Y, GRN, W	11%	41/8	4	14	36	74	96	12
AWS143630130	Wire Shelving w/ 30130 Bins	B, R, Y, GRN, W	115/8	6%	4	14	36	74	60	12
AWS143630150	Wire Shelving w/ 30150 Bins	B, R, Y, GRN, W	115/8	83/8	4	14	36	74	48	12
AWS143630170	Wire Shelving w/ 30170 Bins	B, R, Y, GRN, W	11%	11%	4	14	36	74	36	12
AWS183630128	Wire Shelving w/ 30128 Bins	B, R, Y, GRN, W	17%	41/8	4	18	36	74	96	12
AWS183630138	Wire Shelving w/ 30138 Bins	B, R, Y, GRN, W	17%	65/8	4	18	36	74	60	12
AWS183630158	Wire Shelving w/ 30158 Bins	B, R, Y, GRN, W	17%	83/8	4	18	36	74	48	12
AWS183630178	Wire Shelving w/ 30178 Bins	B, R, Y, GRN, W	17%	111/8	4	18	36	74	36	12
AWS244830124	Wire Shelving w/ 30124 Bins	B, R, Y, GRN, W	23%	41/8	4	24	48	74	96	12
AWS244830164	Wire Shelving w/ 30164 Bins	B, R, Y, GRN, W	23%	6%	4	24	48	74	60	12
AWS244830184	Wire Shelving w/ 30184 Bins	B, R, Y, GRN, W	23%	83%	4	24	48	74	48	12
AWS244830174	Wire Shelving w/ 30174 Bins	B, R, Y, GRN, W	23%	111/8	4	24	48	74	36	12

Akro-Grid Wire Syste	ms		Bir	Dimensi (Inches)			f Dimens (Inches)	ions		
Model Number	Description	Akro-Grid Tote Colors	L	W	Н	D	L	Н	# of Bins	Shelves
AWS183633166	Wire Shelving w/ 33166 Grids	B, R, GRY	16½	10%	6	18	36	74	36	9
AWS183633168	Wire Shelving w/ 33168 Grids	B, R, GRY	16½	10%	8	18	36	74	24	7
AWS2460M33224	Mobile Wire Shelving w/ 33224 Grids	B, R, GRY	22¾	17%	4	24	60	68	36	12

Bin color code: R=Red, B=Blue, Y=Yellow, GRN=Green, W=White, GRY=Gray, S=Stone, BK=Black, SC=Semi-Clear. Specify one bin color when ordering.

Nest & Stack Wire System	ıs		ВІП	(Inches)	ons	Snei	(Inches)	ions		
Model Number	Description	Nest & Stack Tote Colors	L	W	Н	D	L	Н	# of Bins	Shelves
AWS183635180	Wire Shelving w/ 35180 Totes	B, R, GRY	18	11	6	18	36	74	36	9
AWS246035225	Wire Shelving w/ 35225 Totes	B, R, GRY	23½	191/2	10	24	60	74	12	4
Lids sold separately.										

















VantageBin [™] Wire Systen	ns			Dimension (Inches)	ons	She	lf Dimens (Inches)			
Model Number	Description	VantageBin Colors	L	W	Н	D	L	Н	# of Bins	Shelves
AWS183630400	Wire Shelving w/ 30400 Bins	GRY, Y, W	16¾	71/4	5%	18	36	74	40	11
AWS244830420	Wire Shelving w/ 30420 Bins	GRY, W	24	51/2	7	24	48	74	40	11

Akro-Tub Wire Systems			וווע	(Inches)	JIIS	Jilei	(Inches)	10113		
Model Number	Description	Akro-Tub Colors	L	W	Н	D	L	Н	# of Bins	Shelves
AWS1836M34301	Mobile Wire Shelving w/ 34301 Tubs	GRY	17½	11	8	18	36	68	21	7
AWS2460M34240	Mobile Wire Shelving w/ 34240 Tubs	GRY	19	241/2	91/2	24	60	68	12	4

Super-Size AkroBin	[®] Wire Systems		Bir	Dimens (Inches)			f Dimens (Inches)	ions		
Model Number	Description	Super-Size AkroBin Colors	L	W	Н	D	L	Н	# of Bins	Shelves
AWS184830280	Wire Shelving w/ 30280 Bins	B, R, Y, GRN, S, BK, SC	20	123/8	6	18	48	74	24	9
AWS184830281	Wire Shelving w/ 30281 Bins	B, R, Y, GRN, S, BK	20	123/8	8	18	48	74	18	7
AWS184830282	Wire Shelving w/ 30282 Bins	B, R, Y, GRN, S, BK	20	123/8	12	18	48	74	12	5
AWS184830283	Wire Shelving w/ 30283 Bins	B, R, Y, GRN, S, BK	20	18	12	18	48	74	8	5
AWS1848SAB	Wire Shelving w/ 30280, 281, 282, 283 Bins	B, R, Y, BK	9	See Abov	/e	18	48	74	4/4/3	6
AWS2460M30358	Mobile Wire Shelving w/ 30358 Bins	BEIGE	20½	11	7	24	60	68	30	6
AWS24360287	Wire Shelving w/ 30287 Bins	R, B, Y	23%	11	10	24	36	74	16	6
AWS24360288	Wire Shelving w/ 30288 Bins	R, B, Y	23%	161/2	11	24	36	74	12	3
AWS24360SAB	Wire Shelving w/ 30287 & 30288 Bins	R, B, Y	S	ee Abov	re	24	36	74	12/6	3
AWS24361288	Wire Shelving w/ 30288 Bins	R, B, Y	23%	16½	11	24	36	63	10	3

	ShelfMax [™] Wire Sys	stems		Bin	Dimensi (Inches)		Shel	f Dimens (Inches)	ions		
	Model Number	Description	ShelfMax Bin Colors	L	W	Н	D	L	Н	# of Bins	Shelves
	AWS143630040	12" Wire Shelving w/ 30040	R, B, Y, GRN, W	11%	41/8	6	14	36	74	64	8
u	AWS143630090	12" Wire Shelving w/ 30090	R, B, Y, GRN, W	115/8	65/8	6	14	36	74	40	8
ă	AWS183630048	18" Wire Shelving w/ 30048	R, B, Y, GRN, W	175/8	6%	6	18	36	74	64	8
1	AWS183630098	18" Wire Shelving w/ 30098	R, B, Y, GRN, W	175/8	6%	6	18	36	74	40	8
i	Bin color code: R=Red, B	B=Blue, Y=Yellow, GRN=Green, W=White, GRY=Gray,	S=Stone, BK=Black, SC=Semi-Cle	ar. Specify	ne bin col	or when or	dering.				



accessories Offes



Footplates Steel tips on bottom of frames prevent movement of stationary units



Locking Casters Highly maneuverable, locking wheels create mobile or stationary units



Non-Locking Casters Highly maneuverable, non-locking wheels create mobile units



Color Coding

Visual reference made simple! Color code work areas with Wire Shelving Systems for quick identification of stored items

Steel Shelving Systems

shelving systems & cabinets

- More than 30 system options for bin and shelf configurations
- Manufactured from high-grade, 22-gauge steel with a powder-coated finish
- Can be ordered independently or purchased with bins as a complete system
- Shelving units are easy to assemble, using nuts and bolts only on the top and bottom shelves
- Other shelves are quickly assembled, and can be adjusted when necessary, using compression clips
- All units feature a "sanitary" base that keeps debris and small parts from underneath the shelving
- 1236 Enclosure or 1836 Enclosure can be purchased separately for use with any AS1279 or AS1879 open shelving unit







Per Shelf Weight Capacity:

- 12 x 36 = 500
- 24 x 36 = 550
- $18 \times 36 = 550$ 18 x 42 = 355
- 30 x 36 = 600



- Accommodates new 24" and 30" Super-Size AkroBins
- Efficiently organize large, heavy items and improve workflow







24" Super-Size Steel Shelf Unit

Expand Storage Options

- Available with 3 or 4 shelves
- Complete packages available with the 24" Super-Size AkroBins to efficiently organize large items and improve workflow
- Stacking AkroBins on top of each other on each shelf saves valuable space
- Super-Size AkroBins, pgs. 26-27

30" Super-Size Steel Shelf Unit



Lengthen Storage Capability

- Available with 3 or 4 shelves
- Complete packages available with the 30" Super-Size AkroBins to efficiently organize large items and improve workflow
- Stacking AkroBins on top of each other on each shelf saves valuable space
- Super-Size AkroBins, pgs. 26-27

12" System Bin Shelf Unit



Free Up Floor Space

- Available with 11 shelves
- Includes (10) 30312 System Bins
- Quickly organize with System Bins: one-piece, six-bin unit
- · System Bins, pg. 24

18" System Bin Shelf Unit




Increase Work In Process Efficiency

- Available with 11 shelves
- Includes (10) 30318 System Bins
- Quickly organize with System Bins: one-piece, six-bin unit
- · System Bins, pg. 24

36" Wide Stak-N-Store Systems

42" Wide Stak-N-Store Systems





- **Boost Organization** · Available with 6 shelves
- Configure for 15, 10 or 6 Stak-N-Store bins depending on bin size selected
- Wide, hopper-front Stak-N-Store bins are perfect to store large, heavy or bulky items
- · Stak-N-Store bins, pg. 28



Maximize Space Utilization

- Available with 6 shelves
- Comes complete with 12 Stak-N-Store bins
- Wide, hopper-front Stak-N-Store bins are perfect to store large, heavy, or bulky items
- · Stak-N-Store bins, pg. 28

AkroBin Shelf Rack



Shorten Assembly Times

- · Available with 4 Shelves and solid top for extra workspace
- Configured to hold (12) 30240 AkroBins and (6) 30250 AkroBins
- · Durable AkroBins feature a curved-bottom hopper front, making it easy to retrieve small parts
- AkroBins, pgs. 4-6

12" Shelf Bin System



Sort Parts To Improve

Efficiency · Available with 13 shelves

- Holds up to (96) 18" deep Shelf Bins or (144) 12" deep Shelf Bins
- Strong, polypropylene Shelf Bins outlast corrugated bins
- Shelf Bins, pgs. 12-14

ShelfMax[™] Shelf Unit



6" Bins Maximize Storage Capacity

- · Available with 10 Shelves
- Configure for 50 or 80 Bins
- 4 Bin Sizes & 5 Colors
- ShelfMax Bins, pg. 13



12" Shelf Bin Systems Bin Dimensions (Inches) Shelf Dimensions (Inches) **Model Number** Description Bin Model No. # of Bin AS1279 Shelving (no Bins) 12 36 79 13 AS1279110Y Shelving with Bins 30110YFLLO 115/8 23/4 12 79 144 13 4 36 30120YELLO AS1279120Y Shelving with Bins 115/8 13 41/8 12 79 AS1279130Y Shelving with Bins 30130YELLO 115/8 65/8 4 12 79 60 13 36 AS1279150Y Shelving with Bins 30150YELLO 115/8 83% 4 12 79 48 13 36 30170YELLO AS1279170Y Shelving with Bins 115/8 111/8 79 4 12 36 36 13

12″ System Bin Shelf Unit			Bin Dimensions (Inches) Shelf Dimensions (Inches)							
Model Number	Description	Bin Model No.	L	W	Н	D	- 1	Н	# of Bins	Shelves
AS1279312R	Shelving with System Bins	30312RED	33	12	5	12	36	79	10	11
AS1279312B	Shelving with System Bins	30312BLUE	33	12	5	12	36	79	10	11
AS1279312Y	Shelving with System Bins	30312YELLO	33	12	5	12	36	79	10	11
AS1279312G	Shelving with System Bins	30312GREEN	33	12	5	12	36	79	10	11







18" System Bin Shelf Unit			Bin Din	ensions ((Inches)	Shelf Di	mension	s (Inches)	
Model Number	Description	Bin Model No.	L	W	Н	D	L	Н	# of Bins	Shelves
AS1879318R	Shelving with System Bins	30318RED	33	18	5	18	36	79	10	11
AS1879318B	Shelving with System Bins	30318BLUE	33	18	5	18	36	79	10	11
AS1879318Y	Shelving with System Bins	30318YELLO	33	18	5	18	36	79	10	11
AS1879318G	Shelving with System Bins	30318GREEN	33	18	5	18	36	79	10	11



36″ Stak-N-Store System			Bin Din	ensions	(Inches)	Shelf Di	imension)		
Model Number	Description	Bin Model No.	L	W	H	D	L	H	# of Bins	Bonus Bins
AS187936	Shelving (no Bins)	_	-	-	-	18	36	79	-	-
AS187913014	Shelving, with Bins	13014	171/2	10%	121/2	18	36	79	15	1
AS187913018	Shelving, with Bins	13018	171/2	16½	121/2	18	36	79	10	-
AS1879ASORT	Shelving, with Bin Mix	13014, 13018	S	ee Abov	re	18	36	79	6/6	2/0



42″ Stak-N-Store System	2" Stak-N-Store System				Bin Dimensions (Inches)			Shelf Dimensions (Inches)			
Model Number	Description	Bin Model No.	L	W	Н	D	L	Н	# of Bins	Bonus Bins	
AS187942	Shelving (no Bins)	-	-	-	-	18	42	79	-	-	
AS187913017	Shelving, with Bins	13017	151/4	19%	127/16	18	42	79	10	2	



AkroBin Shelf Rack	Rack Unit Dimensions (Inches) Shelf Dimensions (Inches)							
Model Number	Description	L	W	Н	L	W	Н	Rack Weight Capacity
RABR5338	Holds twelve 30240 Bins and six 30250 Bins*	53½	151/4	37%	171/4	151/4	73/8	300 lbs.

*Bins sold separately.



24″ Super-Size Shelving S	ystem		Bin Din	nensions ((Inches)	Shelf Di	mension			
Model Number	Description	Bin Model No.	L	W	Н	D	L	Н	# of Bins	Shelves
AS2479	Shelving (no Bins)	-	-	-	-	24	36	79	-	-
AS2479287	Shelving with 30287 Bins	30287	23%	11	10	24	36	79	24	3
AS2479288	Shelving with 30288 Bins	30288	23%	16½	11	24	36	79	12	4
AS2479ASSORT	Shelving with 30287/30288 Bins	30287/30288	9	ee Abov	е	24	36	79	12/6	3



30" Super-Size Shelving S	ystem		Bin Din	ensions	(Inches)	Shelf Di	mension			
Model Number	Description	Bin Model No.	L	W	Н	D	L	Н	# of Bins	Shelves
AS3679	Shelving (no Bins)	_	-	-	-	30	36	79	-	-
AS3679292	Shelving with 30292 Bins	30292	29%	11	10	30	36	79	24	3
AS3679293	Shelving with 30293 Bins	30293	29%	161/2	11	30	36	79	12	4
AS3679ASSORT	Shelving with 30292/30293 Bins	30292/30293	9	ee Abov	e	30	36	79	12/6	3
Specify bin color.										



Sh	elfMax™ Shelf Unit			Bin Dim	ensions ((Inches)	Shelf Di	mension	s (Inches)	
	Model Number	Description	Bin Model No.	L	W	Н	D	L	Н	# of Bins	Shelves
-	AS1279040	12" Steel Shelving	30040	11%	41/8	6	12	36	79	80	10
w	AS1279090	12" Steel Shelving	30090	11%	65/8	6	12	36	79	50	10
lucti	AS1879048	18" Steel Shelving	30048	17%	41/8	6	18	36	79	80	10
	AS1879098	18" Steel Shelving	30098	17%	65/8	6	18	36	79	50	10

Heavy-Duty Cabinets

shelving systems & cabinets

- Heavy-Duty Cabinets provide MAXIMUM space for storage of parts and protect contents from dust, damage and theft
- Powder-coated paint is resistant to cuts and scratches
- Industrial-strength lock and key ensure complete security
- Cabinets ship assembled, shelving and panels require installation
- Shelves are adjustable on 2" centers allowing the flexibility of securely storing multiple-sized objects
- 3 configurations Shelves, Louvered Panels, Combination with Bins
- Removable louvered panels attach to solid steel back panel
- 16-gauge steel construction









Heavy-Duty Cabinet

- Model No. HD4824A
- · Cabinet with shelves only



- Model No. HD4824E
- · Cabinet with louvers and bins





Heavy-Duty Cabinet

- Model No. HD4824F
- · Cabinet with louvers and bins

"W x 24"D x 78"H		Bin Diı	nensions ((Inches)	
Description	Bin Model No.	L	W	Н	Qty. of Bins
Cabinet w/Shelves Only	-	-	-	-	-
Cabinet w/ Louvers	30220YELLO	73/8	41/8	3	160
	30230YELLO	10%	5½	5	24
	30240YELLO	14¾	81/4	7	20
	30235YELLO	10%	11	5	12
Cabinet w/ Louvers	30220YELLO	7%	41/8	3	160
	30230YELLO	10%	51/2	5	48
	30240YELLO	14¾	81/4	7	20
	Cabinet w/Shelves Only Cabinet w/ Louvers	Description	Description	Description Bin Model No. L W	Description Bin Model No. L W H



shelving systems & cabinets

- Made from 16-gauge steel
- Powder-coated finish

Heavy-Duty Cabinets and Standard Cabinets can accomodate:

- AkroBins.....pgs. 4-6
- Shelf Binspgs. 12-14



AkroBin® Cabinet

- Model No. AC3624Y
- Louvered panels on back wall and doors hold up to 138 bins



AkroBin® Cabinet with 3 Shelves

- Model No. AC3624Y3AS
- · Louvered panels and 3 full 24" shelves hold up to 102 bins



AkroBin® Cabinet with Flush Doors

- · Model No. AC3618Y
- · Louvered panel on back wall holds up to 42 bins



Quick-View Security Bin Cabinet

- Model No. AC3618QV240
- Lexan[™] door panels;
- louvered back wall panel
- Holds up to 36 bins



Secure View Security Bin Cabinet

- Model No. AC3618SV250
- Steel mesh door panels; louvered back wall panel
- Holds up to 36 bins



- For use with Standard Cabinets only
- Easily convert large cabinets to mobile units!
- Bin Cabinet Dollies feature solid, powder-coated steel deck with 11/4" lip and welded corners



AkroBin Cabinet 36"\	N x 24″D x 78″H	Bin Dimensions (Inches)							
Model No.	Description	Bin Model No.	L	W	Н	Qty. of Bins			
AC3624	Cabinet w/ Louvered Panels on Back & Doors, no Bins	-	-	-	-	-			
AC3624Y	Cabinet w/ Louvered Panels on Back & Doors with Bins	30210YELLO	5%	41/8	3	48			
		30220YELLO	73/8	41/8	3	48			
		30230YELLO	10%	5½	5	24			
		30240YELLO	14¾	81/4	7	12			
		30250YELLO	14¾	16½	7	6			

croBin Cabinet w	/ 3 Shelves 36″W x 24″D x 78″H		Bin Di	mensions ((Inches)	
Model No.	Description	Bin Model No.	1	W	Н	Qty. of Bins
AC36243AS	Cabinet w/ 3 Shelves, and Louvered Panels on Back Wall and Door, no Bins	-	-	-	-	-
AC3624Y3AS	Cabinet w/ 3 Shelves, and Louvered Panels on Back Wall and Door, with Bins	30210YELLO	53/8	41/8	3	48
		30220YELLO	73/8	41/8	3	48
		30250YELLO	14¾	16½	7	6

AkroBin Cabinet w/	lush Doors 36"W x 18"D x 78"H		Bin Di	mensions	(Inches)	
Model No.	Description	Bin Model No.	L	W	Н	Qty. of Bins
AC3618	Cabinet w/ Louvered Panels on Back Wall, no Bins	-	-	-	-	-
AC3618Y	Cabinet w/ Louvered Panels on Back Wall, with Bins	30230YELLO	10%	51/2	5	24
		30240YELLO	14¾	81/4	7	12
		30250YELLO	14¾	16½	7	6

uick-View Security l	Bin Cabinet 36″W x 18″D x 78″H		Bin Dir	nensions ((Inches)	
Model No.	Description	Bin Model No.	1	W	Н	Qty. of Bins
AC3618QV	Cabinet w/ Quick View Doors, Louvered Back, no Bins	-	-	-	-	-
AC3618QV240	Cabinet w/ Quick View Doors, Louvered Back, with Bins	30240YELLO	14¾	81/4	7	36
AC3618QV250	Cabinet w/ Quick View Doors, Louvered Back, with Bins	30250YELLO	14¾	16½	7	18

Secure-View Security	Bin Cabinet 36″W x 18″D x 78″H	Bin Dimensions (Inches)							
Model No.	Description	Bin Model No.	L	W	Н	Qty. of Bins			
AC3618SV	Cabinet w/ Secure View Mesh Doors, Louvered Back, no Bins	-	-	-	-	-			
AC3618SV240	Cabinet w/ Secure View Mesh Doors, Louvered Back, with Bins	30240YELLO	14¾	81⁄4	7	36			
AC3618SV250	Cabinet w/ Secure View Mesh Doors, Louvered Back, with Bins	30250YELLO	14¾	16½	7	18			

Bin Cabinet Dollies		Dim	ensions (I	nches)		
Model No.	Description	L	W	Н	Polyolefin Casters	Weight Capacity
AC803618M26	18 x 36 Bin Cabinet Dolly	36½	181/2	51/4	3 x 1¼″	1000 lbs.
AC803624M26	803624M26 24 x 36 Bin Cabinet Dolly		241/2	6½	4 x 11/4"	1000 lbs.



mobile systems & work centers

- · Hinged side gates on both shelves flip up or down to convert the ProCart to a flat-top or box-top cart
- A versatile work center for the assembly line, warehouse or wherever you need portable storage
- High-density polyethylene structural foam construction is dent-resistant, rust-proof and never needs painting
- 400 lb. (180 kg) maximum cart load. 200 lb. (90 kg) capacity per top and bottom shelf
- Assembly required
- Color: Gray











Deep, molded-in compartments keep items secured and within reach (Only large cart has mug holder.)



full-width handle gives complete handling control



rail system (sold separately) allows AkroBins® to hang



Toe-touch, locking swivel wheels



Smooth, rounded corners and edges



non-marking 5" wheels



makes loading and unloading oversized boxes on the lower shelf easy



AkroBins Ordering Information

To create a customized ProCart with AkroBins, use the chart below to determine the quantity of AkroBins that will fit your ProCart. Carts, rail kits and bins must be ordered separately. When ordering, please specify Red, Yellow, Blue, Stone, Green, Semi-Clear or Black bins.



Large Cart Model No. 30936 Shown with optional rail kit

Optional 9-Rail Hanging System Ordering Information

The 9-Rail Hanging System is required to hang AkroBins and modular cabinets on your ProCart. For large cart rails, order Model No. 30906. For small cart rails, order Model No. 30900. Refer to pg. 34 for modular cabinets.



Dimensions

ProCart	rocart			Inches			
Model No.	Description	L	W	Н	Ctn. Qty.		
30936	Large Cart	45%	24	34¾	1		
30930	Small Cart	411/2	19	34¾	1		

Easy assembly — requires Phillips screwdriver and rubber mallet







Use this chart when ordering one size AkroBins for your ProCart

Bin Model No. Bin Dim. L x W x	30210 5% x 4% x 3	30220 7% x 4% x 3	30224 10% x 4% x 4	30230 10% x 5½ x 5	30234 14¾ x 5½ x 5	30235 10% x 11 x 5	30239 10¾ x 8¼ x 7	30240 14¾ x 8¼ x 7	30250 14¾ x 16½ x 7	30255 10¾ x 16½ x 5	30320 8% x 33 x 5	19-Series Cabinet
30936 Large Car	80	80	48	36	36	18	16	16	8	12	6	4
30930 Small Car	70	70	42	30	-	12	12	-	-	-	-	2





- Industrial-grade mobile workstation with a welded-steel frame and steel reinforced premium hardwood work surface
- Available in two worktop sizes: 48" L x 24" W (for 12" AkroDrawers) and 36" L x 18" W (for 18" AkroDrawers)
- Features two stationary shelves for AkroDrawers
- Made from 16-gauge steel with durable powder-coated finish
- Non-marking casters allow weight capacity of 800 lbs.
- Small cart has four 4" casters
- Large cart has four 5" casters
- Ships fully assembled and ready to use
- Colors: Textured Charcoal Gray and Textured Putty







Louvered panels on cart ends can accommodate various sizes of AkroBins



Tubular push handle featured on end of carts with swivel casters for easy handling



Raised barriers near shelf edges keep AkroDrawers from sliding out when cart is in motion or during sudden stops or turns





Small Louvered Cart 37"L x 18"W x 36"H

Model No.	Description	Cart Color	Wt. Capacity	Qty. of Drawers	Drawer Color
MA3618C	Small Louvered Cart with no AkroDrawers	Textured Charcoal Gray	800 lbs.	-	R,B,Y,GRY,CRY
MA3618CAST	Small Louvered Cart with 31168 & 31188 AkroDrawers	Textured Charcoal Gray	800 lbs.	12/4	R,B,Y,GRY,CRY

Model No.	Description	Cart Color	Wt. Capacity	Qty. of Drawers	Drawer Color
MA3618P	Small Louvered Cart with no AkroDrawers	Textured Putty	800 lbs.	-	B,CRY
MA3618PAST	Small Louvered Cart with 31168 & 31188 AkroDrawers	Textured Putty	800 lbs.	12/4	B,CRY

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cart. Blue or Crystal Clear available with Putty Cart. Only one color per unit.

Large Louvered Cart 49"L x 24"W x 37-1/2"H

Large Louvered Care 1.	- LX 27 11 X 37 1/2 11				
Model No.	Model No. Description MA4824C Large Louvered Cart with no AkroDrawers		Wt. Capacity	Qty. of Drawers	Drawer Color
MA4824C	Large Louvered Cart with no AkroDrawers	Textured Charcoal Gray	800 lbs.	_	R,B,Y,GRY,CRY
MA4824C1	Large Louvered Cart with 31142 & 31162 AkroDrawers	Textured Charcoal Gray	800 lbs.	22/16	R,B,Y,GRY,CRY
MA4824C2	Large Louvered Cart with 31142 & 31182 AkroDrawers	Textured Charcoal Gray	800 lbs.	22/10	R,B,Y,GRY,CRY

Model No.	Model No. Description		Wt. Capacity	Qty. of Drawers	Drawer Color
MA4824P	Large Louvered Cart with no AkroDrawers	Textured Putty	800 lbs.	-	B,CRY
MA4824P1	Large Louvered Cart with 31142 & 31162 AkroDrawers	Textured Putty	800 lbs.	22/16	B,CRY
MA4824P2	Large Louvered Cart with 31142 & 31182 AkroDrawers	Textured Putty	800 lbs.	22/10	B,CRY

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cart. Blue or Crystal Clear available with Putty Cart. Only one color per unit. Color code: B= Blue, CRY= Crystal Clear, GRY=Gray, R=Red, Y=Yellow

AkroDrawers	Out	side Dimo Inches	ensions

Model No.	L	W	Н
31142	11%	3¾	45/8
31162	11%	5%16	45/8
31182	11%	83/8	45/8
31168	17%	5%16	45/8
31188	17%	83/8	45/8




mobile systems & work centers

- · Heavy-duty carts designed for daily work
- Welded steel cart rolls smoothly on long-wearing casters
- Built to withstand loads up to 2,200 lbs. with recommended casters
- Swayback-style tubular push handle (Models R1S5HR and R1S8MR have vertical handles)
- Choose from several caster options as well as rubber matting, a writing shelf and drawers
- Ships completely assembled and ready to use











Longitudinal stiffeners support bottom shelf



Heavy-duty, 13-gauge steel shelves



Cart Sizes - Specify size when ordering.

- Standard -• 24" x 36"
- 24" x 48"
- 30" x 48"
- 30" x 60"

Specify cart size when ordering. See page 61 for full description of casters and wheels.

			Height	Shelf Clearance	
Weight Capacity (lbs.)	Caster	Shelves	Inches	Inches	Handle
1200	8" Full Pneumatic	2	331/2	20¾	Sway Back
1200	10″ Full Pneumatic	2	351/4	20¾	Sway Back
1800	5″ x 2″ Polyolefin	2	30	20¾	Vertical
1800	5″ x 2″ Polyolefin	2	25	15½	Sway Back
2200	8" x 2" Mold-On Rubber	2	33	20¾	Vertical
2200	8" x 2" Mold-On Rubber	2	33	20¾	Sway Back
	1200 1200 1800 1800 2200 2200	1200 8" Full Pneumatic 1200 10" Full Pneumatic 1800 5" x 2" Polyolefin 1800 5" x 2" Polyolefin 2200 8" x 2" Mold-On Rubber	1200 8"Full Pneumatic 2 1200 10"Full Pneumatic 2 1800 5" x 2" Polyolefin 2 1800 5" x 2" Polyolefin 2 2200 8" x 2" Mold-On Rubber 2 2200 8" x 2" Mold-On Rubber 2	Weight Capacity (lbs.) Caster Shelves Inches 1200 8" Full Pneumatic 2 33½ 1200 10" Full Pneumatic 2 35¼ 1800 5" x 2" Polyolefin 2 30 1800 5" x 2" Polyolefin 2 25 2200 8" x 2" Mold-On Rubber 2 33 2200 8" x 2" Mold-On Rubber 2 33	Weight Capacity (lbs.) Caster Shelves Inches 1200 8" Full Pneumatic 2 33½ 20¾ 1200 10" Full Pneumatic 2 35¼ 20¾ 1800 5" x 2" Polyolefin 2 30 20¾ 1800 5" x 2" Polyolefin 2 25 15½ 2200 8" x 2" Mold-On Rubber 2 33 20¾ 2200 8" x 2" Mold-On Rubber 2 33 20¾

^{**}Low deck to minimize lifting & bending. Also available in 18 x 30 - not available in 30 x 60.

Multi-Shelf Carts				Height	Shelf Clearance		
Model No.	Weight Capacity (lbs.)	Caster	Shelves	Inches	Inches	Handle	
R2ST5HR*	1800	5″ x 2″ Polyolefin	2	30	20¾	Horiz. Tubular	
R3ST5HR	1800	5″ x 2″ Polyolefin	3	30	95%	Horiz. Tubular	
R4ST5HR	1800	5″ x 2″ Polyolefin	4	631/4	17	Horiz. Tubular	
R4ST8MR	2200	8" x 2" Mold-On Rubber	4	661/4	17	Horiz. Tubular	
R5ST5HR**	1800	5″ x 2″ Polyolefin	5	631/4	121/2	Horiz. Tubular	
R5ST8MR**	2200	8" x 2" Mold-On Rubber	5	661/4	121/2	Horiz. Tubular	
Only available in 18 x 30. **Also available in 36 x 72.							

System Bin Multi-Shelf Carts				Height			
Model No.	Weight Capacity (lbs.)	Caster	Shelves	Inches	Handle	Bin/Qty.	Color
R5SYT5HR2436**	1800	5″ x 2″ Polyolefin	5	40	Horiz. Tubular	30312/10	RYBG
R5SYT8MR2436**	2200	8" x 2" Mold-On Rubber	5	43	Horiz. Tubular	30312/10	RYBG
R5SYT5HR3636**	1800	5″ x 2″ Polyolefin	5	40	Horiz. Tubular	30318/10	RYBG
R5SYT8HR3636**	2200	8" x 2" Mold-On Rubber	5	43	Horiz. Tubular	30318/10	RYBG

^{**}Only available in 24" x 36" or 36" x 36" decks. Bin color code: R=Red, B=Blue, Y=Yellow, G=Green. Specify color when ordering.





Horizontal Tubular Handle



Vertical Handle

Tray Service Cart mobile systems & work centers



- Excellent for libraries and manufacturing operations
- 2 swivel, 2 fixed casters

Cart Sizes

Standard -

Optional -• 18" x 36"

- 18″ x 30″ 24" x 36"
- 24" x 48"
- Specify size when ordering

tray service cart features							
truy servic	c car c reacar	CJ					
12" deep tray	13-gauge steel	Tubular push handle	12% clear shelf spacing, with 1½ lip				

Casters & Wheels

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster information.

Tray Service Cart Overall Dimensions (in.) Model No Casters Weight Capacity (lbs.) R2T5HR1830 5" Polyolefin 1800 18 30 321/2 R2T5HR2436 24 321/2 5" Polyolefin 1800 36 R2T5HR2448 24 48 321/2 5" Polyolefin 1800 R2T8MR2448 24 48 351/2 8" Mold-On Rubber 2200





- All box trucks have 2 swivel, 2 rigid, 5" x 2" polyolefin casters
- Solid steel or expanded metal sides available
- 1,800 lbs. capacity
- Available with optional lid



Expanded metal for easy cleaning, good airflow and visibility of contents. 311/2" overall height; 25" inside depth

Box Trucks Model No Description **Caster Type** Weight Capacity (lbs.) 1800 R1B5HR Steel Box Truck 5" Polvolefin R1B5HRL Steel Box Truck with Lid 5" Polyolefin 1800 R1B5HRX Expanded Metal Box Truck 5" Polyolefin 1800 R1B5HRXL Expanded Metal Box Truck with Lid 5" Polyolefin 1800

Box Sizes

- 24" x 36"
- 24" x 48"
- 30" x 36"
- 30" x 48"

Specify size when ordering



Standard Caster **Polyolefin**

· See pg. 61 for more caster information

High-End Narrow Aisle Truck

- Extra-narrow aisle truck for order-picking and stocking where space is limited
- Slim design fits easily in tight areas
- Centered, 8" wheels and casters at each corner allow cart to turn within its own diagonal space
- Available in plywood deck with steel frame or all-steel deck
- 1,500 lb. capacity



Plywood deck

Cart Sizes

Standard -Optional -18" x 48"

. 18″ x 60′

• 24" x 48" 24" x 60"

Specify size when ordering

igh End Narrow Aisle Carts							
Model No. Description		Center Casters	Corner Casters	Weight Capacity (lbs.)			
R215HE	Plywood Deck Steel Frame	8″ Mold-On Rubber	4″ Polyolefin	1500			
R214HE	All-Steel	8" Mold-On Rubber	4″ Polyolefin	1500			



mobile systems & work centers

- Constructed from select kiln-dried hardwoods to prevent warping and shrinkage
- All boards are cut and planed to %" with guaranteed consistent quality
- Four, 3" polyolefin swivel casters offer 900 lb. capacity (See caster options for up to 1,400 lb. capacity)
- Standard deck height 5¾"
- Shipped fully assembled

Hardwood deck with countersunk bolt holes for a smooth working surface

Non-marking 3" swivel casters with

polyolefin wheels

Zinc-plated rigs and

hardware resist corrosion



Solid Dolly

- Three cross battens on 36" & 48" length
- Smooth, treated deck with countersunk bolts



Flush Dolly

- Full, 4" wide by 134" thick double length rails
- Smooth, open deck



Regular Dolly

- Strength and reliability at an economy price
- All rails are 4" wide



Carpet End Dolly

Padded carpeting[‡] protects furniture and appliances



Rubber Cap Dolly

Non-skid reinforced 3" wide rubber caps keep slippery loads in place without damage



All-Carpet Solid Dolly

- Strength and reliability at an economy price
- Fully carpeted[†] deck prevents damage to cargo [‡]Pattern of carpet may vary







Wood Dollies

Dimensions

Model No.	Description	L	W
RD2416S3P	Solid Dolly	24	16
RD271853P	Solid Dolly	27	18
RD301853P	Solid Dolly	30	18
RD3624S3P	Solid Dolly	36	24
RD4824S3P	Solid Dolly	48	24
RD2416F3P	Flush Dolly	24	16
RD2718F3P	Flush Dolly	27	18
RD3018F3P	Flush Dolly	30	18
RD3624F3P	RP Flush Dolly		24
RD4824F3P	Flush Dolly	48	24
RD2416R3P	Regular Dolly	24	16
RD3018R3P	Regular Dolly	30	18
RD3624R3P	Regular Dolly	36	24
RD3018CE3P	Carpet End Dolly	30	18
RD3624CE3P	Carpet End Dolly	36	24
RD2718RC3P	Rubber Cap Dolly	27	18
RD3018RC3P	Rubber Cap Dolly	30	18
RD3018AC3P	All-Carpet Solid Dolly	30	18
RD3624AC3P	All-Carpet Solid Dolly	36	24

Caster Options

Brake Kits

R1130BRK

R1151BRK

Model No.	Description	Weight Capacity (lbs.)
3P ^{‡‡} 3″ Polyolefin Casters		900
4P	4P 4" Polyolefin Casters	
5P 5" Polyolefin Casters		1400
3R	3" Gray Non-Marking Rubber	900
35R	3½" Gray Non-Marking Rubber	900
4Rx	4Rx 4" Blue Elastic Rubber	
4R	4R 4" Non-Marking Rubber Casters	
5R	5" Non-Marking Rubber Casters	1350

Brake kits installed on two swivel casters – optional (non-returnable)

3" Brake Kits for Hard Rubber Casters

3" Brake Kits for Polyolefin Casters

Casters & Wheels

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster and wheel information.

accessories Ories



Wheel Locks



Dollies Polyethylene mobile systems & work centers









High-impact, durable polyethylene construction

Steel-reinforced, one-piece deck design

Easy to clean, non-porous platform will not rot, mildew or splinter

• 400 lb. weight capacity

Quick, easy assembly

Colors: Blue or Red



Dollies Steel

- Durable, powder-coated finish
- Open structural angle dollies, 1½" x 1½" x ½"
- Solid decks are smooth, 13-gauge steel
- 1½" lip turned down for a smooth surface. Order lips up for a contained area
- Up to 1,000 lb. weight capacity





Solid Deck - Lips Up



Solid Deck - Lips Down







Open Angle - Lips Down

Dimensions

rolyethylene Donles		ilities			ilitiles	
Model No.	Description	L	w	Caster Type*	Overall Height	Weight Capacity (lbs.)
RMD3018F4PN	Flush Polyethylene w/ Casters	30	18	4″ Polyolefin	73/4	400
RMD3018RC4PN	Padded Polyethylene w/ Casters	30	18	4″ Polyolefin	8¾	400
RMD3018FN	Flush Polyethylene w/o Casters	30	18	-	23/4	-
RMD3018RCN	Padded Polyethylene w/o Casters	30	18	-	3¾	-
RMD3018F4RX	Flush Polyethylene w/ Casters	30	18	4" Blue Elastic Rubber	73/4	400
RMD3018RC4RX	Padded Polyethylene w/ Casters	30	18	4" Blue Elastic Rubber	8¾	400

Plate-style 4" polyolefin swivel casters for maximum maneuverability and easy replacement

Specify color when ordering

St	Steel Dollies						Inches	Inches
	Style	Lips Down Model No.	Lips Up Model No.	Capacity	Caster Type*	Caster Size	Deck Height Up	Deck Height Down
	Solid Dolly	RD843HR	RU843HR	900 lbs.	Polyolefin	3 x 11⁄4	5½	4%
	Solid Dolly	RD843SS	RU843SS	1000 lbs.	Semi-Steel	3 x 11⁄4	5½	41/8
	Solid Dolly	RD844HR	RU844HR	1000 lbs.	Polyolefin	4 x 1½	6%	51/4
	Solid Dolly	RD844SS	RU844SS	1000 lbs.	Semi-Steel	4 x 1½	6%	51/4
	Open Angle	RD853HR	RU853HR	900 lbs.	Polyolefin	3 x 11⁄4	5¾	43%
	Open Angle	RD853SS	RU853SS	1000 lbs.	Semi-Steel	3 x 11⁄4	5¾	43%
	Open Angle	RD854HR	RU854HR	1000 lbs.	Polyolefin	4 x 1½	6%	5½
	Open Angle	RD854SS	RU854SS	1000 lbs.	Semi-Steel	4 x 1½	6%	5½

Deck Sizes

Standard

• 16" x 27" • 18" x 30" • 24" x 36" • 18" x 24"

Specify size when ordering

*Casters & Wheels

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster and wheel information.





Medium-Duty

- Medium-duty hand trucks for day-to-day work
- Welded-steel construction supports up to 300 lbs.
- Durable, powder-coated finish
- %" OD structural pipe frame, 13-gauge wall
- Standard 7" x 14" steel nose plate
- Ships completely assembled and ready to use
- %" diameter axle
- Two position bracket fits 8" or 10" wheels
- Heavy flat bar and tube for climbing stairs







Semi-Pneumatic 10" x 23/4



10" x 31/2"



8" x 2'





Heavy-Duty

- Heavy-duty hand trucks for all types of loads
- Welded-steel hand trucks support up to 500 lbs.
- Durable, powder-coated finish
- 1" OD structural pipe frame, 13-gauge steel *Special-order products are not returnable.
- %" diameter axle
- Standard 8" x 14" steel nose plate
- Optional 10" x 14" or 14" x 14" noseplate available*
- Two position bracket fits 8" or 10" wheels





Single & Dual Gas Trucks

- Heavy-duty truck designed to handle 330 cu. ft. cylinders
- Available in single and dual cylinder models
- Includes heavy-duty holding chain
- Hard rubber swivel caster
- Color: Green



Single Cylinder Hand Truck

- Perfect for medium to large cylinders
 - Also transports boxes or other bulky items
 - Includes heavy-duty holding chain
- Color: Green



Flow Back (FB)



Inches Medium-Duty Hand Trucks - Flow Back Model No Wheel Type Wheel Size R3008MR Mold-On Rubber 8 45 19% R3010FP **Full Pneumatic** 22 R3010SP Semi-Pneumatic 45 20

Heavy-Duty Ha	nd Trucks – Flow Back	Inches	Inc	hes
Model No. Wheel Type		Wheel Size	Н	W
R4008MR	Mold-On Rubber	8	45	19¾
R4008MR2	Mold-On Rubber	8	52	19¾
R4010FP	Full Pneumatic	10	45	22
R4010FP2	Full Pneumatic	10	52	22
R4010SP	Semi-Pneumatic	10	45	20
R4010SP2	Semi-Pneumatic	10	52	22

Heavy-Duty Ha	nd Trucks – Dual Loop	Inches	Inc	hes
Model No. Wheel Type		Wheel Size	Н	W
R4510SP	Semi-Pneumatic	10	46	20
R4510SP2	R4510SP2 Semi-Pneumatic		53	20

Single & Dual Ga	ingle & Dual Gas Trucks					
Model No.	l No. Truck Type Wheel Type		Wheel Size			
RGTS10FP	Single	Full Pneumatic	10 x 3½			
RGTD10FP	Dual	Full Pneumatic	10 x 3½			
RGTS10SP	Single	Semi-Pneumatic	10 x 2¾			
RGTD10SP	Dual	Semi-Pneumatic	10 x 2¾			

- GTS Base Plate 14" W x 6" D (356 x 152 mm) OAH 45" 1143
- GTD Base Plate 29" W x 6" D (737 x 152 mm) OAH 45" 1143

Dual	Dual Cylinder Truck with T-Handle				
	Model No.	Wheel Size			
	RCT40LW	Lightweight	8 x 1¾		
• E	 Base Plate – 17" W x 8" D (432 x 203 mm) OAH – 43" 1092 				

Single Cylinder Hand 1	Inches	
Model No.	Wheel Type	Wheel Size
RCTV40SP	Semi-Pneumatic	10 x 2¾

Base Plate – 14" W x 7" D (356 x 178 mm) OAH – 48" 1219



Hand Trucks & Drum Handling Equipment

mobile systems & work centers



Cradle Combo Truck

- A drum truck and cradle in one
- Handles 30 and 55-gallon drums with ease
- Extra wheels assist in climbing curbs or loading pallets
- Adjustable clip keeps drum in place
- 15/16" OD tube frame
- Durable, powder-coated finish



Cradle Combo Truck		Inches	Inches	
Model No.	Wheel Type	Wheel Size	Roller Bearing	Load Capacity
R9508MR2	Mold-On	8 x 2	3/4	1000 lbs.
		6 x 2	3/4	
R9510MR2	Mold-On	10 x 2½	1	1200 lbs.
		6 x 2	3/4	





For the ease of rolling 30 and 55-gallon drums

Cradle Combo Truck

Durable, powder-coated finish

Drum Dolly			
Model No.	Wheel Type	Load Capacity	Diameter
R9255HR	3″ Swivel Polyolefin	900 lbs.	23½″ID





- Multi-purpose hand truck for carting 5-gallon pails
- Cross straps with supporting arms hold pails in place while in transit
- Welded, 1" structural pipe frame with 1/8" walls; durable, powder-coated finish
- Holds 4 pails, up to 300 lbs. capacity

Pail Truck		Inches	Inches	Inches
Model No.	Wheel Type	Wheel Size Overall Height		Overall Width
RPT4010SP	Semi-Pneumatic	10	551/2	181/2





Dual-Purpose Hand Truck



- Dual-function hand truck converts to platform position for oversize loads
- Welded, 15/16" OD tube frame and 1" OD tube handle powder-coated finish for durability
- Up to 600 lbs. capacity in platform mode
- Large 7" x 14" nose plate
- Axle accommodates 8" or 10" wheels
- Color: Silver

Dual-Purpose Hand Truck		Inches	Inches	Inches	
Model No.	Wheel Type	Wheel/Caster Size	Overall Height	Overall Width	
RDT4008SP	Semi-Pneumatic	tic 8/3 46		19%	
RDT4010FP	Full Pneumatic	10/5	46	22	
RDT4010SP	Semi-Pneumatic	10/5	46	20	



mobile systems & work centers

Versatile, structural foam cart with multiple handle and caster options

Sturdy, easy-to-clean deck resists most chemicals and damage from long-term weather exposure

All decks are steel reinforced

Designed with handles mounted outside of deck to maximize deck space

Choose the deck size, caster type and handle style to create the exact configuration you need

Decks are available in two sizes: 24" x 48" and 30" x 60"

1,000 lb. load capacity

Deck color: Gray











heavy-gauge steel handles and rails



Steel outside deck pockets are welded to underdeck reinforcements



foam deck is reinforced with steel for long-term durability

24" x 48" Dec	cks & Casters*	Inches	
Model No.	Model No. Caster Type		Ship Wt. w/o handles
R90181	Pneumatic	8	69 lbs.
R90162	Polyolefin	6	61 lbs.
R90163	R90163 Polyurethane		61 lbs.
R90182	Mold-On Rubber	8	81 lbs.
R90184	Polyolefin	8	65 lbs.
R90110	Pneumatic	10	77 lbs.
R90185	Thermo-Plastic	8	61 lbs.

30" x 60" Dec	ks & Casters*	Inches	
Model No.	lodel No. Caster Type		Ship Wt. w/o handles
R90281	Pneumatic	8	93 lbs.
R90262	Polyolefin	6	85 lbs.
R90263	R90263 Polyurethane		85 lbs.
R90282	Mold-On Rubber	8	105 lbs.
R90284	Polyolefin	8	89 lbs.
R90210	R90210 Pneumatic		101 lbs.
R90285	Thermo-Plastic	8	85 lbs.

Handles & Rails for 24″ x 48″ VERSA/Deck Cart											
Model No.	Size (inches)	Style	Handle	Color	Ship Wt.						
Outside Deck											
R92411	18	Open	Swayback	Gray	5 lbs.						
R92412	18	Crossbar	Swayback	Gray	6 lbs.						
Handle Rails Indeck											
R94817	48	Crossbar	Straight	Gray	14 lbs.						

Handles & Rails for 30" x 60" VERSA/Deck Cart

Model No.	Size (inches)	Style	Handle	Color	Ship Wt.				
Outside Deck									
R93011	24	Open	Swayback	Gray	9 lbs.				
R93012	24	Crossbar	Swayback	Gray	10 lbs.				
Handle Rails Indeck									
R96017	60	Crossbar	Straight	Gray	16 lbs.				


*Casters & Wheels

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster and wheel information.

How to Order

STEP 1 – pick a deck & casters*

Refer to charts above to select deck size and casters



Deck sizes

- 24" x 48" (610mm x 1219mm)
- 30" x 60" (762mm x 1524mm)
- · Color: Gray

*Casters & Wheels

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster and wheel information.

STEP 2 - pick a handle & rails

Refer to charts above to select handle and rail configuration

Handle - Outside Deck



Handle Rails - Indeck





Platform Trucks Wood Deck

mobile systems & work centers









- Safely transport product, minimize lifting/carrying
- Heavy-duty platform trucks with kilndried, tongue and groove hardwood decks
- Caster options allow 1,180 to 3,000 lb. capacities
- Choose from multiple options in deck type, size, handles, casters, running gear patterns, bumpers and wheel locks
- Decks are 4/4 (%" thick)
- Shipped completely assembled and ready to use
- Casters are bolted on for easy replacement



How to Order in 7 Easy Steps!

pick a deck size

Deck sizes

- 24" x 48"
- 27" x 54"
- 30" x 60"
- 36" x 72"

pick running gears

Rigid caster

Swivel caster

Styles

Series 1 - All Wood

Standard with removable lattice pipe handle at swivel end

pick a deck style (series 1 or 2)

- Two swivel, two rigid casters
- See caster options for capacity

Series 2 – Wood Deck with Steel Frame

- 2" x 2" x 1/8" welded steel angle frame keeps cart square (On 36" x 72" deck, 2" x 2" x 3/6")
- · Heavy-duty steel frame for additional deck support
- · Standard with removable lattice pipe handle at swivel end
- The wood deck is reinforced with longitudinal stiffeners for maximum capacity. (See caster options for capacity)
- Two swivel, two rigid casters

pick superstructure (A-D)

Superstructure













pick caster type & size



















Casters & Wheels

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster and wheel information.

create your model number


Call your Akro-Mils distributor with your model number today to order

model #	step 1	step 2	step 3	step 4	step 5	step 6
Platform Truck	→ Size→	Series	Super- structure	Running Gear Type	Caster Wheel	Caster Wheel Diameter
RPT	2448 2754 3060 3672	1 2	A B C D	4 5 6 7	P M Y N R S	5 6 8 10
RPT	3060	2	Α	5	P	6

Platform Trucks Steel mobile systems & work centers

- Heavy-duty steel trucks with longitudinal steel underdeck reinforcements
- Standard two swivel, two rigid casters
- Special-order platform trucks are available. See page 50 to select from multiple options in handles, casters and running gears (Special-order products are not returnable)





Casters are bolted on for easy replacement







HEAVY-DUTY DECK SIZES

- 30" x 48" 24" x 36" 36" x 60" 24" x 48" 30" x 60" 36" x 72"
- 24" x 60"
- 27" x 54"

Specify size when ordering







steel deck and frame





run lengthwise under the deck

industrial casters

Platform Trucks – Steel			Inches	Inches	
Model No.	Description	Caster Type*	Caster Size	Weight Capacity (lbs.)	Deck Height
R2108FPB	Steel Platform	Full Pneumatic	8 x 2	1200	11½
R2125MRB	Steel Platform	Mold-On Rubber	5 x 2	1200	8
R2168MRB	Steel Platform	Mold-On Rubber	8 x 2	2000	11

*See page 61 for full description of casters and wheels

Platform Trucks Super-Heavy-Duty

- Super-heavy-duty wood deck steel frame trucks
- Steel C-channel underdeck reinforcements
- Capacity 1,200 to 4,000 lbs. depending on caster type





Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster and wheel information.

ACCESSOTIES for either Steel or Super-Heavy-Duty









Floor Locks

Corner Bumpers

Continuous Bumpers

SUPER-HEAVY-DUTY DECK SIZES

24" x 48" • 30" x 60" 30" x 48" • 36" x 72"

Specify size when ordering

Platform Trucks – Super-H	eavy-Duty Steel	Inches			Inches
Model No.	Description	Caster Type*	Caster/Wheel Size	Weight Capacity (lbs.)	Deck Height
R2178MRB	Wood Deck Steel Frame	Mold-On Rubber	8 x 2	2000	121/4
R219885MRB	Wood Deck Steel Frame	Mold-On Rubber	8 x 2 / 8 x 2 ½	2500	12½
R221812MRB	Wood Deck Steel Frame	Mold-On Rubber	8 x 2 / 12 x 2½	3000	16
R2258516MRB	Wood Deck Steel Frame	Mold-On Rubber	8 x 2½ / 16 x 3	4000	19½
*See page 61 for full description	of easters and whools	•	•		



Platform Trucks Work Height — Heavy-Duty

mobile systems & work centers

- Ergonomic height reduces the strain of lifting and bending
- Welded tubular steel frame supports heavy loads
- Fixed and adjustable heights available
- Two deck sizes available: 24" x 48" and 30" x 60"
- Hardwood, steel or structural foam deck available

Hardwood deck features tongue and groove design Heavy-duty structural foam will not splinter, chip or rot

Steel frame features durable, powder-coated finish









accessories Ories





Expanded Metal Shelf


Optional Corner Bumper

Platform Trucks - Fixed Work He	ight - Tubular Steel Frame		Inches			Inches	
Model No.	Deck Type	L	W	Н	Caster Type*	Caster Size	Weight Capacity (lbs.)
RWH24481A5M8	Wood	24	48	26%	Mold-On Rubber	8	1800
RWHV24481A5M8	Structural Foam	24	48	26%	Mold-On Rubber	8	1800
RWHV24481A5Y6	Structural Foam	24	48	241//8	Polyurethane	6	2000
RWHS24481A5M8	Steel	24	48	251/4	Mold-On Rubber	8	1800
RWHS24481A5Y6	Steel	24	48	231/4	Polyurethane	6	1800
RWH30601A5M8	Wood	30	60	26%	Mold-On Rubber	8	1800
RWHV30601A5M8	Structural Foam	30	60	26%	Mold-On Rubber	8	1800
RWHV30601A5Y6	Structural Foam	30	60	24%	Polyurethane	6	2000
RWHS30601A5M8	Steel	30	60	251/4	Mold-On Rubber	8	1800.
RWHS30601A5Y6	Steel	30	60	231/4	Polyurethane	6	1800

^{*} See name 61 for full description of casters and wheels

colors available

orm Trucks - Adjustable W	ork Height - Tubular Steel Fra	Inches					
Model No.	Deck Type	L	W	Н	Caster Type*	Caster Size	Weight Capacity (lbs.)
RWH24481A5M8A	Wood	24	48	26¾ to 32¾	Mold-On Rubber	8	1800
RWHV24481A5M8A	Structural Foam	24	48	27½ to 33½	Mold-On Rubber	8	1800
RWHV24481A5Y6A	Structural Foam	24	48	25½ to 31½	Polyurethane	6	2000
RWHS24481A5M8A	Steel	24	48	25% to 32	Mold-On Rubber	8	1800
RWHS24481A5Y6A	Steel	24	48	23% to 32	Polyurethane	6	1800
RWH30601A5M8A	Wood	30	60	26¾ to 32¾	Mold-On Rubber	8	1800
RWHV30601A5M8A	Structural Foam	30	60	27½ to 33½	Mold-On Rubber	8	1800
RWHV30601A5Y6A	Structural Foam	30	60	25½ to 31½	Polyurethane	6	2000
RWHS30601A5M8A	Steel	30	60	25% to 32	Mold-On Rubber	8	1800
RWHS30601A5Y6A	Steel	30	60	23% to 32	Polyurethane	6	1800





Hardwood Deck



Foam Deck



All-Steel Deck

Casters & Wheels

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster and wheel information.



mobile systems & work centers

- Ergonomic height reduces the strain of lifting and bending
- Fixed and adjustable heights available
- Two deck sizes available: 24" x 48" and 30" x 60"
- Hardwood, steel or structural foam deck available
- Optional expanded metal lower shelf







Platform Trucks - Fixed Work He	Inches			Inches			
Model No.	Deck Type	L	W	Н	Caster Type*	Caster Size*	Weight Capacity (lbs.)
RWH2448EA5M6	Wood	24	48	241/2	Mold-On Rubber	6	1500
RWHV2448EA5M6	Structural Foam	24	48	24%	Mold-On Rubber	6	1500
RWHS2448EA5M6	All-Steel	24	48	22	Mold-On Rubber	6	1500
RWH3060EA5M6	Wood	30	60	241/2	Mold-On Rubber	6	1500
RWHV3060EA5M6	Structural Foam	30	60	241//8	Mold-On Rubber	6	1500
RWHS3060EA5M6	All-Steel	30	60	22	Mold-On Rubber	6	1500

* See page 61 for full description of casters and wheels

Platform Trucks - Adjustable Wo	Inches						
Model No.	Deck Type	L	W	Н	Caster Type*	Caster Size*	Wt. Capacity (lbs.)
RWH2448EA5M6A	Wood	24	48	24½ to 30½	Mold-On Rubber	6	1500
RWHV2448EA5M6A	Structural Foam	24	48	24% to 30%	Mold-On Rubber	6	1500
RWHS2448EA5M6A	All-Steel	24	48	22 to 28	Mold-On Rubber	6	1500
RWH3060EA5M6A	Wood	30	60	24½ to 30½	Mold-On Rubber	6	1500
RWHV3060EA5M6A	Structural Foam	30	60	24% to 30%	Mold-On Rubber	6	1500
RWHS3060EA5M6A	All-Steel	30	60	22 to 28	Mold-On Rubber	6	1500

^{*} See page 61 for full description of casters and wheels



- Tongue and groove hardwood deck
- Temporary storage and transport of raw materials and finished goods
- Lift Jack available for easy transport of most semi-live skids
- Can be used with a forklift or handjack



Deck Sizes

Semi-Live Skids 2 Wheels Standard

- 24" x 48"
- 30" x 60"

Specify size when ordering

Semi-Live Skids – 2 wheels			Inches	
Model No.	Description	Caster Type*	Caster Size	Weight Capacity (lbs.)
RA778MR	Tongue & Groove Hardwood Deck	Mold-On Rubber	8	2200
RA756MR	Tongue & Groove Hardwood Deck	Mold-On Rubber	6	1800

Lift Jacks				Inches
Model No.	Description	Handle Style	Caster Type*	Caster Size
RM718MR‡	Male Lift Jack	(T) or (Loop)	Mold-On Rubber	8
RF718MR‡	Female Lift Jack	(T) or (Loop)	Mold-On Rubber	8

^{*} See page 61 for full description of casters and wheels ‡ - Specify Handle Style (T) or (Loop) when ordering



Lift Jacks

- · For easy transport of most semi-live skids
- Specify "T" or loop handle style
- For female socket, change Model No. prefix to "RF"
- Pipe is 43" long

Portable Tables & Carts

mobile systems & work centers

- Durable carts for pulling stock, assembly operations or other heavy tasks
- Welded steel frame construction with soft rubber casters for easy maneuverability
- Overall height: 36"
- Ships completely assembled and ready-to-use
- 800 lb. capacity with recommended casters



RMD25T5SR w/ optional drawer

- 5" x 11/4" soft rubber casters
- Shelf spacing
- 16-gauge steel
- 2" hemmed lip



RMD25T5SR w/ optional writing shelf

accessories Ories



Drawer: Easily accessible storage drawer. 151/2"W x 5½"H x16½"D O.D.



Writing Shelf: Handy, angled-shelf with pencil edge



Rubber Matting: For all standard size shelves



Control truck movement and prevent wheels from turning. Available on all wheels. Normal installation on two swivel wheels

portable tables & carts features



Angle posts for added strength and rigidity



Tubular push handle MD series only



resists wear

Portable Tables

Model No.	Weight Capacity (lbs.)	Caster	Shelves	Height (Inches)	Shelf Clearance (Inches)	Handle	Cart Size (Inches)
RMD2ST5SR	800	2 Swivel / 2 Rigid	2	36	27	Tubular	24 x 36
RMD3ST5SR	800	2 Swivel / 2 Rigid	3	36	121/2	Tubular	24 x 36

Mobile Work Tables Heavy-Duty



- Industrial-grade mobile workstation with a welded-steel frame and steel-reinforced premium oak top - ships fully assembled
- 24" L x 48" W work area with 9 adjustable height settings from
- 5" x 2" bolted on polyurethane casters; two rigid, two swivel with total lock brakes
- Wraparound steel backstop keeps items from falling behind work table
- Gray powder-coated finish



Mobile Work Tables Medium-Duty



- Industrial-grade work table with steel-reinforced hardwood top ships fully assembled
- 24" L x 48" W x 36" H
- 2 steel drawers 151/2" W x 51/2" H x 161/2" D
- 2 swivel, 2 rigid bolted-on soft rubber casters; 5" x 11/4" total lock brakes on swivel casters
- Optional butcher block top available
- Gray powder-coated finish

Heavy-Duty Work Benches

mobile systems & work centers







- Heavy-duty, steel frame work bench
- Steel, premium hardwood, butcher block or composition work surface
- 34" fixed or adjustable work heights
- Bench sizes: 30" x 60" and 30" x 72"
- Compatible with AkroBins
- Gray powder-coated finish
















create your model number


Example: For an adjustable height 30" x 60" gray frame work bench with a hardwood work surface, your model number would be RHWB3060GA1P



Call your Akro-Mils distributor with your model number to order





- Lightweight tipping trucks for heavy-weight jobs
- Caster wheel has roller bearings for extra stability when pushing, pulling or turning
- Handle is arc welded and reinforced for optimum durability
- Wrap-around tubular frame is constructed of 1" or 11/4" powder-coated steel for enhanced appearance and rust protection
- All trucks available in: Gray




^{*}SP = Semi-Pneumatic MR = Mold-On Rubbe









All carts available in Gray, Blue and Green. All lids are Black





*Carts without lids cannot have lids added after production. Single units are shipped completely assembled. When multiple units are ordered, lids are shipped separately and require assembly.





- 65 and 96-gallon carts designed for residential waste management
- Compatible with automated and semi-automated systems
- Attached lid swings out of the way for easy dumping
- Injection-molded for exceptional durability and cost effectiveness
- Resists damage from oil and most chemicals
- Engineered for rigidity and strength

MegaKart [®]		Inches				Inches	
Model No.	Capacity Gallons	w	D	н	Colors	Wheel Diameter	Load Rating
79565	65	26	27	42	Blue, Gray	10	230 lbs.
79596	96	28	32	46	Green, Black, Blue	12	335 lbs.

Please specify colors when ordering.





hinge keeps lid propped open during use



Patented design allows carts to nest with installed lids and latchbars for compact shipping and storage



Foot Tilt Pocket molded above axle for maximum leverage and utility

Materials Definitions & Benefits

material definitions & benefits

Each resin has properties that make it ideal for a specific purpose. We manufacture our plastic products using the grade most suited to the product's end use. Listed below are the quality resins we use and their attributes. NOTE: The "Use Temperature Range" defined below is dependent, and may vary with the end user's application. Akro-Mils reserves the right to change product materials without notice.

Polystyrene (GPS) -**General Purpose Styrene:**

- Water Clear in Clarity
- Surface Finish High Gloss
- Highly Rigid Material
- Low Resistance to Impact
- Chemical/Abrasion Resistance Low
- Use Temperature Range -30° to 115° F

High-Density Polyethylene (HDPE):

- Opaque
- Surface Finish High Gloss
- Moderately Rigid Material
- Highly Resistant to Impact
- Chemical Resistance High Below 140°
- Abrasion Resistance High
- Use Temperature Range -40° to 140° F

High-Impact Polystyrene (HIPS):

- Opaque
- Surface Finish Satin
- Highly Rigid Material
- Highly Resistant to Impact
- Chemical Resistance Low
- Abrasion Resistance Low to Medium
- Use Temperature Range -30° to 180°

Polyurethane

Chemically bonded to a metal core,

polyurethane wheels are more durable

than other materials, deliver excellent

mobility, a cushioned ride and long life

Polypropylene (PP) – Block **Copolymer; High Impact:**

- Opaque
- Surface Finish Medium to High Gloss
- Moderately Rigid Material
- Highly Resistant to Impact
- Chemical Resistance High Below 175° F
- Abrasion Resistance Medium
- Use Temperature Range -20° to 150° F

Recycled Polypropylene (PP):

- Opaque
- Surface Finish Medium to High Gloss
- Moderately Rigid Material
- Mildly Resistant to Impact
- Chemical Resistance High Below 175° F
- Abrasion Resistance Moderate
- Use Temperature Range -0° to 150° F

Acrylic Blend Material:

- Water Clear in Clarity
- Surface Finish High Gloss
- Rigid Material
- Medium Resistance to Impact
- Chemical Resistance Medium
- Abrasion Resistance Medium
- Use Temperature Range -20° to 180° F

Acrylonitrile Butadiene Styrene (ABS):

- Opaque
- Surface Finish High Gloss
- Highly Rigid Material
- Highly Resistant to Impact
- Chemical Resistance Medium
- Abrasion Resistance Medium
- Use Temperature Range -40° to 180° F

Polypropylene (PP) - Random **Copolymer; Medium Impact:**

- Relatively Clear
- Surface Finish High Gloss
- Moderately Rigid Material
- Mildly Resistant to Impact
- Chemical Resistance High Below 175°
- Abrasion Resistance Moderate
- Use Temperature Range 0° to 150° F

ESD Materials:

- · Highest Degree of Electrostatic Discharge Protection with Uniform Surface Resistivities in the Static Dissipative Range of 10⁶ to 10⁹ ohms/sq.
- Use Temperature Range -20° to 150° F

Structural Foam:

- Plastic and Nitrogen Gas Form a Cellular Core
- Withstands Heavy Loads and Abuse
- HDPE Use Temperature Range -20° to 120° F
- HIPS Use Temperature Range -20° to 160° F

FDA-Approved Materials:

- We use FDA materials for NSTs, Grid Boxes, Akro-Tubs, as well as Straight Wall Containers
- Other Products produced in FDAcompliant materials only available with Custom Orders

Linear Low Density Polyethylene (LLDPE):

- Highly Flexible
- Highly Resistant to Impact
- Chemical Resistance Moderate
- Corrosion Resistance High
- Use Temperature Range -55° to 170° F



A generous selection of caster and wheel options allows Platform Trucks, Hand Trucks, Dollies and Shelf Carts to be customized to fit hundreds of applications, surfaces and conditions. Caster and wheel choices allow you to resolve problems of noise control, floor protection, impact and abrasion resistance or load capacity.





Air-filled for excellent shock protection, floor protection and easy operation over rough surfaces.

For demanding applications, a less

expensive wheel that offers high

strength, is non-marking, non-

conductive and protects floors.



Polyolefin

A heavy-duty, lightweight, nonmarking plastic wheel that resists most chemicals and oils, and has excellent impact resistance.




Steel

Wheels offer least rolling resistance. A good choice for warehouses and manufacturing operations and where noise or floor protection are not a concern.



Thermo-Plastic

Gray rubber wheel provides excellent floor protection and a cushioned ride while resisting chemicals, acids, oils and caustic substances.







material handling, storage and transport products

Model Nos.	Pg No.	30210RECY			45	40265		98536230SS	
02420		30211			16	40270		98536235SD	
05705		30220			16	40286		98536235SS	
05805		30220ESD			16	40287		98536320SD	
05807	35	30220RECY			16	40289		98536320SS	
05905	35	30221			16	40292		98600	
06115	35	30224 30230			25 25	40312		98636	9
06118 06217		30230ESD			30	40320		Α	
06702		30230RECY			30	40330		AA211512	31
06703		30231			30	403302PK		AC3618	
06704	21	30234			30	40348		AC3618QV	
06705		30235			30	40358		AC3618QV240	
06706		30235ESD			30	40410		AC3618QV250	
06709	21	30236	5	33220	30	40416	34	AC3618SV	44
09185BLUE	35	30239	5	33221	30	40420	22	AC3618SV240	44
10116		30240			30	40445		AC3618SV250	
10124		30240ESD			30	40501		AC3618Y	
10126		30240RECY			30	40703		AC3624	
10144		30250				40704		AC36243AS	
10164		30250RECY				40715		AC3624Y AC3624Y3AS	
13014		30255 30260			33	40716 40717		AC803618M26	
13017 13018		30265				40901		AC803618M26	
17018		30270			29, 30	40909		ACQV4C	
17136		30280			29, 30	41105		ACQV4C42	
19109		30281			29	41164		ACQV4C62	
19228		30282			29	41166		ACQV4C82	
19320		30283		35185	29	41168		ACQV4CAST	
19416		30286	27	35190	29	41220	30	ACQV4P	19
19715		30287	27	35191	29	41224	30	ACQV4P42	
19909		30288		35195	29	41226	30	ACQV4P62	
20228		30289			29	41228		ACQV4P82	
20320		30290			29	41286		ACQV4PAST	
20416		30292			29	41287		ACS4C	
20502		30293			29	41288		ACS4C42	
20715		30312			29	41289		ACS4C62	
20902		30318			29 29	41440 41460		ACS4C82 ACS4CAST	
20909 21286		30321			29	41480		ACS4P	
21287		30330RED			29	42105		ACS4P42	
21288		30348BEIGE			49	42164		ACS4P62	
21289		30358BEIGE			32	42166		ACS4P82	
30008		30400GRY10PK		37278	32	42168	30	ACS4PAST	19
30016		30400WHI10PK	22	37288	32	42220	30	AD1811C	17
30040	13	30400YEL10PK	22	37608	32	42224	30	AD1811C62	17
30048		30420GRY6PK			32	42226		AD1811C82	
30090	13	30420WHI6PK			32	42228		AD1811CAST	
30098		30424			32	4P		AD1811P	
30101		30536			32	4R		AD1811P62	
30102		30536210S			32	4Rx		AD1811P82 AD1811PAST	
30110		30536220S 30536230S			32	5P 5R		AD1817C	
30118		30536235S			32	76460		AD1817C	
30120 30120RECY		30536320S			31	76461		AD1817C88	
30124		30553			31	76490		AD1817CAST	
30124RECY		30553210S			31	76491		AD1817P	
30128		30553220S		39170	31	76590	60	AD1817P68	17
30128RECY		30553230S	11	39175	31	76591	60	AD1817P88	17
30130	12	30553235S	11	39280	31	77405	60	AD1817PAST	17
30130RECY	14	30553LF	11		49	77410		AD2311C	
30138		30618			49	77505		AD2311C42	
30138RECY		30636			13	77510		AD2311C62	
30148		30638			13	77610		AD2311CAST	
30150		30651			12, 14	77710		AD2311P	
30158		30653			12, 14	77810		AD2311P42	
30161		30661			12	79565		AD2311P62 AD2311PAST	
30164		30676 30716BLACK			12 5, 6	79596 98100		AD2511PAS1 AD3511BS	
30164RECY 30170		30718BLACK			5, 6	98536		AD3511C	
30174		30776BLACK			34	98536210SD		AD3511C42	
JU1/ I		~ · · · · · · · · · · · · · · · · · · ·							
30178		30778BLACK	23	40230	5. 6	98536210SS	11	AD3511C62	18
30178 30184	12	30778BLACK 30796BLACK			5, 6 5	98536210SS 98536220SD		AD3511C62 AD3511C82	
30178 30184 30210	12 12		23	40239			11		18



material handling, storage and transport products

AD3511P42 18
AD3511P62 18
AD3511P82 18
AD3511PAST18
AD3517BS18
AD3517C18
AD3517C6818
AD3517C8818
AD3517CAST 18
AD3517P 18
AD3517P6818
AD3517P88 18
AD3517PAST
APRBENCH 15, 24
APRBENCH040 15
APRBENCH090
APRBENCH120 15
APRBENCH150 15
APRD 15 APRD040 15
APRD09015
APRD110Y15
APRD120Y15
APRD130Y15
APRD14220
APRD150Y15
APRD16220
APRD170Y 15
APRD18220
APRDAST 15, 20
APRDMOBILE15
APRS 15
APRS04015
APRS09015
APRS110Y 15
APRS120Y 15
APRS130Y 15
APRS142
APRS16220
APRS170Y 15
APRS18220
APRSAST 15, 20
AS127941
AS127904042
AS127909042
AS1279110Y41
AS1279120Y41
AS1279130Y41
AS1279150Y41
AS1279170Y41
AS127931224
AS127931241 AS187942
AS187904842
AS187909842
AS1879128Y42
AS18791301442
AS18791301742
AS18791301842
AS1879138Y42
AS1879158Y42
AS1879178Y 42
AS187931824
AS187931842
AS18793642
AS18794242
AS1879ASORT 42
AS2479
AS247928742
AS2479288
AS367942
AS367929242
AS367929342

AS3679ASSORT 42
ASC127920
ASC127914220
ASC127916220
ASC1279182
ASC1279AS120
ASC1879
ASC187916820
ASC187918820
ASC1879AST20
AWS14363004039
AWS14363009039
AWS14363012038
AWS14363013038
AWS14363015038
AWS14363017038
AWS14363024038
AWS14363025038
AWS14363031238
AWS14363032038
AWS18361301438
AWS18361301838
AWS18363004839
AWS18363009839
AWS18363012838
AWS18363013838
AWS18363015838
AWS18363017838
AWS18363026538
AWS18363027038
AWS18363031838
AWS18363040039
AWS18363316638
AWS18363316838
AWS18363518038
AWS1836M3430139
AWS1836SNS38
AWS18481301738
AWS18483026038
AWS184830260
AWS184830280
AWS184830260
AWS184830260
AWS184830260 38 AWS184830280 39 AWS184830281 39 AWS184830282 39 AWS184830283 39 AWS1848SAB 39
AWS184830260 38 AWS184830280 39 AWS184830281 39 AWS184830282 39 AWS184830283 39 AWS1848SAB 39 AWS24360287 39
AWS184830260

MA4824P2......46

R
R1130 49
R115149
R1B5HR48
R1B5HRL48 R1B5HRX48
R1B5HRXL48
R1S10FP247
R1S5HR
R1S8FP2
R1S8MR47
R1S8MR2
R2125MRB55
R214CS184127
R214CS185927
R214CS187827 R214CS284127
R214CS285927
R214CS287827
R214HE48
R215HE48 R2168MRB55
R216CS223627
R216CS223927
R216CS2836
R219885MRB55
R221812MRB55
R2258516MRB55
R2ST5HR
R2T5HR1630
R2T5HR2448 48
R2T8MR244848
R3008MR51 R3010FP51
R3010SP51
R3ST5HR47
R4008MR51
R4008MR251 R4010FP51
R4010FP251
R4010SP51
R4010SP251
R4510SP51 R4510SP251
R4ST5HR47
R4ST8MR 47
R5ST5HR
R5SYT5HR243624
R5SYT5HR243647
R5SYT5HR363624
R5SYT5HR363647 R5SYT8HR363647
R5SYT8MR243624
R5SYT8MR243647
R5SYT8MR363624
R90110
R9016353
R90181 53
R9018253
R90184
R9021053
R9026253
R90263
100201

R9028253

R90284 53

R92412 53
R9255HR 52
R93011 53
R93012 53
R94817 53
R9508MR252
R9510MR252
R96017 53
RA6TR4MR33
RA756MR57
RA778MR 57
RABR533842
RACR5MR33
RCT40LW51
RCTV40SP 51
RD2416F3P 49
RD2416R3P49
RD2416S3P49
RD2718F3P 49
RD2718RC3P49
RD2718S3P49
RD3018AC3P49
RD3018CE3P 49
RD3018F3P49
RD3018R3P49
RD3018RC3P49
RD3018S3P49
RD3624AC3P49
RD3624CE3P49
RD3624F3P49
RD3624R3P49
RD3624S3P49
RD4824F3P 49
RD4824S3P49
RD843HR50
RD843SS50
RD844HR50
RD844SS50
RD844SS 50 RD853HR 50
RD844SS
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RDT4008SP 52
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RDT4008SP 52 RDT4010FP 52
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD74008SP 52 RDT4010FP 52 RDT4010FP 52 RDT4010SP 52
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010SP 52 RD74010SP 52 RF718MR 57
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010SP 52 RF718MR 57 RGTD10FP 51
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RDT4008SP 52 RDT4010FP 52 RDT4010SP 52 RF718MR 57 RGTD10FP 51 RGTD10SP 51
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RDT4008SP 52 RDT4010FP 52 RDT4010SP 52 RF718MR 57 RGTD10FP 51 RGTD10SP 51 RGTS10FP 51
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RDT4008SP 52 RDT4010FP 52 RD74010SP 52 RF718MR 57 RGTD10FP 51 RGTD10SP 51 RGTS10FP 51 RGTS10SP 51
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010FP 52 RF718MR 57 RGTD10FP 51 RGTD10SP 51 RGTS10FP 51 RGTS10FP 51 RGTS10SP 51 RM718MR 57
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010FP 52 RGTD10FP 51 RGTD10SP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10SP 51 RM718MR 57 RMD2ST5SR 58
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010FP 52 RF718MR 57 RGTD10FP 51 RGTD10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10SP 51 RM718MR 57
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010SP 52 RF718MR 57 RGTD10FP 51 RGTS10FP 51 RGTS10SP 51 RM718MR 57 RMD2ST5SR 58 RMD3018F4PN 50 RMD3018F4RX 50
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010SP 52 RF718MR 57 RGTD10FP 51 RGTS10FP 51 RGTS10SP 51 RM718MR 57 RMD2ST5SR 58 RMD3018F4PN 50 RMD3018F4RX 50
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD74008SP 52 RD74010SP 52 RD74010SP 52 RF718MR 57 RGTD10FP 51 RGTD10SP 51 RGTS10FP 51 RGTS10SP 51 RGTS10SP 51 RM718MR 57 RMD2ST5SR 58 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018F4RX 50 RMD3018F4PN 50
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD74008SP 52 RD74010SP 52 RD74010SP 52 RF718MR 57 RGTD10FP 51 RGTD10SP 51 RGTS10FP 51 RGTS10SP 51 RGTS10SP 51 RM718MR 57 RMD2ST5SR 58 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018F4RX 50 RMD3018F4PN 50
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010SP 52 RF718MR 57 RGTD10FP 51 RGTD10SP 51 RGTS10FP 51 RGTS10FP 51 RGTS10SP 51 RGTS10SP 51 RM718MR 57 RMD2ST5SR 58 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018RC4PN 50 RMD3018RC4PN 50 RMD3018RC4PN 50
RD844SS 50 RD853HR 50 RD853SS 50 RD854FHR 50 RD854SS 50 RDT4008SP 52 RDT4010FP 52 RDT4010SP 52 RF718MR 57 RGTD10FP 51 RGTS10FP 51 RGTS10SP 51 RM718MR 57 RMD2ST5SR 58 RMD3018F4PN 50 RMD3018F4X 50 RMD3018RC4PN 50 RMD3018RC4PN 50 RMD3018RC4RX 50 RMD3018RC4RX 50 RMD3018RC4RX 50
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010SP 52 RF718MR 57 RGTD10FP 51 RGTS10FP 51 RGTS10SP 51 RM718MR 57 RMD2ST5SR 58 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018RC4PN 50 RMD3018RC4PN 50 RMD3018RCH 50 RMD3018RCH 50 RMD3018RCH 50 RMD3018RCN 50 RMD3ST5SR 58
RD844SS 50 RD853HR 50 RD853SS 50 RD854SS 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010FP 51 RGTD10FP 51 RGTD10FP 51 RGTS10FP 51 RM718MR 57 RMD2ST5SR 58 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018RC4PN 50
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010FP 51 RGTD10FP 51 RGTD10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 50 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018FARX 50 RMD3018RC4PN 50 RMD3018RC5 50 RMD3018RC5 50 RMD3018RC6 50 RMD3018RC6 50 RMD3018RC6 50 RMD3018RC7 50 RMD3018
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010FP 51 RGTD10FP 51 RGTD10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 50 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018RC4PN 50 RMD30
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010FP 51 RGTD10FP 51 RGTD10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 50 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018RC4PN 50 RMD30
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010FP 51 RGTD10FP 51 RGTD10FP 51 RGTD10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 50 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018FC4PN 50 RMD3018RC4PN 50 RMD30
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010FP 51 RGTD10FP 51 RGTD10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 50 RMD3018F4RX 57 RMD3018F4RX 50 RMD3018F4RX 50 RMD3018F4RX 50 RMD3018RC4PN 50
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010FP 51 RGTD10FP 51 RGTD10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RM718MR 57 RMD2ST5SR 58 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018RC4PN 50 RMD34HR1617 28 RW843HR1617 28 RU843HR2018 27 RU843HR2018 27 RU843SS 50 RU843TP1519 28
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010FP 51 RGT010FP 51 RGTD10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RM718MR 57 RMD2ST5SR 58 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018F4RX 50 RMD3018F4RX 50 RMD3018RC4PN 50 RMD344HR1617 28 RW843HR1617 28 RU843HR2018 27 RU8433S 50 RU843TP1519 28 RU843TP1519 28 RU843TP1519 28 RU843TP1519 28
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010FP 52 RF718MR 57 RGTD10FP 51 RGTD10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RM718MR 57 RMD2ST5SR 58 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018RC4PN 50 RMD3018RC4PN 50 RMD3018RC4RX 50 RMD3018R
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010FP 52 RF718MR 57 RGTD10FP 51 RGTD10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RM718MR 57 RMD2ST5SR 58 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018RC4PN 50 RMD3018RC4PN 50 RMD3018RC4RX 50 RMD3018R
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010FP 52 RF718MR 57 RGTD10FP 51 RGTD10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RM718MR 57 RMD2ST5SR 58 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018RC4PN 50 RMD3018RC4PN 50 RMD3018RC4RX 50 RMD3018R


R90285 53


RU853HR 50)
RU853SS 50)
RU854HR 50)
RU854SS 50)
RWH24481A5M850	6
RWH24481A5M8A50	6
RWH2448EA5M6 57	7
RWH2448EA5M6A 57	7
RWH30601A5M856	5
RWH30601A5M8A 56	5
RWH3060EA5M6 57	
RWH3060EA5M6A 57	7
RWHS24481A5M856	6
RWHS24481A5M8A 56	6
RWHS24481A5Y656	5
RWHS24481A5Y6A 56	5
RWHS2448EA5M657	
RWHS2448EA5M6A 57	
RWHS30601A5M856	6
RWHS30601A5M8A 56	5
RWHS30601A5Y656	6
RWHS30601A5Y6A 56	
RWHS3060EA5M6 57	7
RWHS3060EA5M6A 57	7
RWHV24481A5M856	6
RWHV24481A5M8A 56	5
RWHV24481A5Y656	5
RWHV24481A5Y6A 56	
RWHV2448EA5M6 52	7
RWHV2448EA5M6A 57	7
RWHV30601A5M856	5
RWHV30601A5M8A 56	5
RWHV30601A5Y656	
RWHV30601A5Y6A 56	
RWHV3060EA5M6 52	7
RWHV3060EA5M6A 52	7


RU844SS 50

Ready, Set, Organize!

Our broad range of durable plastic containers combined with metal cabinets, shelving and racks, will improve storage and organization efficiency, shorten assembly times and optimize parts protection. Akro-Mils will help you improve your productivity and your bottom line!







- D. Louvered Hanging Systems.....p. 9 J. System Binsp. 24 O. Single-Sided Louvered **E.** AkroBins......p. 4-6 **K.** Double-Sided Louvered F. Super-Size AkroBins......p. 26-27
-p. 7 G. Steel Shelving Systemsp. 40-42 L. Platform Truck.......p. 56-57 Q. Akro-Grids .. Floor Rack.....
- C. Super-Size AkroBin Cart.......p. 27 I. Super Modular Cabinetp. 17 N. Roto-Shelf......p. 35 S. Stack-N-Store Binsp. 28 Y. ReadySpace Bench Unit ...p. 10-11 T. Attached Lid Containers.....p. 31 Z. VantageBinp. 22
- .p. 30 W. ReadySpace Wall Unit.....p. 10-11



To learn more, contact us today: 800.253.2467

