

Material Safety Data Sheet

IMPORTANT NOTICE: This Material Safety Data Sheet (MSDS) is issued by LA-CO Industries, Inc. (LA-CO) in accordance with the U.S. OSHA Hazard Communication Standard, Canadian WHMIS Controlled Products Regulations, British CHIP regulation 6, Australian NMRCWHS and ANSI Z400.1-1993 guidelines. The information contained herein must not be altered, deleted or added to, with the exception of adding supplier/importer information in the space provided. LA-CO has no objection to its MSDS being copied if: a) the copy is made for safety-related purposes; and b) no alterations or amendments are made to the text or format of the MSDS, with the exception of adding supplier/importer information in the space provided. LA-CO does not guaranty the accuracy of any MSDS for our products which: a) is not prepared by LA-CO; b) is not authorized by LA-CO; c) is not in the format originally supplied by LA-CO; or d) has otherwise been amended or altered by a third party, with the exception of adding supplier/importer information in the space provided. Official LA-CO MSDS's reside on its web site at www.laco.com.

Section 1 Product and Company Identification

Product Name: **Ball Paint Marker**
Revision #: 1.7 **Date Prepared:** January 18, 1995 **Date Revised:** November 6, 2002

Manufacturer:

LA-CO INDUSTRIES, Inc. *Markal Co.*

1201 Pratt Blvd.

Elk Grove Village, IL, USA 60007-5746

Information Telephone: 847-956-7600

Emergency Telephone: Call CHEMTREC
 USA 800-424-9300

International (Call Collect) 1-703-527-3887

Chemical Formula: Mixture

CAS No.: Not Applicable. **Derivation:** Not Applicable.

Synonyms: Not Applicable.

General Use: Paint marker for hard surfaces.

Supplier/Importer:

LEVERMORE WORKSHOP WORLD

24 Endeavour Way

Wimbledon

London

SW19 8UH

Tel: 020 8946 9882

Fax: 020 8946 6259

E-mail: lww@levermore.co.uk

Web-site: www.levermore.co.uk

Section 2 Composition/Information on Ingredients

<u>Ingredient</u>	<u>CAS No.</u>	<u>%</u>
Ethyl Alcohol ^{3,4,5,6} ACGIH: TWA = 1000ppm OSHA: TWA = 1000ppm HSE EH40: TWA = 1000ppm	64-17-5	1 - 3
Isopropyl Alcohol ^{3,4,5,6} ACGIH: TWA = 400ppm, STEL = 500ppm OSHA: TWA = 400ppm HSE EH40: TWA = 400ppm, STEL = 500ppm	67-63-0	2 - 3
Propylene Glycol Methyl Ether ^{3,4,5,6} ACGIH: TWA = 100ppm, STEL = 150ppm OSHA: TWA = 100ppm, STEL = 150ppm HSE EH40: TWA = 100ppm, STEL = 300ppm	107-98-2	68 - 79
Ethylene Glycol n-Butyl Ether ^{3,4,5,6} ACGIH: TWA = 25ppm OSHA: TWA = 50ppm HSE EH40: TWA = 25ppm	111-76-2	1 - 3
Mineral Spirits	64742-88-7	0 - 2

(For Section 2 footnotes: See Section 15)

Product Name:

Ball Paint Marker

Revision #: 1.7

Date Prepared: January 18, 1995

Date Revised: November 6, 2002

Section 3 Hazards Identification

EMERGENCY OVERVIEW: WARNING: FLAMMABLE. KEEP AWAY FROM HEAT, SPARKS AND OPEN FLAME. EYE IRRITANT. AVOID CONTACT WITH EYES. KEEP OUT OF REACH OF CHILDREN. FOR INDUSTRIAL USE ONLY.

POTENTIAL HEALTH EFFECTS

Primary Exposure Routes: Eyes, Skin, Ingestion, Inhalation

Acute Effects

Eyes: Liquid or vapor can irritate.

Skin: May dry the skin. Can be absorbed through the skin.

Ingestion: Oral toxicity is low. Can cause nausea.

Inhalation: Respiratory irritation, headache, nausea, fatigue, drowsiness, impaired coordination.

Chronic Effects

Eyes: Prolonged contact may lead to corneal damage.

Skin: Prolonged contact may cause irritation or dermatitis.

Ingestion: Possible liver and kidney damage.

Inhalation: Possible liver and kidney damage.

Carcinogenicity: Not Applicable.

Target Organ Effects: Chronic over-exposure can cause liver and kidney damage.

Medical Conditions Aggravated by Long-Term Exposure: Liver and kidney disease.

Other Information: Not Applicable.

Section 4 First Aid

Eye Contact: Immediately flush eyes with water for at least 15 minutes while holding eyelids open.

Remove any contact lenses. Have victim roll eyes for more thorough flushing. Get immediate medical attention.

Skin Contact: Wipe off excess. Remove contaminated clothing. Flush skin with water or wash with soap and water. Consult physician if irritation develops.

Ingestion: NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS OR CONVULSING PERSON. Get medical attention.

Inhalation: Remove victim to fresh air. Give oxygen if breathing is difficult. Give artificial respiration if breathing has stopped. Get medical attention.

Other Information: None known

Section 5 Fire Fighting Measures

Flash Point (method): 70°F to 75°F/21°C to 24°C (TCC)

Autoignition Temperature: Not Determined

LEL: 0.9% **UEL:** 19%

Flammability Classification: Flammable

Extinguishing Media: Foam, alcohol foam, carbon dioxide, dry chemical, water fog.

Hazardous Combustion Products: Carbon monoxide, carbon dioxide, nitrogen oxides.

Unusual Fire or Explosion Hazards: None known

Fire-Fighting Instructions/Equipment: Keep personnel removed and upwind of any fire. Wear full fire-fighting turn-out gear (full Bunker gear), and respiratory protection (SCBA).

Section 6 Accidental Release Measures

Use recommended personal protective equipment (see Section 8).

Small Spill: Remove sources of ignition. Wipe up with a towel or rag.

Product Name: **Ball Paint Marker**
Revision #: 1.7 **Date Prepared:** January 18, 1995 **Date Revised:** November 6, 2002

Large Spill: Remove sources of ignition. Avoid breathing vapors. Ventilate area. Dike area to contain spill. Absorb spill with sawdust or other suitable absorbent. Transfer to metal waste container with non-sparking tools, tightly cover waste container.

Section 7 Handling and Storage

Handling Precautions: Use recommended personal protective equipment (see Section 8). Wash thoroughly after handling.

Storage Requirements: Store away from incompatible chemicals (see Sec. 10). Store in a cool, dry area.

Section 8 Exposure Controls/Personal Protection

Eye/Face Protection: Safety glasses. Where contact with the eyes is likely, use chemical goggles. Use a face shield as needed.

Skin/Hand Protection: Use impervious gloves. Use clean protective body-covering clothing as needed to minimize contact with clothing and skin.

Respiratory Protection: Use a NIOSH/MSHA approved air-purifying respirator as needed to control exposure. Consult with respirator manufacturer to determine respirator selection, use, and limitations. Use a positive pressure air supplied respirator for uncontrolled releases or when air purifying respirator limitations may be exceeded. Follow respiratory protection program requirements (OSHA 1910.134 and ANSI Z88.2) for all respirator use.

Other Equipment: Eyewash and safety shower.

Engineering Controls: Use process enclosures, local exhaust ventilation, or other engineering controls to control sources of dust or fumes.

Administrative Controls: Users of this product must be properly trained and qualified in its use.

Other Information: No food or beverage should be consumed in the work area. Wash thoroughly before eating, drinking, or smoking.

Section 9 Physical and Chemical Properties

Appearance/Physical State: Liquid paint in plastic bottle with metal ballpoint tip.

Odor: Paint-like

Odor Threshold (ppm): Not Determined

pH: Not applicable

Melting Point: Not Applicable

Boiling Point: 121 - 336°F/50 - 170°C

Vapor Pressure (mm Hg at 20°C): Approximately 12

Vapor Density (Air = 1): >1

Evaporation Rate (n-BuAc=1): Approximately 0.7

V.O.C.: 74 - 87%(w/w), 82 - 85%(v/v), 6.2 - 7.2

lbs./gal.(U.S.), 0.75 - 0.87 kg/l

Specific Gravity (H₂O = 1, @ 68°F/20°C): 1

Solubility in Water: Slight

Coefficient of Water/Oil Solubility: <1

Partition Coefficient (n-octanol/water): >1

Flash Point (method): (see Section 5)

Autoignition Temperature: (see Section 5)

Flammability Classification: (see Section 5)

Unusual Fire or Explosion Hazards: (see Section 5)

Oxidizing Properties: Not Applicable.

Other Information: None.

Note: The physical data represented above are typical values and should not be construed as a specification.

Section 10 Stability and Reactivity

Product Name: **Ball Paint Marker**
Revision #: 1.7 **Date Prepared:** January 18, 1995 **Date Revised:** November 6, 2002

Chemical Stability: Stable **Chemicals to Avoid:** Strong oxidizers
Hazardous Polymerization: Will Not Occur **Hazardous Decomposition Products (non-thermal):** Not determined
Conditions to Avoid: None known

Section 11 Toxicological Information

Sensitization to Product: Not Applicable. **Teratogenicity:** Not Applicable.
Irritancy of Product: Eyes, skin, respiratory tract. **Mutagenicity:** Not Applicable.
Reproductive Toxicity: Not Applicable.
Further hazard information, if applicable, may be found in Section 3. Toxicological information regarding individual ingredients, if applicable, may be found in Section 2.

Section 12 Ecological Information

Mobility: Not Determined. **Ecotoxicity:** Not Determined.
Degradability: Not Determined. **Other Adverse Effects:** Not Determined.
Accumulation: Not Determined.

Section 13 Disposal Considerations

Dispose of in accordance with all applicable regulations.

The conditions of handling, storage, and use of this product are beyond our control and may be beyond our knowledge. For this and other reasons, LA-CO Industries, Inc. does not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of this product.

Section 14 Transport Information

U.S. D.O.T.: Consumer Commodity ORM-D
International Maritime Organization (IMO): Exempt (<0.5 l/marker)
International Air Transport Association (IATA): Flammable liquids, n.o.s., UN No. 1993
International Civil Aviation Organization (ICAO): Flammable liquids, n.o.s., UN No. 1993
ADR: UN 1263; Class 3; Item 31(c); Hazard Identification No: 30. CEFIC Tremcard is not applicable.

Section 15 Regulatory Information

Footnotes for Section 2:

- 1 Subject to the reporting requirements of SARA Title III, Section 313.
- 2 Appears on the California Safe Drinking Water and Toxic Enforcement Act (Prop. 65) Substances List.
- 3 Appears on the Massachusetts Substances List.
- 4 Appears on the New Jersey Right-To-Know Hazardous Substances List.
- 5 Appears on the Pennsylvania Hazardous Substances List.
- 6 Appears on the Canadian WHMIS Ingredient Disclosure List.

U.S.A.

OSHA Hazard Status: This product is considered to be hazardous as defined by the U.S. OSHA HCS (29 CFR 1910.1200).

EPA SARA sec. 311/312 Hazard Categories: Immediate (Acute) Health Hazard, Fire Hazard
Toxic Substances Control Act (TSCA): All ingredients contained in this product are listed on the U.S. EPA TSCA Chemical Substance Inventory.

HMIS® Rating: Health 1, Flammability 3, Reactivity 0

NFPA® (704) Rating: Health 1, Flammability 3, Reactivity 0

Product Name:

Ball Paint Marker

Revision #: 1.7

Date Prepared: January 18, 1995

Date Revised: November 6, 2002

CANADA

WHMIS Status: This product is considered to be hazardous as defined by Canadian WHMIS Controlled Products Regulations.

WHMIS Rating: D1-B, B2

WHMIS Risk Phrases: None required on containers of 100 ml or less per CPR, Section 19(1)[a]-[d].

WHMIS Precautionary Statements: None required on containers of 100 ml or less per CPR, Section 19(1)[a]-[d].

Domestic Substances List (DSL): All ingredients contained in this product are listed on the Canadian EPA (CEPA) Domestic Substances List (DSL).

E.U.

European Inventory of Existing Chemical Substances (EINECS): All ingredients contained in this product are listed on the European Inventory of Existing Chemical Substances (EINECS).

Categories of Danger (Labeling Information): Harmful (Xn), Irritating (Xi)

Risk (R) Phrases: Not required per regulation 9(7) or 9(8) of CHIP.

Safety (S) Phrases: Not required per regulation 9(7) or 9(8) of CHIP.

AUSTRALIA

Worksafe Australia Status: This product is classified as hazardous according to criteria of Worksafe Australia.

HAZCHEM Code: Not determined

Poisons Schedule Number: Not determined

Further regulatory information regarding individual ingredients, if applicable, may be found in Section 2.

This product has been classified in accordance with the hazard criteria of the U.S. OSHA Hazard Communication Standard, the Canadian WHMIS Controlled Products Regulations, the British CHIP2 regulation 6, and the Australian NMRCWHS. This MSDS contains the information required by the above regulations and conforms to ANSI Z400.1-1993.

Section 16

Other Information

HMIS is a registered trademark of the National Paint and Coatings Association.

NFPA is a registered trademark of the National Fire Protection Association.

MSDS Prepared By: Director of Chemical Safety

The information contained herein is based on data available to us and is accurate and reliable to the best of our knowledge and belief. However, LA-CO Industries, Inc. makes no representations as to its completeness or accuracy. Information is supplied on condition that persons receiving such information will make their own determination as to its suitability for their purposes prior to use. In no event will LA-CO Industries, Inc. be responsible for damages of any nature whatsoever resulting from the use of or reliance upon the information contained herein.