




# EXPLORER CASES

by GT LINE



MADE IN ITALY



*dal Leader Europeo nella  
produzione di Valigie Tecniche*

[www.explorercases.com](http://www.explorercases.com)





**100% ABSOLUTE  
GUARANTEED  
FOREVER  
PROTECTION**

A true  
**EXPLORER** *Life*<sup>™</sup>  
ARCTIC 2004  
PH. LOUISE MURRAY

# ARCTIC



- Optional shoulder strap available (see pg. 18 for details)

- 1908.B E  (empty) 1908.B  (w/foam)
- 1908.O E  (empty) 1908.O  (w/foam)
- 1908.G E  (empty) 1908.G  (w/foam)

**Int. dim.:** 190x125x85 (20+65) mm  
7 1/2 x 4 15/16 x 3 3/8 (13/16 + 2 9/16) in.  
**Ext. dim.:** 216x180x102 mm - 8 1/2 x 7 1/16 x 4 in.  
**Weight:** (empty) 0,70 Kg - 1.54 Lbs  
(w/foam) 0,80 Kg - 1.76 Lbs  
**Volume:** (litres) 2,0 - (gallons) 0.52  
**Buoyancy:** (Kg.max\*) 1,4 - (Lbs/max\*) 3.08



- Optional shoulder strap available (see pg. 18 for details)

- 1913.B E  (empty) 1913.B  (w/foam)
- 1913.O E  (empty) 1913.O  (w/foam)
- 1913.G E  (empty) 1913.G  (w/foam)

**Int. dim.:** 190x125x135 (20+115) mm  
7 1/2 x 4 15/16 x 5 5/16 (13/16 + 4 1/2) in.  
**Ext. dim.:** 216x180x152 mm - 8 1/2 x 7 1/16 x 6 in.  
**Weight:** (empty) 0,85 Kg - 1.87 Lbs  
(w/foam) 0,92 Kg - 2.02 Lbs  
**Volume:** (litres) 3,2 - (gallons) 0.79  
**Buoyancy:** (Kg.max\*) 2,4 - (Lbs/max\*) 5.29

# BUILT STRONGER TO LAST LONGER



**Explorer Cases** are the first of their kind to be manufactured in Europe, indeed their clean lines and good looks reflect their Italian heritage. We have produced a range of virtually indestructible durable waterproof cases providing a solution for any equipment requiring a high level of protection. Applications range from Military and Aerospace to Computer and Equipment cases while their **dust and waterproof qualities** offer absolute protection making them ideal for use in the harshest environment.

The **Explorer Cases** have been subjected to a series of controlled laboratory tests to prove their suitability for use in the most extreme and hazardous applications and ensure that they meet the exacting standards of: **IP67 Dustproof - Waterproof; Defence Standard 81-41 Level J; STANAG 4280 (edition 2);** Conformity with the Directive 2002/95/EC.



- Optional shoulder strap available (see pg. 18 for details)

2209.B E  (empty) 2209.B  (w/foam)

2209.O E  (empty) 2209.O  (w/foam)

2209.G E  (empty) 2209.G  (w/foam)

**Int. dim.:** 220x160x95 (20+75) mm

8 11/16 x 6 5/16 x 3 3/4 (13/16 + 2 15/16) in.

**Ext. dim.:** 246x215x112 mm - 9 11/16 x 8 7/16 x 4 7/16 in.

**Weight:** (empty) 0,88 Kg - 1.94 Lbs

(w/foam) 0,99 Kg - 2.18 Lbs

**Volume:** (litres) 3,3 - (gallons) 0.79

**Buoyancy:** (Kg.max\*) 2,3 - (Lbs/max\*) 5.07



- Optional shoulder strap available (see pg. 18 for details)

2214.B E  (empty) 2214.B  (w/foam)

2214.O E  (empty) 2214.O  (w/foam)

2214.G E  (empty) 2214.G  (w/foam)

**Int. dim.:** 220x160x145 (20+125) mm

8 11/16 x 6 5/16 x 5 11/16 (13/16 + 4 15/16) in.

**Ext. dim.:** 246x215x162 mm - 9 11/16 x 8 7/16 x 6 3/8 in.

**Weight:** (empty) 1,16 Kg - 2.56 Lbs

(w/foam) 1,29 Kg - 2.84 Lbs

**Volume:** (litres) 5,1 - (gallons) 1.32

**Buoyancy:** (Kg.max\*) 3,9 - (Lbs/max\*) 8.59



- Lid can be set to slide-off (see pg. 15 for details)

Counterbalance supports



2712.B E  (empty) 2712.B  (w/foam)

2712.O E  (empty) 2712.O  (w/foam)

2712.G E  (empty) 2712.G  (w/foam)

**Int. dim.:** 276x200x120 (35+85) mm

10 7/8 x 7 7/8 x 4 3/4 (1 3/8 + 3 3/8) in.

**Ext. dim.:** 305x270x144 mm - 12 x 10 5/8 x 5 11/16 in.

**Weight:** (empty) 1,62 Kg - 3.57 Lbs

(w/foam) 1,83 Kg - 4.03 Lbs

**Volume:** (litres) 6,6 - (gallons) 1.58

**Buoyancy:** (Kg.max\*) 4,2 - (Lbs/max\*) 9.25

# OUR SUPERIOR FEATURES:

- Stronger case grants better protection of the interior
- Resistant to chemicals, water, humidity, dust
- Resistant to harsh temperatures
- Jam-free purge valve and latches
- Recommended for professional applications
- 100% made in Italy: Italian design and proven functionality
- First to achieve the new military standard qualifications
- Recognized as the most versatile case to customize
- Widest choice of accessories to customize your experience
- Incorporate a number of patented innovations



More information on [www.explorercases.com](http://www.explorercases.com)



- Lid can be set to slide-off (see pg. 15 for details)  
- Counterbalance supports keep the case upright when the lid is open



Counterbalance supports

2717.B E  (empty) 2717.B  (w/foam)

2717.O E  (empty) 2717.O  (w/foam)

2717.G E  (empty) 2717.G  (w/foam)

**Int. dim.:** 276x200x170 (35+135) mm  
10 7/8 x 7 7/8 x 6 11/16 (1 3/8 + 5 5/16) in.

**Ext. dim.:** 305x270x194 mm - 12 x 10 5/8 x 7 5/8 in.


**Weight:** (empty) 1,93 Kg - 4.25 Lbs  
(w/foam) 2,12 Kg - 4.67 Lbs

**Volume:** (litres) 9,3 - (gallons) 2.37

**Buoyancy:** (Kg.max\*) 6,7 - (Lbs/max\*) 14.77



- Lid can be set to slide-off (see pg. 15 for details)  
- Counterbalance supports keep the case upright when the lid is open



Counterbalance supports

3317.B E  (empty) 3317.B  (w/foam)

3317.O E  (empty) 3317.O  (w/foam)

3317.G E  (empty) 3317.G  (w/foam)

**Int. dim.:** 330x234x170 (68+102) mm  
13 x 9 3/16 x 6 11/16 (2 11/16 + 4) in.

**Ext. dim.:** 360x304x194 mm - 14 3/16 x 11 15/16 x 7 5/8 in.

**Weight:** (empty) 2,29 Kg - 5.04 Lbs  
(w/foam) 2,51 Kg - 5.53 Lbs

**Volume:** (litres) 13,1 - (gallons) 3.43

**Buoyancy:** (Kg.max\*) 7,0 - (Lbs/max\*) 15.43



- Counterbalance supports keep the case upright when the lid is open

3818.B E  (empty) 3818.B  (w/foam)

3818.O E  (empty) 3818.O  (w/foam)

3818.G E  (empty) 3818.G  (w/foam)

**Int. dim.:** 380x270x180 (45+135) mm  
14 15/16 x 10 5/8 x 7 1/16 (1 3/4 + 5 5/16) in.

**Ext. dim.:** 410x340x205 mm - 16 1/8 x 13 3/8 x 8 1/16 in.


**Weight:** (empty) 3,14 Kg - 6.92 Lbs  
(w/foam) 3,58 Kg - 7.89 Lbs

**Volume:** (litres) 18,4 - (gallons) 4.75

**Buoyancy:** (Kg.max\*) 12,4 - (Lbs/max\*) 27.33



- Lid can be set to slide-off (see pg. 15 for details)
- Optional shoulder strap available (see pg. 18 for details)
- Soft grip rubber handle



Counterbalance supports

- |          |                                     |                  |          |                                     |                  |
|----------|-------------------------------------|------------------|----------|-------------------------------------|------------------|
| 4412.B E | <input type="checkbox"/>            | (empty)          | 4412.B   | <input checked="" type="checkbox"/> | (w/foam)         |
| 4412.O E | <input type="checkbox"/>            | (empty)          | 4412.O   | <input checked="" type="checkbox"/> | (w/foam)         |
| 4412.G E | <input type="checkbox"/>            | (empty)          | 4412.G   | <input checked="" type="checkbox"/> | (w/foam)         |
| 4412.B C | <input checked="" type="checkbox"/> | (w/computer bag) | 4412.G C | <input checked="" type="checkbox"/> | (w/computer bag) |

**Int. dim.:** 445x345x125 (47+78) mm  
17 1/2 x 13 9/16 x 4 15/16 (1 7/8 + 3 1/16) in.  
**Ext. dim.:** 474x415x149 mm - 18 11/16 x 16 5/16 x 5 7/8 in.  
**Weight:** (empty) 3,40 Kg - 7.49 Lbs  
(w/foam) 3,90 Kg - 8.59 Lbs  
**Volume:** (litres) 19,2 - (gallons) 5.01  
**Buoyancy:** (Kg.max\*) 10,7 - (Lbs/max\*) 23.58

### BAG-PC44



- 4412.B C and 4412.G C models include:**
- computer bag with shoulder strap (mod. BAG-PC44)
  - organized lid panel (mod. PANEXPL44)
  - shoulder strap attachment metal pins kit to fix the shoulder strap on the case (SHOULDER KIT.U)



Shoulder strap can be attached either to the case or the computer bag.

### 4412.B C



A true  
**EXPLORER**  
*Life*<sup>™</sup>  
SHARKPROJECT 2004  
SOUTH AFRICA

**100% ABSOLUTE  
GUARANTEED  
FOREVER  
PROTECTION**



## OUR FULL WARRANTY

"We want you to count on Explorer Cases as the most reliable resource to carry your valuable equipment in the harshest environments. That's why you can count FOREVER on our cases warranty against breakage of materials and defects on workmanship that could affect the integrity of what you carry inside. After all, it is not by coincidence that all of our unbreakable cases have met the most rigorous military standard qualifications and are now so popular in extreme environments, no matter what human being, animal or fish you come across in your life journey."

See full details on [www.explorercases.com](http://www.explorercases.com)

CRUSH



- Lid can be set to slide-off (see pg. 15 for details)
- Optional shoulder strap available (see pg. 18 for details)
- Soft grip rubber handle

4419.B E  (empty) 4419.B  (w/foam)  
4419.O E  (empty) 4419.O  (w/foam)  
4419.G E  (empty) 4419.G  (w/foam)

**Int. dim.:** 445x345x190 (47+143) mm  
17 1/2 x 13 9/16 x 7 1/2 (1 7/8 + 5 5/8) in.  
**Ext. dim.:** 474x415x214 mm - 18 11/16 x 16 5/16 x 8 7/16 in.  
**Weight:** (empty) 4,00 Kg - 8.81 Lbs  
(w/foam) 4,70 Kg - 10.36 Lbs  
**Volume:** (litres) 29,2 - (gallons) 7.66  
**Buoyancy:** (Kg.max\*) 19,7 - (Lbs/max\*) 43.43



4820.B E  (empty) 4820.B  (w/foam)  
 4820.O E  (empty) 4820.O  (w/foam)  
 4820.G E  (empty) 4820.G  (w/foam)

**Int. dim.:** 480x370x205 (50+155) mm  
 18 7/8 x 14 9/16 x 8 1/16 (1 15/16 + x6 1/8) in.  
**Ext. dim.:** 520x435x230 mm - 20 1/2 x 17 1/8 x 9 1/16 in.  
**Weight:** (empty) 4,64 Kg - 10.22 Lbs  
 (w/foam) 5,40 Kg - 11.90 Lbs  
**Volume:** (litres) 35,5 - (gallons) 9.24  
**Buoyancy:** (Kg.max\*) 24,7 - (Lbs/max\*) 54.45

## BAG-PC48

Splittable, padded PC and divider bag. It is the ideal solution for carrying and protecting both computer (17" size) and photographic equipment. Adjustable shoulder belt is included. This optional bag perfectly fits into the 4820 model case.



- Lid can be set to slide-off (see pg. 15 for details)
- Optional shoulder strap available (see pg. 18 for details)
- Soft grip rubber handle

5117.B E  (empty) 5117.B  (w/foam)  
 5117.O E  (empty) 5117.O  (w/foam)  
 5117.G E  (empty) 5117.G  (w/foam)

**Int. dim.:** 517x277x173 (50+123) mm  
 20 3/8 x 10 7/8 x 6 13/16 (1 15/16 + 4 13/16) in.  
**Ext. dim.:** 546x347x197 mm - 21 1/2 x 13 11/16 x 7 3/4 in.  
**Weight:** (empty) 3,80 Kg - 8.37 Lbs  
 (w/foam) 4,50 Kg - 9.92 Lbs  
**Volume:** (litres) 24,7 - (gallons) 6.34  
**Buoyancy:** (Kg.max\*) 15,8 - (Lbs/max\*) 34.83



- Lid can be set to slide-off (see pg. 15 for details)
- Soft grip rubber handle

5122.B E  (empty) 5122.B  (w/foam)  
 5122.O E  (empty) 5122.O  (w/foam)  
 5122.G E  (empty) 5122.G  (w/foam)

**Int. dim.:** 517x277x217 (50+167) mm  
 20 3/8 x 10 7/8 x 8 9/16 (1 15/16 + 6 9/16) in.  
**Ext. dim.:** 546x347x247 mm - 21 1/2 x 13 11/16 x 9 3/4 in.  
**Weight:** (empty) 6,00 Kg - 13.22 Lbs  
 (w/foam) 7,00 Kg - 15.43 Lbs  
**Volume:** (litres) 31,0 - (gallons) 8.18  
**Buoyancy:** (Kg.max\*) 21,5 - (Lbs/max\*) 47.39



Easy to open release telescopic handle

Wheels with bearings



- Side handles

5822.B E  (empty) 5822.B  (w/foam)  
 5822.O E  (empty) 5822.O  (w/foam)  
 5822.G E  (empty) 5822.G  (w/foam)

**Int. dim.:** 580x440x220 (60+160) mm  
 22 13/16 x 17 5/16 x 8 11/16 (2 3/8 + 6 5/16) in.  
**Ext. dim.:** 650x510x242 mm - 25 9/16 x 20 1/16 x 9 1/2 in.  
**Weight:** (empty) 7,16 Kg - 15.78 Lbs  
 (w/foam) 8,39 Kg - 18.49 Lbs  
**Volume:** (litres) 56,1 - (gallons) 14.79  
**Buoyancy:** (Kg.max\*) 36,7 - (Lbs/max\*) 80.90



- Side handles  
 - Wheels and telescopic handle

5823.B E  (empty) 5823.B  (w/foam)  
 5823.O E  (empty) 5823.O  (w/foam)  
 5823.G E  (empty) 5823.G  (w/foam)

**Int. dim.:** 580x440x220 (60+160) mm  
 22 13/16x17 5/16x8 11/16 (2 3/8+6 5/16) in.  
**Ext. dim.:** 670x510x262 mm - 26 3/8x20 1/16x10 5/16 in.  
**Weight:** (empty) 9,17 Kg - 20.21 Lbs  
 (w/foam) 10,40 Kg - 22.92 Lbs  
**Volume:** (litres) 56,1 - (gallons) 14.79  
**Buoyancy:** (Kg.max\*) 36,7 - (Lbs/max\*) 80.90




Telescopic handle with quick and safe lock/unlock system

5833.B E  (empty) 5833.B  (w/foam)  
 5833.O E  (empty) 5833.O  (w/foam)  
 5833.G E  (empty) 5833.G  (w/foam)

**Int. dim.:** 580x440x330 (60+270) mm  
 22 13/16x17 5/16x13 (2 3/8+10 5/8) in.  
**Ext. dim.:** 670x510x372 mm - 26 3/8x20 1/16x14 5/8 in.  
**Weight:** (empty) 10,45 Kg - 23.03 Lbs  
 (w/foam) 12,56 Kg - 27.69 Lbs  
**Volume:** (litres) 84,2 - (gallons) 22.19  
**Buoyancy:** (Kg.max\*) 62,0 - (Lbs/max\*) 136.68

- Side handles  
 - Wheels and telescopic handle



Self-oiling free running wheels



**ABSOLUTE  
GUARANTEED  
FOREVER  
PROTECTION**



A true **EXPLORER** Life™  
LISBOA-DAKAR 2007 RALLY



- Side handles
- Wheels
- Large front handle
- Retractable handle

- 7630.B E □ (empty)    7630.B ■ (w/foam)
- 7630.O E □ (empty)    7630.O ■ (w/foam)
- 7630.G E □ (empty)    7630.G ■ (w/foam)

**Int. dim.:** 765x485x305 (60+245) mm  
30 1/8 x 19 1/8 x 12 (2 3/8 + 9 5/8) in.  
**Ext. dim.:** 860x560x330 mm - 33 7/8 x 22 1/16 x 13 in.  
**Weight:** (empty) 11,20 Kg - 24.69 Lbs  
(w/foam) 14,03 Kg - 30.93 Lbs  
**Volume:** (litres) 113,1 - (gallons) 29.85  
**Buoyancy:** (Kg.max\*) 81,8 - (Lbs/max\*) 180.33



Spring loaded retractable handle



Self-oiling free running wheels



**100% ABSOLUTE  
GUARANTEED  
FOREVER  
PROTECTION**

A true **EXPLORER** Life™

GERMAN NAVY COMBAT DIVERS.  
UNIFIL OPERATION - LEBANON 2007



- Side handles
- Wheels

- 7641.B E**  (empty) **7641.B**  (w/foam)
- 7641.O E**  (empty) **7641.O**  (w/foam)
- 7641.G E**  (empty) **7641.G**  (w/foam)

**Int. dim.:** 765x485x415 (60+355) mm  
30 1/8 x 19 1/8 x 16 5/16 (2 3/8 + 14) in.

**Ext. dim.:** 860x560x435 mm - 33 7/8 x 22 1/16 x 17 1/8 in.

**Weight:** (empty) 12,07 Kg - 26.60 Lbs  
(w/foam) 15,92 Kg - 35.09 Lbs

**Volume:** (litres) 153,9 - (gallons) 40.41

**Buoyancy:** (Kg.max\*) 118,5 - (Lbs/max\*) 261.24



Self-oiling free running wheels



Two man lift side handles



- Side handles
- Wheels
- Large front handle
- Optional shoulder strap available (see pg. 18 for details)



Wheels with bearings



Two man lift side handles



Two 3-digits locks (only on **11413.B E DL** and **11413.B DL mod.**)  
**THE ONLY WATERPROOF CASE WITH BUILT-IN DIGIT LOCKS!**

- 11413.B E** □ (empty)    **11413.B** ■ (w/foam)  
**11413.G E** □ (empty)    **11413.G** ■ (w/foam)  
**11413.B E DL** □ (empty + two 3-digits locks)  
**11413.B DL** ■ (w/foam + two 3-digits locks)

**Int. dim.:** 1136x350x135 (42+93) mm  
 44 3/4 x 13 3/4 x 5 5/16 (1 5/8 + 3 11/16) in.  
**Ext. dim.:** 1189x415x159 mm - 46 13/16 x 16 5/16 x 6 1/4 in.  
**Weight:** (empty) 7,80 Kg - 17.19 Lbs  
 (w/foam) 8,80 Kg - 19.40 Lbs  
**Volume:** (litres) 53,7 - (gallons) 14.18  
**Buoyancy:** (Kg.max\*) 33,3 - (Lbs/max\*) 73.41



- Side handles
- Wheels
- Large front handle
- Optional shoulder strap available (see pg. 18 for details)



Two man lift side handles



Wheels with bearings



Two 3-digits locks (only on **13513.B E DL** and **13513.B DL** models)

**THE ONLY WATERPROOF CASE WITH BUILT-IN DIGIT LOCKS!**

- 13513.B E** □ (empty)    **13513.B** ■ (w/foam)  
**13513.G E** □ (empty)    **13513.G** ■ (w/foam)  
**13513.B E DL** □ (empty + two 3-digits locks)  
**13513.B DL** ■ (w/foam + two 3-digits locks)

**Int. dim.:** 1350x350x135 (42+93) mm  
 53 1/8 x 13 3/4 x 5 5/16 (1 5/8 + 3 11/16) in.  
**Ext. dim.:** 1410x415x159 mm - 55 1/2 x 16 5/16 x 6 1/4 in.  
**Weight:** (empty) 8,70 Kg - 19.18 Lbs  
 (w/foam) 9,95 Kg - 21.93 Lbs  
**Volume:** (litres) 63,7 - (gallons) 16.82  
**Buoyancy:** (Kg.max\*) 39,5 - (Lbs/max\*) 87.08



- Side handles
- Wheels
- Large front handle

Two 3-digits locks (only on **13527.B E DL** and **13527.B DL** models)



**THE ONLY WATERPROOF CASE WITH BUILT-IN DIGIT LOCKS!**



6 Wheels with bearings



Two man lift side handles

- 13527.B E** □ (empty)    **13527.B** ■ (w/foam)  
**13527.G E** □ (empty)    **13527.G** ■ (w/foam)  
**13527.B E DL** □ (empty + two 3-digits locks)  
**13527.B DL** ■ (w/foam + two 3-digits locks)

**Int. dim.:** 1350x350x272 (42+230) mm  
 53 1/8 x 13 3/4 x 10 11/16 (1 5/8 + 9 1/16) in.  
**Ext. dim.:** 1430x415x296 mm - 56 5/16 x 16 5/16 x 11 5/8 in.  
**Weight:** (empty) 11,70 Kg - 25.79 Lbs  
 (w/foam) 14,90 Kg - 32.84 Lbs  
**Volume:** (litres) 128,5 - (gallons) 33.94  
**Buoyancy:** (Kg.max\*) 97,5 - (Lbs/max\*) 214.95



# The Biggest Waterproof Case on the Market



- Detachable lid for easier access
- Four self-oiling free running heavy duty wheels
- Folding side handles on both shells
- Two man lift large folding side handles

- 10840.B E  (black empty)
- 10840.G E  (military green empty)
- 10840.B  (black w/foam)
- 10840.G  (military green w/foam)

- 10840.B E DL  (black empty + four 3-digits locks)
- 10840.B DL  (black w/foam + four 3-digits locks)

THE ONLY WATERPROOF CASE WITH BUILT-IN DIGIT LOCKS!




Four 3-digits locks (only on 10840.B E DL, 10840.B DL, 10840.B D1 DL and 10840.B D2 DL models)









**Int. dim.:** 1080x620x400 (200+200) mm  
42 1/2 x 24 7/16 x 15 3/4 (7 7/8 x 7 7/8) in.  
**Ext. dim.:** 1178x718x427 mm - 46 3/8 x 28 1/4 x 16 13/16 in.  
**Weight:** (empty) 19,80 Kg - 43.65 Lbs  
(w/foam) 26,30 Kg - 57.32 Lbs  
**Volume:** (litres) 260 - (gallons) 68.68  
**Buoyancy:** (Kg.max\*) 120,6 - (Lbs/max\*) 265.87

Optional - Art. PANDIV.18040.  
To hold the lid foam content steady in place. The kit includes: 1 alveolar polypropylene sheet, 4 velcro straps, 8 metal loops, and fixing hardware.



10840.B

# MULTI-WEAPONS RACKING SYSTEM CONFIGURATIONS

- 10840.B D1  (multi weapons case - black w/humidity indicator)
- 10840.G D1  (multi weapons case - mil. green w/humidity indicator)
- 10840.B D1 DL  (multi weapons case - black w/humidity indicator + four 3-digits locks)
- 10840.B D2  (multi weapons case - black)
- 10840.G D2  (multi weapons case - military green)
- 10840.B D2 DL  (multi weapons case - black + four 3-digits locks)

All cases mentioned above are set with internal pre-shaped foam bedding and metal lock bars for the 6+6 most used weapons, such as: G36, MP5, M4, M16, AR 70/90 guns models\*.


**OTHER WEAPONS RACKING SYSTEM CONFIGURATIONS ARE AVAILABLE**



**PROTECT YOUR EQUIPMENT FROM DAMAGES CAUSED BY HUMIDITY!**


**HUMIDITY INDICATOR**  
(only on 10840.B D1, 10840.G D1 and 10840.B D1 DL models).

Humidity indicators have a color change **replaceable** card which turns from blue to lavender to pink as the humidity increases.  
**HUMIDITY INDICATOR CARD** (Art. 055.211)



New metal bracket (Art. EX.METALPLATE) to secure the whole case or the single shell to the wall in order to create a permanent or mobile armoury. Can also be used in special vehicles configurations or deployed in the field.  
The multy weapons case (or both open shells separately) is hanged to the metal bracket by mean of its upper external handle, therefore easy to be applied and removed.

\* All mentioned trademarks and brands are the property of their respective owners



# THE RANGE

The **Explorer Cases** are available in several different sizes with three standard colours and two standard configurations. Special colours are available on request from reasonable quantity. It is possible to personalize the interiors into various configurations; the clean internal lines provide the ideal case for foam converters and custom foam fitting and the pre cubed foam allows the user to tailor the insert to their own individual requirement. In addition the cases are moulded with location points offering the easy insertion of special supports for panel mounting, panel rings, to easily create your customized solution.



# CERTIFICATIONS

- IP67 Waterproof, dustproof
- Defence Standard 81-41 Level J
- STANAG 4280 (edition 2)
- Conformity with the Directive 2002/95/EC

Certificates available for download on [www.explorercases.com](http://www.explorercases.com)



**ADDITIONAL FIXING POINTS ON THE LID AVAILABLE ON CERTAIN MODELS**

**CORROSION PROOF METAL HINGES WITH LID STAY FEATURE**

**JAM FREE LATCHES WITH USER-FRIENDLY LEVERAGE OPENING MECHANISM (from model 3818 on)**

**ALL CASES ARE PROVIDED WITH SEALING O-RING (Art. NEOSEAL + item nr.)**

**ALL CASES ARE PROVIDED WITH INTERNAL SLOTS FOR OPTIONAL PANEL MOUNTING BRACKETS OR PANEL MOUNTING RINGS**

**THICKER STRUCTURAL FOAM POLYPROPYLENE WALLS GUARANTEE SUPERIOR PERFORMANCE IN EXTREME ENVIRONMENTS**

**EXCLUSIVE PP BASED INJECTION MOLDED BODY GRANTS SUPERIOR RESISTANCE**

**LOAD TESTED HANDLES REINFORCED WITH CORROSION PROOF STEEL PINS**

**PVC WATERPROOF I.D. REMOVABLE LABEL (Art. LABELCOVER + item nr.)**

**REINFORCED CORNERS**

**POSITIVE STACKING LOCATION**

**MANUAL PRESSURE RELEASE VALVE. THE INTERNAL STOP RING PREVENTS VALVE FROM BEING COMPLETELY EXTRACTED (Art. PURGEVALVE.B)**

**BY RELEASING THE SCREW LID BECOMES SET TO SLIDE OFF WHEN OPENED AT 70° (available on 2712, 2717, 3317, 4412, 4419, 5117, 5122 models)**

**STANDARD MODELS AVAILABLE EMPTY OR WITH LAYERS OF PRECUBED FOAM IN THE BOTTOM AND CONVOLUTED FOAM IN THE LID. CUSTOM FOAMS AVAILABLE ON DEMAND**

- WATERTIGHT
- INTERSTACKABLE
- HIGH THICKNESS BODY MATERIAL
- CORROSIONPROOF
- TEMP RATING -33°C/+90°C
- SAND & DUST PROOF
- SHOCKPROOF
- CRUSHPROOF
- DESIGNED FOR MILITARY USE
- AIRTIGHT
- STAINLESS TREATED METAL PARTS
- PADLOCKABLE
- 100% ABSOLUTE GUARANTEED FOREVER PROTECTION

# PADDED BAGS and DIVIDERS

A complete set of removable padded bags with handles, internal adjustable dividers and lid panels with pouches available on demand in most of the models. They protect and transport any kind of sensitive equipment and thanks to their modularity, they can be easily combined according to the table on the left.



**BAG-R**  
Ext. Dim. (AxBxC) 270x195x80 mm.



**BAG-S**  
Ext. Dim. (AxBxC) 270x195x130 mm.



**BAG-T**  
Ext. Dim. (AxBxC) 325x230x95 mm.



**BAG-E**  
Ext. Dim. (AxBxC) 375x265x140 mm.



**BAG-PC44**  
Ext. Dim. (AxBxC) 450x345x55 mm.



**BAG-A**  
Ext. Dim. (AxBxC) 450x350x125 mm.



**BAG-F**  
Ext. Dim. (AxBxC) 475x365x160 mm.



**BAG-PC48**  
Ext. Dim. (AxBxC) 475x365x170 mm.



**BAG-B**  
Ext. Dim. (AxBxC) 530x285x135 mm.



**BAG-G**  
Ext. Dim. (AxBxC) 435x285x165 mm.



**DIV-H**  
Ext. Dim. (AxBxC) 435x285x270 mm.



**DIV-I**  
Ext. Dim. (AxBxC) 435x285x110 mm.



**BAG-L**  
Ext. Dim. (AxBxC) 380x240x240 mm.



**BAG-M**  
Ext. Dim. (AxBxC) 755x240x245 mm.



**DIV-N**  
Ext. Dim. (AxBxC) 485x382x240 mm.




**BAG-O**  
Ext. Dim. (AxBxC) 382x242x355 mm.



**BAG-P**  
Ext. Dim. (AxBxC) 755x240x350 mm.




**DIV-Q**  
Ext. Dim. (AxBxC) 485x382x350 mm.




# PANELS



**PANEXPL27**  
Dim. 255x180 mm.




**PANEXPL33**  
Dim. 310x215 mm.



**PANEXPL38**  
Dim. 375x225 mm.



**PANEXPL44**  
Dim. 425x305 mm.



**PANEXPL48**  
Dim. 475x325 mm.






# BACKPACK CARRYING SYSTEM

Handy backpack carrying system made from robust tear-resistant fabric and designed with comfortable padded shoulder straps that leave your hands free. Available in two adjustable sizes (M & L) that fit from 3317 to 4820 models.

CASE	PANELS	BAGS AND DIVIDERS			
2712	PANEXPL27	R			
2717	PANEXPL27	S			
3317	PANEXPL33	T			
3818	PANEXPL38	E			
4412	PANEXPL44	PC44			
4419	PANEXPL44	A			
4820	PANEXPL48	F	PC48		
5117	PANEXPL51	B			
5122	PANEXPL51	B			
5822	PANEXPL58	GG			
5823	PANEXPL58	GG			
5833	PANEXPL58	GG II	HH II	GH II	
7630	PANEXPL76	LL LL	MM MM	NN NN	LL LN
7641	PANEXPL76	OO OO	PP PP	QQ QQ	OO OO



PANEXPL51  
Dim. 500x230 mm.



PANEXPL58  
Dim. 575x395 mm.



PANEXPL76  
Dim. 755x440 mm.

# MAIN FIELDS of APPLICATION



OFFSHORE INDUSTRY - MILITARY & POLICE - LAW ENFORCEMENT & SAFETY  
 OUTDOOR - SUBSEA - NAUTICAL & MARINE - FIRE & RESCUE  
 EMERGENCY - MEDICAL - PHOTOGRAPHIC - TV  
 BROADCASTING - MANUFACTURING INDUSTRY

## ACCESSORIES

For information on spare parts, visit <http://www.explorercases.com/spares>



PANEL MOUNTING RING  
 (Art. PANRING27, PANRING33,  
 PANRING38, PANRING27.USA,  
 PANRING33.USA, PANRING38.USA)



3-DIGITS LOCK  
 (Art. KIT.DL can fit only on 11413, 13513,  
 13527, 10840 DL models - includes 2 pcs.)




PANEL MOUNTING BRACKET  
 PLASTIC SUPPORT  
 (Art. KIT SUPP.PLAST. includes 6 pcs.)



PANEL MOUNTING BRACKET  
 METAL SUPPORT  
 (Art. KIT SUPP.EXPL. includes 6 pcs.)




SHOULDER STRAP KIT.  
 Available for 1908, 1913, 2209, 2214,  
 4412, 4419, 5117 models  
 (Art. SHOULDERKIT.U)  
 and for 11413, 13513 models  
 (Art. SHOULDERKIT.135)



LAYERS OF PRECUBED FOAM  
 FOR THE BOTTOM  
 (Art. FOAM. + item nr.) and  
 CONVOLUTED FOAM FOR THE LID  
 (Art. LIDFOAM. + item nr.)  
 includes 2 pcs.



PATENTED COMBINATION PADLOCK  
 (Art. EXPL COMBILOCK)



PATENTED HEAVY DUTY BRASS PADLOCK  
 (Art. EXPL PADLOCK)

The two Patented heavy duty brass padlocks are designed to fit snug to the Explorer case mould so as not to swing out and making it invulnerable from impacts and impossible for thieves to cut.



## OEM SOLUTIONS

Explorer Cases are a genuine Made in Italy product of GT Line, european leading company in the manufacturing of technical cases for industrial and commercial applications. Our flexible manufacturing process allows us to easily and efficiently make your OEM case in any special colour and to personalize and develop specific interiors to meet your requirements.



- Moulded High Impact Polypropylene
- Moulded integral lifting points on both ends
- Full length steel hinge pin to lid
- Positive grab over latching catches
- Trolley case integral wheels and hinge out pull handle
- Use in high/low temp environments
- Slide out clear ID Nameplate holder
- Large fold flat carry handle
- Padlocking provision
- Stacking location points
- Lightweight



WATER RESISTANT

Optional (Art. KIT TRAY MUB)  
Tray with removable divider for tools, instruments or spare parts. MUB78 can fit up to two trays.  
Elasticated bands for the tray also available (KIT03).

- MUB78  (black empty)
- MUB78.G E  (military green empty)
- MUB78.D E  (desert sand empty)

**Int. dim.:** 780x410x330 (50+280) mm  
30 11/16 x 16 1/8 x 13 (1 15/16 + 11) in.  
**Ext. dim.:** 807x470x345 mm - 31 3/4 x 18 1/2 x 13 9/16 in.  
**Weight:** (empty) 6,30 Kg - 13.88 Lbs  
**Volume:** (litres) 89 - (gallons) 23.51  
**Buoyancy:** (Kg.max\*) 80,5 - (Lbs/max\*) 177.47



- Easy action quick release "up&over" catches
- Two combination locks

**GUNCASE.B**  (w/convoluted foam)

**Int. dim.:** 420x925x120 (60+60) mm  
16 9/16 x 36 7/16 x 4 3/4 (2 3/8 + 2 3/8) in.  
**Ext. dim.:** 475x1078x157 mm - 18 11/16 x 42 7/16 x 6 3/16 in.  
**Weight:** (w/foam) 9 Kg - 1.94 Lbs



WATER RESISTANT




Free running wheels



Strong metal handle

# EXPLORER CASES TECHNICAL SPECIFICATION TABLE

CODES and COLOURS			INT.	REMOV.	WHEELS	INTERNAL DIMENSIONS (mm.)					EXT. DIMENSIONS (mm.)			WEIGHT	BUOYANCY	VOLUME
BLACK	ORANGE	GREEN	CONFIG.	LID		A	B	C	D	E	A	B	C	Kg.	*Kg.max	Litres
1908.B E	1908.O E	1908.G E	empty	---	---	190	125	85	20	65	216	180	102	0,70	1,4	2,0
1908.B	1908.O	1908.G	w/foam	---	---	190	125	85	20	65	216	180	102	0,80	---	---
1913.B E	1913.O E	1913.G E	empty	---	---	190	125	135	20	115	216	180	152	0,85	2,4	3,2
1913.B	1913.O	1913.G	w/foam	---	---	190	125	135	20	115	216	180	152	0,92	---	---
2209.B E	2209.O E	2209.G E	empty	---	---	220	160	95	20	75	246	215	112	0,88	2,3	3,3
2209.B	2209.O	2209.G	w/foam	---	---	220	160	95	20	75	246	215	112	0,99	---	---
2214.B E	2214.O E	2214.G E	empty	---	---	220	160	145	20	125	246	215	162	1,16	3,9	5,1
2214.B	2214.O	2214.G	w/foam	---	---	220	160	145	20	125	246	215	162	1,29	---	---
2712.B E	2712.O E	2712.G E	empty	YES	---	276	200	120	35	85	305	270	144	1,62	4,2	6,6
2712.B	2712.O	2712.G	w/foam	YES	---	276	200	120	35	85	305	270	144	1,83	---	---
2717.B E	2717.O E	2717.G E	empty	YES	---	276	200	170	35	135	305	270	194	1,93	6,7	9,3
2717.B	2717.O	2717.G	w/foam	YES	---	276	200	170	35	135	305	270	194	2,12	---	---
3317.B E	3317.O E	3317.G E	empty	YES	---	330	234	170	68	102	360	304	194	2,29	7,0	13,1
3317.B	3317.O	3317.G	w/foam	YES	---	330	234	170	68	102	360	304	194	2,51	---	---
3818.B E	3818.O E	3818.G E	empty	---	---	380	270	180	45	135	410	340	205	3,14	12,4	18,4
3818.B	3818.O	3818.G	w/foam	---	---	380	270	180	45	135	410	340	205	3,58	---	---
4412.B E	4412.O E	4412.G E	empty	YES	---	445	345	125	47	78	474	415	149	3,40	10,7	19,2
4412.B	4412.O	4412.G	w/foam	YES	---	445	345	125	47	78	474	415	149	3,90	---	---
4412.B C	-	4412.G C	computer case	YES	---	445	345	125	47	78	474	415	149	4,20	---	---
4419.B E	4419.O E	4419.G E	empty	YES	---	445	345	190	47	143	474	415	214	4,00	19,7	29,2
4419.B	4419.O	4419.G	w/foam	YES	---	445	345	190	47	143	474	415	214	4,70	---	---
4820.B E	4820.O E	4820.G E	empty	---	---	480	370	205	50	155	520	435	230	4,64	24,7	35,5
4820.B	4820.O	4820.G	w/foam	---	---	480	370	205	50	155	520	435	230	5,40	---	---
5117.B E	5117.O E	5117.G E	empty	YES	---	517	277	173	50	123	546	347	197	3,80	15,8	24,7
5117.B	5117.O	5117.G	w/foam	YES	---	517	277	173	50	123	546	347	197	4,50	---	---
5122.B E	5122.O E	5122.G E	empty	YES	YES	517	277	217	50	167**	546	347	247	6,00	21,5	31,0
5122.B	5122.O	5122.G	w/foam	YES	YES	517	277	217	50	167**	546	347	247	7,00	---	---
5822.B E	5822.O E	5822.G E	empty	---	---	580	440	220	60	160	650	510	242	7,16	36,7	56,1
5822.B	5822.O	5822.G	w/foam	---	---	580	440	220	60	160	650	510	242	8,39	---	---
5823.B E	5823.O E	5823.G E	empty	---	YES	580	440	220	60	160	670	510	262	9,17	36,7	56,1
5823.B	5823.O	5823.G	w/foam	---	YES	580	440	220	60	160	670	510	262	10,40	---	---
5833.B E	5833.O E	5833.G E	empty	---	YES	580	440	330	60	270	670	510	372	10,45	62,0	84,2
5833.B	5833.O	5833.G	w/foam	---	YES	580	440	330	60	270	670	510	372	12,56	---	---
7630.B E	7630.O E	7630.G E	empty	---	YES	765	485	305	60	245	860	560	330	11,20	81,8	113,1
7630.B	7630.O	7630.G	w/foam	---	YES	765	485	305	60	245	860	560	330	14,03	---	---
7641.B E	7641.O E	7641.G E	empty	---	YES	765	485	415	60	355	860	560	435	12,07	118,5	153,9
7641.B	7641.O	7641.G	w/foam	---	YES	765	485	415	60	355	860	560	435	15,92	---	---
10840.B E	-	10840.G E	empty	YES	YES	1080	620	400	200	200	1178	718	427	19,80	120,6	260
10840.B E DL	-	-	empty+lock	YES	YES	1080	620	400	200	200	1178	718	427	20,20	---	---
10840.B	-	10840.G	w/foam	YES	YES	1080	620	400	200	200	1178	718	427	26,30	120,6	260
10840.B DL	-	-	w/foam+lock	YES	YES	1080	620	400	200	200	1178	718	427	26,70	---	---
10840.B D1	-	10840.G D1	int #1	YES	YES	1080	620	400	200	200	1178	718	427	---	120,6	260
10840.B D1 DL	-	-	int #1+lock	YES	YES	1080	620	400	200	200	1178	718	427	---	---	---
10840.B D2	-	10840.G D2	int #2	YES	YES	1080	620	400	200	200	1178	718	427	---	120,6	260
10840.B D2 DL	-	-	int #2+lock	YES	YES	1080	620	400	200	200	1178	718	427	---	---	---
11413.BE	-	11413.GE	empty	---	YES	1136	350	135	42	93	1189	415	159	7,80	33,3	53,7
11413.B	-	11413.G	w/foam	---	YES	1136	350	135	42	93	1189	415	159	8,80	---	---
11413.BE DL	-	-	empty+lock	---	YES	1136	350	135	42	93	1189	415	159	8,00	33,3	53,7
11413.B DL	-	-	w/foam+lock	---	YES	1136	350	135	42	93	1189	415	159	9,00	---	---
13513.BE	-	13513.GE	empty	---	YES	1350	350	135	42	93	1410	415	159	8,70	39,5	63,7
13513.B	-	13513.G	w/foam	---	YES	1350	350	135	42	93	1410	415	159	9,95	---	---
13513.BE DL	-	-	empty+lock	---	YES	1350	350	135	42	93	1410	415	159	8,90	39,5	63,7
13513.B DL	-	-	w/foam+lock	---	YES	1350	350	135	42	93	1410	415	159	10,15	---	---
13527.BE	-	13527.GE	empty	---	YES	1350	350	272	42	230	1430	415	296	11,70	97,5	128,5
13527.B	-	13527.G	w/foam	---	YES	1350	350	272	42	230	1430	415	296	14,90	---	---
13527.BE DL	-	-	empty+lock	---	YES	1350	350	272	42	230	1430	415	296	11,90	97,5	128,5
13527.B DL	-	-	w/foam+lock	---	YES	1350	350	272	42	230	1430	415	296	15,10	---	---



\* Maximum weight capacity when contents are evenly distributed that maintains buoyancy level just below the lid closure line.

\*\* In models 5122, 5822, 5823 and 5833 the internal dimensions given are calculated on the deepest bottom area. However, the depth is shallower in places where allowance is made for the wheel wells and the telescopic handle well.

EXPLORER CASES by GT LINE s.r.l.

Via del Lavoro, 50/52 - 40056 Crespellano (Bo) - Italy - Tel. +39 051 65041 - Fax +39 051 734925  
www.explorercases.com - salesinternational@gtline.com



REG. N. 1594  
UNI EN ISO 9001:2000