




PART NO.

LV101M1EB-0813(E)

REVISIONS

ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
-	A	RELEASED	Kiran	18/04/09	Suresh	18/04/09	Farnell	04/05/09



Dimensions : Millimetres

L	13
ϕD	8
ϕd	0.6
α	1.5
β	0.5

Dimensions : Millimetres

This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. SPC MULTICOMP is the registered trademark of the Group. © Premier Farnell plc 2009.

TOLERANCES:

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:	DATE:
Shalini	18/04/09
CHECKED BY:	DATE:
Suresh	18/04/09
APPROVED BY:	DATE:
Farnell	04/05/09

DRAWING TITLE:

Capacitor - 1000 μ F

SIZE A	DWG NO. M10002133	ELECTRONIC FILE 71236_DWG	REV A
SCALE: NTS	U.O.M.: mm	SHEET: 1 OF 3	



PART NO.

LV101M1EB-0813(E)

REVISIONS

ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
-	A	RELEASED	Kiran	18/04/09	Suresh	18/04/09	Farnell	04/05/09

Item	Characteristic								
Operating Temperature Range	-40°C to +85°C								
Capacitance Tolerance	±20% (120Hz, 20°C)								
Capacitance	100µF								
Rated Voltage	25V dc								
Surge Voltage	32V dc								
Leakage Current (at 20°C)	I ≤50µA after 2 minutes								
Dissipation Factor (Tan δ at 120Hz, 20°C)	≤15% (120Hz, 20°C)								
Ripple Current (rms 120Hz)	170mA, 85°C								
Low Temperature Characteristics (at 120Hz)	<table border="1"> <thead> <tr> <th colspan="2">Rated Voltage</th> <th>25V</th> </tr> </thead> <tbody> <tr> <td rowspan="2">Impedance Ratio</td> <td>Z (-25°C) / Z (+20°C)</td> <td>3</td> </tr> <tr> <td>Z (-40°C) / Z (+20°C)</td> <td>6</td> </tr> </tbody> </table>	Rated Voltage		25V	Impedance Ratio	Z (-25°C) / Z (+20°C)	3	Z (-40°C) / Z (+20°C)	6
Rated Voltage		25V							
Impedance Ratio	Z (-25°C) / Z (+20°C)	3							
	Z (-40°C) / Z (+20°C)	6							
Load Life After 1000 Hours Application of Rated Voltage at 85°C, Capacitors Meet the Characteristics, Requirements Listed at Right.	<table border="1"> <tbody> <tr> <td>Leakage Current</td> <td>Initial specified value or less</td> </tr> <tr> <td>Capacitance Change</td> <td>Within ±20% of initial value</td> </tr> <tr> <td>Dissipation Factor</td> <td>Less than 200% of specified value</td> </tr> </tbody> </table>	Leakage Current	Initial specified value or less	Capacitance Change	Within ±20% of initial value	Dissipation Factor	Less than 200% of specified value		
Leakage Current	Initial specified value or less								
Capacitance Change	Within ±20% of initial value								
Dissipation Factor	Less than 200% of specified value								
Shelf Life	After leaving capacitors under no load at 85°C for 1000 hours and applying voltage they meet the specified value for load life characteristics listed above.								
Standards	Satisfies characteristics W of JISC 5141								

This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. SPC MULTICOMP is the registered trademark of the Group. © Premier Farnell plc 2009.

TOLERANCES:
UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:	DATE:
Kiran	18/04/09
CHECKED BY:	DATE:
Suresh	18/04/09
APPROVED BY:	DATE:
Farnell	04/05/09

DRAWING TITLE:

Capacitor - 1000µF

SIZE A	DWG NO. M10002133	ELECTRONIC FILE 71236_DWG	REV A
SCALE: NTS		U.O.M.: mm	SHEET: 2 OF 3



PART NO.

LV101M1EB-0813(E)

REVISIONS

ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
-	A	RELEASED	Kiran	18/04/09	Suresh	18/04/09	Farnell	04/05/09

Part Number Table

Description	Part Number
Capacitor, 100µF, 25V	LV101M1EB-0813(E)

<http://www.farnell.com>

<http://www.newark.com>

<http://www.cpc.co.uk>

This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. SPC MULTICOMP is the registered trademark of the Group. © Premier Farnell plc 2009.

TOLERANCES:

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:	DATE:
Kiran	18/04/09
CHECKED BY:	DATE:
Suresh	18/04/09
APPROVED BY:	DATE:
Farnell	04/05/09

DRAWING TITLE:

Capacitor - 1000µF

SIZE A	DWG NO. M10002133	ELECTRONIC FILE 71236_DWG	REV A
SCALE: NTS	U.O.M.: mm	SHEET: 3 OF 3	