



Viking - VK24B7X - 031945 - No
 (Family) (Model) (Part #) (In Stock)

Electrical Specifications


Operating Voltage:	24 Volts
Voltage Range:	12 - 28 Volts
Power Supply:	19.2 Watts
Line Current:	0.63 Amps
Locked Rotor Current	1.90 Amps
Nominal Speed:	4000 RPM

Mechanical Specifications

Dimensions:	5.0 x 5.0 x 1.6 in
Weight	15.9 oz
Max Airflow @ 0 in H ₂ O	33.0 CFM
Max Pressure @ 0 CFM	1.100 in H ₂ O
Noise	57.6 dBA



Mechanical Drawing





Blower Performance Curve

Blower Configuration Options

Viking **VK24B7X** / **031945** **No** 305 mm [12 inch] Leads
(Family) (Model) (Part #) (In Stock) (Features)

Blower Speed: 4000 RPM **Blower Bearings:** **Ball Bearings**
Blower Airflow Direction: Flow R (CCW Rotation) **Blower Termination:** **Leads**

Blower Monitoring Options: **Open Collector Tachometer Output**

Blower Speed Control Option: **No ThermaPro-V Blower Speed Control Options Selected**

Environmental Protection Options: **No Enviroshield Options Selected**

Comair Rotron, Inc.
Phone: 858.348.6200
sales@comairrotron.com

Comair Rotron Europe, Ltd.
Phone: +44.1527.520525
saleseurope@comairrotron.com

Comair Rotron Fan Company Ltd.
Phone: +86.21.52260581
salesasia@comairrotron.com

Print Date: Friday, November 30, 2007 at 03:44:35 - DC Blower Datasheet - Web Version 1.0 Rev. B



Accessories [\(Click on part number for detailed drawing.\)](#)

557216

Finger Guard



Comair Rotron, Inc.
Phone: 858.348.6200
sales@comairrotron.com

Comair Rotron Europe, Ltd.
Phone: +44.1527.520525
saleseurope@comairrotron.com

Comair Rotron Fan Company Ltd.
Phone: +86.21.52260581
salesasia@comairrotron.com

Print Date: Friday, November 30, 2007 at 03:44:35 - DC Blower Datasheet - Web Version 1.0 Rev. B