


HAND CRIMPING TOOLS

(WITHOUT CONTROLLED CALIBRATING DEVICES)

ALL RATCHET CONTROLLED TOOLS CAN BE RECALIBRATED IN ACCORDANCE WITH THE DIRECTIVES OF BS EN ISO 9000 PROCEDURES AND WILL COMPLY WITH MOST INTERNATIONAL STANDARDS,



DHCR 15-KS	General Laminated Triple Jaw Crimping Tool suitable for insulated terminals .25 to 6 sq.mm for automotive maintenance and contracting applications.
DHCR 1	Single Jaw Tool suitable for .25 to 1.65 sq.mm cables red size insulated crimping tool with ratchet mechanism.
DHCR 2	Single Jaw Tool suitable for 1.00 to 2.63 sq.mm cables blue size insulated crimping tool with ratchet mechanism.
DHCR 5	Single Jaw Tool suitable for 2.63 to 6 sq.mm cables yellow size insulated crimping tool with ratchet application.
DHCR 0516	Ratchet Controlled Tool with four jaw apertures suitable for indent crimping from .5 to 16 sq.mm. On copper tube terminals when using Davico Terminals this tool will crimp 25 sq.mm.
DHCR 216	Triple Jaw Ratchet Indent Tool for copper tube and sheet terminals. Cable sizes 6, 10, 16 sq.mm also suitable to crimp nylon insulated tube.
DHCR 516	Four Jaw Ratchet Indent Tool for copper tube and sheet terminals. Cable sizes 6, 10, 16, 25 sq.mm also suitable to crimp nylon insulated tube.
DHC 15	General Application Plier Type Crimping Tool for insulated and uninsulated terminals with a range of .25 to 6 sq.mm non ratchet.
DHC 15Y	General Application Plier Type Crimping Tool for insulated terminals with a range of .25 to 6 sq.mm non ratchet.
DHCF 15	Standard Industrial Plier Type Crimping Tool for disconnect terminals non insulated 'F' crimp type .25 to 6 sq.mm non ratchet.
DCE 025	General Application Plier Type Cord End Tool for insulated and uninsulated cord ends 0.25 to 2.5 sq.mm.
DCE 516	General Application Plier Type Cord End Tool for insulated and uninsulated cord ends 0.5 to 16 sq.mm.


THE ABOVE RATCHET TOOLS CAN BE CALCULATED BY TENSILE TEST AND GAUGE. PLIER TYPE TOOLS ARE NOT RECOMMENDED FOR CALIBRATION.

DICE, PET Series

Bootlace Ferrules



Cord End Terminals (Insulated)



Features:

- A range of cable ferrules designed to provide a neat end termination to multi-stranded wires.
- They provide a secure connection to terminal blocks and captive terminals and stop wire strands short circuiting to adjacent connectors.
- Crimping is achieved by the action of the screw in the connector, or by use of a dedicated crimping tool.
- The ferrules consist of a tinned copper hollow tube and are also available with a plastic colour coded insulating shroud.
- Available in either French or German colour codes. Conform to DIN46228 Part 1 and 4.

Specifications:

Terminal : Copper 0.3 μ tin plated.
 Shroud : Nylon.
 Maximum temperature : 105°C.

Specification Table

Colour	Wire Size (mm ²)	d1	S1	d3	S2	L1	L2	Part Number		
Light Blue	0.25	0.8	0.15	2.00	0.25	10.4	6.0	PET1125		
Turquoise	0.34							PET1134		
White	0.50	1.0	0.15	2.65	0.25	14.0	8.0	DICE0505		
Red	1.00	1.4		3.30				14.6	8.2	DICE1010
Black	1.50	1.7		3.50						DICE1515
Grey	2.50	2.2		4.00						DICE2525
Orange	4.00	2.8	0.20	4.50	0.30	16.5	9.0	DICE4040		
Green	6.00	3.5		6.30				20.0	12.0	DICE6040
Orange	0.50	1.0	0.15	2.65	0.25	14.0	8.0	PET0505		
White	0.75	1.2		3.00				14.6	8.2	PET7575
Yellow	1.00	1.4		3.30						PET1010
Red	1.50	1.7	-	3.50	-	14.6		PET1515		
Blue	2.50	2.2	0.15	4.00	0.25	15.2		PET2525		
Brown	10.00	4.5	0.20	7.60	0.40	21.5	12.0	DICE0010		
Ivory	16.00	5.8		8.80				22.2	DICE0016	

Dimensions : Millimetres



DICE, PET Series

Bootlace Ferrules



Notes:

International Sales Offices:



AUSTRALIA – Farnell InOne
Tel No: ++ 61 2 9645 8888
Fax No: ++ 61 2 9644 7898



FINLAND – Farnell InOne
Tel No: ++ 358 9 560 7780
Fax No: ++ 358 9 345 5411



NETHERLANDS – Farnell InOne
Tel No: ++ 31 30 241 7373
Fax No: ++ 31 30 241 7333



SWITZERLAND – Farnell InOne
Tel No: ++ 41 1 204 64 64
Fax No: ++ 41 1 204 64 54



AUSTRIA – Farnell InOne
Tel No: ++ 43 662 2180 680
Fax No: ++ 43 662 2180 670



FRANCE – Farnell InOne
Tel No: ++ 33 474 68 99 99
Fax No: ++ 33 474 68 99 90



NEW ZEALAND – Farnell InOne
Tel No: ++ 64 9 357 0646
Fax No: ++ 64 9 357 0656



UK – Farnell InOne
Tel No: ++ 44 8701 200 200
Fax No: ++ 44 8701 200 201



BELGIUM – Farnell InOne
Tel No: ++ 32 3 475 2810
Fax No: ++ 32 3 227 3648



GERMANY – Farnell InOne
Tel No: ++ 49 89 61 39 39 39
Fax No: ++ 49 89 613 59 01



NORWAY – Farnell InOne
Tel No: ++ 45 44 53 66 66
Fax No: ++ 45 44 53 66 02



UK – BuckHickman InOne
++ 44 8450 510 150
++ 44 8450 510 130



BRAZIL – Farnell-Newark InOne
Tel No: ++ 55 11 4066 9400
Fax No: ++ 55 11 4066 9410



HONG KONG – Farnell-Newark InOne
Tel No: ++ 852 2268 9888
Fax No: ++ 852 2268 9899



PORTUGAL – Farnell InOne
Tel No: ++ 34 93 475 8804
Fax No: ++ 34 93 474 5288



UK – CPC
++ 44 8701 202 530
++ 44 8701 202 531



CHINA – Farnell-Newark InOne
Tel No: ++86 10 6238 5152
Fax No: ++86 10 6238 5022



IRELAND – Farnell InOne
Tel No: ++ 353 1 830 9277
Fax No: ++ 353 1 830 9016



SINGAPORE – Farnell-Newark InOne
Tel No: ++ 65 6788 0200
Fax No: ++ 65 6788 0300



EXPORT – Farnell InOne
Tel No: ++ 44 8701 200 208
Fax No: ++ 44 8701 200 209

For enquiries from all other markets



DENMARK – Farnell InOne
Tel No: ++ 45 44 53 66 44
Fax No: ++ 45 44 53 66 06



ITALY – Farnell InOne
Tel No: ++ 39 02 93 995 200
Fax No: ++ 39 02 93 995 300



SPAIN – Farnell InOne
Tel No: ++ 34 93 475 8805
Fax No: ++ 34 93 474 5107



ESTONIA – Farnell InOne
Tel No: ++ 358 9 560 7780
Fax No: ++ 358 9 345 5411



MALAYSIA – Farnell-Newark InOne
Tel No: ++ 60 3 7873 8000
Fax No: ++ 60 3 7873 7000



SWEDEN – Farnell InOne
Tel No: ++ 46 8 730 50 00
Fax No: ++ 46 8 83 52 62

<http://www.farnellinone.com>

<http://www.buckhickmaninone.com>

<http://www.cpc.co.uk>

Disclaimer This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp is the registered trademark of the Group. © Premier Farnell plc 2004.




DICE, PET Series

Bootlace Ferrules



Cord End Terminals (Insulated)



Features:

- A range of cable ferrules designed to provide a neat end termination to multi-stranded wires.
- They provide a secure connection to terminal blocks and captive terminals and stop wire strands short circuiting to adjacent connectors.
- Crimping is achieved by the action of the screw in the connector, or by use of a dedicated crimping tool.
- The ferrules consist of a tinned copper hollow tube and are also available with a plastic colour coded insulating shroud.
- Available in either French or German colour codes. Conform to DIN46228 Part 1 and 4.

Specifications:

Terminal : Copper 0.3 μ tin plated.
 Shroud : Nylon.
 Maximum temperature : 105°C.

Specification Table

Colour	Wire Size (mm ²)	d1	S1	d3	S2	L1	L2	Part Number		
Light Blue	0.25	0.8	0.15	2.00	0.25	10.4	6.0	PET1125		
Turquoise	0.34							PET1134		
White	0.50	1.0	0.15	2.65	0.25	14.0	8.0	DICE0505		
Red	1.00	1.4		3.30				14.6	8.2	DICE1010
Black	1.50	1.7		3.50						DICE1515
Grey	2.50	2.2		4.00				15.2	DICE2525	
Orange	4.00	2.8	0.20	4.50	0.30	16.5	9.0	DICE4040		
Green	6.00	3.5		6.30				20.0	12.0	DICE6040
Orange	0.50	1.0	0.15	2.65	0.25	14.0	8.0	PET0505		
White	0.75	1.2		3.00				14.6	8.2	PET7575
Yellow	1.00	1.4		3.30						14.6
Red	1.50	1.7		-				3.50		-
Blue	2.50	2.2	0.15	4.00	0.25	15.2	PET2525			
Brown	10.00	4.5	0.20	7.60	0.40	21.5	12.0	DICE0010		
Ivory	16.00	5.8		8.80				22.2	DICE0016	

Dimensions : Millimetres



DICE, PET Series

Bootlace Ferrules



Notes:

International Sales Offices:



AUSTRALIA – Farnell InOne
Tel No: ++ 61 2 9645 8888
Fax No: ++ 61 2 9644 7898



FINLAND – Farnell InOne
Tel No: ++ 358 9 560 7780
Fax No: ++ 358 9 345 5411



NETHERLANDS – Farnell InOne
Tel No: ++ 31 30 241 7373
Fax No: ++ 31 30 241 7333



SWITZERLAND – Farnell InOne
Tel No: ++ 41 1 204 64 64
Fax No: ++ 41 1 204 64 54



AUSTRIA – Farnell InOne
Tel No: ++ 43 662 2180 680
Fax No: ++ 43 662 2180 670



FRANCE – Farnell InOne
Tel No: ++ 33 474 68 99 99
Fax No: ++ 33 474 68 99 90



NEW ZEALAND – Farnell InOne
Tel No: ++ 64 9 357 0646
Fax No: ++ 64 9 357 0656



UK – Farnell InOne
Tel No: ++ 44 8701 200 200
Fax No: ++ 44 8701 200 201



BELGIUM – Farnell InOne
Tel No: ++ 32 3 475 2810
Fax No: ++ 32 3 227 3648



GERMANY – Farnell InOne
Tel No: ++ 49 89 61 39 39 39
Fax No: ++ 49 89 613 59 01



NORWAY – Farnell InOne
Tel No: ++ 45 44 53 66 66
Fax No: ++ 45 44 53 66 02



UK – BuckHickman InOne
++ 44 8450 510 150
++ 44 8450 510 130



BRAZIL – Farnell-Newark InOne
Tel No: ++ 55 11 4066 9400
Fax No: ++ 55 11 4066 9410



HONG KONG – Farnell-Newark InOne
Tel No: ++ 852 2268 9888
Fax No: ++ 852 2268 9899



PORTUGAL – Farnell InOne
Tel No: ++ 34 93 475 8804
Fax No: ++ 34 93 474 5288



UK – CPC
++ 44 8701 202 530
++ 44 8701 202 531



CHINA – Farnell-Newark InOne
Tel No: ++86 10 6238 5152
Fax No: ++86 10 6238 5022



IRELAND – Farnell InOne
Tel No: ++ 353 1 830 9277
Fax No: ++ 353 1 830 9016



SINGAPORE – Farnell-Newark InOne
Tel No: ++ 65 6788 0200
Fax No: ++ 65 6788 0300



EXPORT – Farnell InOne
Tel No: ++ 44 8701 200 208
Fax No: ++ 44 8701 200 209

For enquiries from all other markets



DENMARK – Farnell InOne
Tel No: ++ 45 44 53 66 44
Fax No: ++ 45 44 53 66 06



ITALY – Farnell InOne
Tel No: ++ 39 02 93 995 200
Fax No: ++ 39 02 93 995 300




SPAIN – Farnell InOne
Tel No: ++ 34 93 475 8805
Fax No: ++ 34 93 474 5107



ESTONIA – Farnell InOne
Tel No: ++ 358 9 560 7780
Fax No: ++ 358 9 345 5411



MALAYSIA – Farnell-Newark InOne
Tel No: ++ 60 3 7873 8000
Fax No: ++ 60 3 7873 7000



SWEDEN – Farnell InOne
Tel No: ++ 46 8 730 50 00
Fax No: ++ 46 8 83 52 62

<http://www.farnellinone.com>

<http://www.buckhickmaninone.com>

<http://www.cpc.co.uk>

Disclaimer This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp is the registered trademark of the Group. © Premier Farnell plc 2004.




DICE, PET Series

Bootlace Ferrules



Cord End Terminals (Insulated)



Features:

- A range of cable ferrules designed to provide a neat end termination to multi-stranded wires.
- They provide a secure connection to terminal blocks and captive terminals and stop wire strands short circuiting to adjacent connectors.
- Crimping is achieved by the action of the screw in the connector, or by use of a dedicated crimping tool.
- The ferrules consist of a tinned copper hollow tube and are also available with a plastic colour coded insulating shroud.
- Available in either French or German colour codes. Conform to DIN46228 Part 1 and 4.

Specifications:

Terminal : Copper 0.3 μ tin plated.
 Shroud : Nylon.
 Maximum temperature : 105°C.

Specification Table

Colour	Wire Size (mm ²)	d1	S1	d3	S2	L1	L2	Part Number
Light Blue	0.25	0.8	0.15	2.00	0.25	10.4	6.0	PET1125
Turquoise	0.34							PET1134
White	0.50	1.0	0.15	2.65	0.25	14.0	8.0	DICE0505
Red	1.00	1.4		3.30				DICE1010
Black	1.50	1.7		3.50				DICE1515
Grey	2.50	2.2		4.00				DICE2525
Orange	4.00	2.8	0.20	4.50	0.30	16.5	9.0	DICE4040
Green	6.00	3.5		6.30				DICE6040
Orange	0.50	1.0	0.15	2.65	0.25	14.0	8.0	PET0505
White	0.75	1.2		3.00				PET7575
Yellow	1.00	1.4	-	3.30	-	14.6	8.2	PET1010
Red	1.50	1.7		3.50				PET1515
Blue	2.50	2.2		4.00				PET2525
Brown	10.00	4.5	0.20	7.60	0.40	21.5	12.0	DICE0010
Ivory	16.00	5.8		8.80				DICE0016

Dimensions : Millimetres



DICE, PET Series

Bootlace Ferrules



Notes:

International Sales Offices:



AUSTRALIA – Farnell InOne
Tel No: ++ 61 2 9645 8888
Fax No: ++ 61 2 9644 7898



FINLAND – Farnell InOne
Tel No: ++ 358 9 560 7780
Fax No: ++ 358 9 345 5411



NETHERLANDS – Farnell InOne
Tel No: ++ 31 30 241 7373
Fax No: ++ 31 30 241 7333



SWITZERLAND – Farnell InOne
Tel No: ++ 41 1 204 64 64
Fax No: ++ 41 1 204 64 54



AUSTRIA – Farnell InOne
Tel No: ++ 43 662 2180 680
Fax No: ++ 43 662 2180 670



FRANCE – Farnell InOne
Tel No: ++ 33 474 68 99 99
Fax No: ++ 33 474 68 99 90



NEW ZEALAND – Farnell InOne
Tel No: ++ 64 9 357 0646
Fax No: ++ 64 9 357 0656



UK – Farnell InOne
Tel No: ++ 44 8701 200 200
Fax No: ++ 44 8701 200 201



BELGIUM – Farnell InOne
Tel No: ++ 32 3 475 2810
Fax No: ++ 32 3 227 3648



GERMANY – Farnell InOne
Tel No: ++ 49 89 61 39 39 39
Fax No: ++ 49 89 613 59 01



NORWAY – Farnell InOne
Tel No: ++ 45 44 53 66 66
Fax No: ++ 45 44 53 66 02



UK – BuckHickman InOne
++ 44 8450 510 150
++ 44 8450 510 130



BRAZIL – Farnell-Newark InOne
Tel No: ++ 55 11 4066 9400
Fax No: ++ 55 11 4066 9410



HONG KONG – Farnell-Newark InOne
Tel No: ++ 852 2268 9888
Fax No: ++ 852 2268 9899



PORTUGAL – Farnell InOne
Tel No: ++ 34 93 475 8804
Fax No: ++ 34 93 474 5288



UK – CPC
++ 44 8701 202 530
++ 44 8701 202 531



CHINA – Farnell-Newark InOne
Tel No: ++86 10 6238 5152
Fax No: ++86 10 6238 5022



IRELAND – Farnell InOne
Tel No: ++ 353 1 830 9277
Fax No: ++ 353 1 830 9016



SINGAPORE – Farnell-Newark InOne
Tel No: ++ 65 6788 0200
Fax No: ++ 65 6788 0300



EXPORT – Farnell InOne
Tel No: ++ 44 8701 200 208
Fax No: ++ 44 8701 200 209

For enquiries from all other markets



DENMARK – Farnell InOne
Tel No: ++ 45 44 53 66 44
Fax No: ++ 45 44 53 66 06



ITALY – Farnell InOne
Tel No: ++ 39 02 93 995 200
Fax No: ++ 39 02 93 995 300



SPAIN – Farnell InOne
Tel No: ++ 34 93 475 8805
Fax No: ++ 34 93 474 5107



ESTONIA – Farnell InOne
Tel No: ++ 358 9 560 7780
Fax No: ++ 358 9 345 5411



MALAYSIA – Farnell-Newark InOne
Tel No: ++ 60 3 7873 8000
Fax No: ++ 60 3 7873 7000



SWEDEN – Farnell InOne
Tel No: ++ 46 8 730 50 00
Fax No: ++ 46 8 83 52 62

<http://www.farnellinone.com>

<http://www.buckhickmaninone.com>

<http://www.cpc.co.uk>

Disclaimer This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp is the registered trademark of the Group. © Premier Farnell plc 2004.

