



ON

POSITION	CIRCUIT	VOLTAGE	CURRENT	POWER	RESISTANCE	WATTAGE
OFF						
1	1-2-3	120V AC	10A	1200W	120Ω	1200W
2	1-2-3	120V AC	10A	1200W	120Ω	1200W
3	1-2-3	120V AC	10A	1200W	120Ω	1200W
4	1-2-3	120V AC	10A	1200W	120Ω	1200W
5	1-2-3	120V AC	10A	1200W	120Ω	1200W
6	1-2-3	120V AC	10A	1200W	120Ω	1200W
7	1-2-3	120V AC	10A	1200W	120Ω	1200W
8	1-2-3	120V AC	10A	1200W	120Ω	1200W
9	1-2-3	120V AC	10A	1200W	120Ω	1200W
10	1-2-3	120V AC	10A	1200W	120Ω	1200W
11	1-2-3	120V AC	10A	1200W	120Ω	1200W
12	1-2-3	120V AC	10A	1200W	120Ω	1200W
13	1-2-3	120V AC	10A	1200W	120Ω	1200W
14	1-2-3	120V AC	10A	1200W	120Ω	1200W
15	1-2-3	120V AC	10A	1200W	120Ω	1200W
16	1-2-3	120V AC	10A	1200W	120Ω	1200W
17	1-2-3	120V AC	10A	1200W	120Ω	1200W
18	1-2-3	120V AC	10A	1200W	120Ω	1200W
19	1-2-3	120V AC	10A	1200W	120Ω	1200W
20	1-2-3	120V AC	10A	1200W	120Ω	1200W

UL LISTED
UL TYPE 1

Type: **EZ-T0**
Article No.: **081622**
Sales text **Acc. Cam Switches (UK)**



For single-hole fitting

Mounting diameter 22.3 mm

Ordering information

Description		For rotary switches with existing front plate
For use with		T0-.../E T3-.../E







Moeller GmbH, Hein-Moeller-Str. 7-11, D-53115 Bonn
E-Mail: catalog@moeller.net, Internet: www.moeller.net, <http://catalog.moeller.net>
HPL-C2007G V2.1 © 2007 by Moeller GmbH

Load current switches, ON/OFF switches

http://catalog.moeller.net

Moeller HPL0211-2007/2008

T, P **xCommand**

Contact sequence Front plate no.	Main conducting paths	Auxiliary contacts	Max. motor rating	Rated uninterrupted current	Design	Protection type	Part no. Article no.	Std. pack
 FS 908	No. of poles		AC-23A 400/415 V 50-60 Hz P kW	I_u A				
	I N/O	I N/O L N/C						
On-Off switches with black thumb grip and front plate								
Without auxiliary contacts								
	1	0 0	6.5	20	Surface mounting	IP65 	T0-1-8200/I1 207074	1 off
	1	0 0	6.5	20	Flush mounting	Front IP65	T0-1-8200/E 067352	
	1	0 0	6.5	20	Distribution board mounting	Front IP30	T0-1-8200/IVS 074471	
	1	0 0	6.5	20	Centre mounting	Front IP65	T0-1-8200/EZ 069725	
	1	0 0	6.5	20	Rear mounting	Front IP65	T0-1-8200/Z 076844	
	1	0 0	13	32	Flush mounting	Front IP65	T3-1-8200/E 064208	
	1	0 0	13	32	Surface mounting	IP65 	T3-1-8200/I2 207167	
	1	0 0	13	32	Centre mounting	Front IP65	T3-1-8200/EZ 066581	
	1	0 0	22	63	Flush mounting	Front IP65	T5B-1-8200/E 094281	
	2	0 0	6.5	20	Surface mounting	IP65 	T0-1-102/I1 207061	
	2	0 0	6.5	20	Flush mounting	Front IP65	T0-1-102/E 088709	
	2	0 0	6.5	20	Distribution board mounting	Front IP30	T0-1-102/IVS 015147	
	2	0 0	6.5	20	Centre mounting	Front IP65	T0-1-102/EZ 091082	
	2	0 0	6.5	20	Rear mounting	Front IP65	T0-1-102/Z 095828	
	2	0 0	22	32	Surface mounting	IP65 	T3-1-102/I2 207165	
	2	0 0	22	32	Flush mounting	Front IP65	T3-1-102/E 076073	
	2	0 0	22	32	Centre mounting	Front IP65	T3-1-102/EZ 078446	
	2	0 0	22	32	Rear mounting	Front IP65	T3-1-102/Z 083192	
	2	0 0	22	63	Flush mounting	Front IP65	T5B-1-102/E 094471	
	3	0 0	6.5	20	Surface mounting	IP65 	T0-2-1/I1 207081	
	3	0 0	6.5	20	Flush mounting	Front IP65	T0-2-1/E 024639	
	3	0 0	6.5	20	Distribution board mounting	Front IP30	T0-2-1/IVS 031758	
	3	0 0	6.5	20	Centre mounting	Front IP65	T0-2-1/EZ 027012	
	3	0 0	6.5	20	Rear mounting	Front IP65	T0-2-1/Z 036504	
	3	0 0	13	25	Surface mounting	IP65 	P1-25/I2 207299	
	3	0 0	13	25	Surface mounting	IP65 	P1-25/I2H¹⁾ 226898	
	3	0 0	13	25	Flush mounting	Front IP65	P1-25/E 038724	
	3	0 0	13	25	Distribution board mounting	Front IP30	P1-25/IVS 052962	
	3	0 0	13	25	Centre mounting	Front IP65	P1-25/EZ 041250	
	3	0 0	13	25	Rear mounting	Front IP65	P1-25/Z 057708	

Rotary switches, switch-disconnectors



Notes

¹⁾ Enclosures with hard metric knock-outs