


PRODUCT NUMBER
SEE TABLE



Copyright FCJ

mat'l. code				surface ISO 1302	tolerance ISO 406 ISO 1301	projection 1st angle	product family JUMPER
ltr	ecn no	dr	date	tolerances unless otherwise specified		INCH/MM	title 1X2 LOW PROFILE JUMPER ASSEMBLY
J	V20973	GIP	7/17/02	angles	.XX±.01/XX±0.3		
K	V03-1324	PJ	12/13/03	linear	.XXX±.006/XX±0.13	scale 1:1	dwg no 68786
L	M05-0205	ERE	9/30/05	0'±2'	.XXX±.0020/XXX±0.05		
M	M06-0238	MN	6/16/06	dr	R.EBY	10/07/87	sheet 1 of 2 size A3
N	M06-0389	AGS	10/4/06	engr	M.HAHN	10/07/87	type Product Customer Drawing
P	M08-0209	MHT	7/18/08	chr	M.HAHN	10/07/87	
R	M09-0065	MHT	4/13/09	appd	M.HAHN	10/07/87	
sheet	revision	R	R				
index	sheet	1	2				

form A3

PRODUCT No.	CONTACT PLATING	HSG COLOR	LEAD FREE
68786-102	15u"/.38u Au OVER 50u"/1.27u Ni	WHITE	NOTE 4
-202	30u"/.76u Au OVER 50u"/1.27u Ni	WHITE	
-302	100u"/2.54u Sn	WHITE	
-402	Au FLASH OVER 50u"/1.27u Ni	BLACK	
-103	15u"/.38u Au	BLUE	
-203	30u"/.76u Au	BLUE	
-303	100u"/2.54u Sn	BLUE	
-403	Au FLASH OVER 50u"/1.27u Ni	BLUE	
-802	SAME AS -202 EXCEPT ADD SPECIAL MIL MARKING		
68786-204	30u"/.76u Au OVER 50u"/1.27u Ni	YELLOW	
68786-304	100u"/2.54u Sn	YELLOW	

OBSOLETE
OBSOLETE
OBSOLETE

NOTES:

- ① MATERIAL: POLYESTER, FLAME RETARDANT PER UL-94-VO .
2. RECOMMENDED APPLICATION DATA:
 - A. ALL MATING PINS TO BE .025/.64 SQ ON TRUE CENTERS OF GIVEN TERMINAL SPACING WITHIN .015/.38 DIA .
 - B. SUGGESTED MATING PIN LENGTH .160/4.06 MIN .
- ③. ADD "LF" SUFFIX AT THE END OF PART NUMBER FOR LEAD FREE OPTION.
4. THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATION AS DESCRIBED IN GS-22-008.
5. THIS PRODUCT IS NOT INTENDED TO BE EXPOSED TO A MANUFACTURING SOLDER PROCESS.

mat'l. code		surface ISO 1902	tolerance ISO 406 ISO 1901	projection	product family JUMPER
ltr	ecp no	dr	date	title	
R				1X2 LOW PROFILE JUMPER ASSEMBLY	
				INCH/MM	scale 1:1
					dwg no 68786 sheet 2 of 2 size A3
					type Product Customer Drawing
sheet index	revision sheet				



Copyright FCJ
FCJconnect.com