1 / 3

REVISION DATE: Feb 2008 SDS NO.: 13135



SAFETY DATA SHEET BOSTIK BLU-TACK

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME BOSTIK BLU-TACK

PRODUCT NO. 801905, 801936, 801943, 80159, 801950, 801967, 80108, 003002, 801721, 801738, 50744, 80108A,

80103, 801011, 801592, 80184, 801103, 801561, 801714, 801899, 801059, 801929, 80104, 801912, 801981, 801989, 003019, 50739, 91485, 91818, 91819, 801103A, 801110, 80180, 801578, 801868,

801875

SUPPLIER BOSTIK LIMITED

COMMON ROAD STAFFORD STAFFORDSHIRE ST16 3EH +44 1785 255141

+44 1785 272650 (24 HOUR)

sds.uk@bostik.com

2 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
XYLENE	215-535-7	1330-20-7	< 1%	R10 Xn;R20/21 Xi;R38

The Full Text for all R-Phrases are Displayed in Section 16

4 FIRST-AID MEASURES

INHALATION

Not relevant.

INGESTION

DO NOT induce vomiting. Get medical attention immediately.

SKIN CONTACT

Not relevant.

EYE CONTACT

Not relevant.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

SPECIFIC HAZARDS

Fire or high temperatures create: Toxic gases/vapours/fumes of Carbon dioxide (CO2). Carbon monoxide (CO).

PROTECTIVE MEASURES IN FIRE

Wear self contained breathing apparatus

6 ACCIDENTAL RELEASE MEASURES

REVISION DATE: Feb 2008 SDS NO.: 13135

BOSTIK BLU-TACK

2 / 3

SPILL CLEAN UP METHODS

Non-hazardous substance. No specific clean-up procedure noted.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Young children should be supervised when using this product and consideration of possible contact with young children should be given

when using this product.

STORAGE PRECAUTIONS

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	TWA - 8 hrs		STEL - 15 min		Notes
XYLENE	WEL	50 ppm(Sk)	220	100	441	
			mg/m3(Sk)	ppm(Sk)	mg/m3(Sk)	

WEL = Workplace Exposure Limit.

ENGINEERING MEASURES

N/A.

RESPIRATORY EQUIPMENT

N/A.

HAND PROTECTION

N/A.

EYE PROTECTION

N/A.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Malleable. Solid

COLOUR Light (or pale) Blue

ODOUR Slight odour

SOLUBILITY Insoluble in water

RELATIVE DENSITY 1.8 @ 20 °c

10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions.

MATERIALS TO AVOID

No incompatible groups noted.

HAZARDOUS DECOMPOSITION PRODUCTS

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).

11 TOXICOLOGICAL INFORMATION

INGESTION

Ingestion of this material may cause obstruction.

12 ECOLOGICAL INFORMATION

ECOTOXICITY

Not regarded as dangerous for the environment. However, contamination of the aquatic or terrestrial environments should be avoided

REVISION DATE: Feb 2008 SDS NO.: 13135

3 / 3

BOSTIK BLU-TACK

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements. Recover and reclaim or recycle, if practical.

14 TRANSPORT INFORMATION

GENERAL

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA,

ADR/RID).

No transport warning sign required.

MARINE POLLUTANT No.

15 REGULATORY INFORMATION

RISK PHRASES

NC Not classified.

SAFETY PHRASES

S2 Keep out of the reach of children

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

STATUTORY INSTRUMENTS

Chemicals (Hazard Information and Packaging) Regulations.

APPROVED CODE OF PRACTICE

Classification and Labelling of Substances and Preparations Dangerous for Supply.

GUIDANCE NOTES

Workplace Exposure Limits EH40. Introduction to Local Exhaust Ventilation HS(G)37. CHIP for everyone HSG(108).

16 OTHER INFORMATION

GENERAL INFORMATION

This product should be used as directed by Bostik Ltd. For further information consult the product data sheet or contact Technical Services.

INFORMATION SOURCES

This safety data sheet was compiled using current safety information supplied by distributor of raw materials.

REVISION COMMENTS

This safety data sheet supersedes all previous issues and users are cautioned to ensure that it is current. Destroy all previous data sheets and if in doubt contact Bostik Limited.

ISSUED BY

Approved EC

REVISION DATE Feb 2008

REV. NO./REPL. SDS GENERATED 7

DATE Feb 2003

RISK PHRASES IN FULL

R10 Flammable

R20/21 Harmful by inhalation and in contact with skin.

R38 Irritating to skin.