

For Slotted, Phillips and Pozidriv Screws.



302ESD SoftFinish® ESD Slotted Screwdriver.
Dissipative Handle, ESD-safe.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Made of static dissipative material, surface resistance 1 mOhm - 1 gOhm.

Standards: DIN EN 61340-5-1/ 61340-5-2.

Application: For working on electrostatically sensitive components.

Order-No.	⌀	↔	⊖	●	↔	↔	↔	£
08179 9	2.5	75	0.4	2.5	179	23	10	3.45
27150 3	3.0	100	0.4	3.0	204	23	10	3.95
27151 0	4.0	100	0.8	4.0	211	30	10	4.50
08182 9	5.5	125	1.0	5.5	236	30	10	6.80
08183 6	6.5	150	1.2	6.0	268	36	10	7.80



311ESD SoftFinish® ESD Phillips Screwdriver.
Dissipative Handle, ESD-safe.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Made of static dissipative material, surface resistance 1 mOhm - 1 gOhm.

Standards: DIN EN 61340-5-1/ 61340-5-2.

Application: For working on electrostatically sensitive components.

Order-No.	⊕	↔	●	↔	↔	↔	£
08184 3	PH0	60	3.0	164	23	10	4.40
08185 0	PH1	80	4.5	191	30	10	5.40
08186 7	PH2	100	6.0	218	36	10	7.10



313ESD SoftFinish® ESD Pozidriv Screwdriver.
Dissipative Handle, ESD-safe.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Made of static dissipative material, surface resistance 1 mOhm - 1 gOhm.

Standards: DIN EN 61340-5-1/ 61340-5-2.

Application: For working on electrostatically sensitive components.

Order-No.	⊕	↔	●	↔	↔	↔	£
26928 9	PZ0	60	3.0	164	23	10	5.00
26929 6	PZ1	80	4.5	191	30	10	6.10

For TORX® Screws. ESD Sets.



362ESD SoftFinish® ESD TORX® Screwdriver.
Dissipative Handle, ESD-safe.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Made of static dissipative material, surface resistance 1 mOhm - 1 gOhm.

Standards: DIN EN 61340-5-1/ 61340-5-2.

Application: For working on electrostatically sensitive components.

Order-No.	⊕	↔	●	↔	↔	↔	£
27148 0	T4	60	2.5	164	23	10	6.10
27641 6	T5	60	3.5	164	23	10	4.60
27149 7	T6	60	3.5	164	23	10	4.60
22436 3	T8	60	3.5	164	23	10	4.55
27145 9	T9	60	4.0	171	30	10	4.90
27144 2	T10	80	4.0	191	30	10	5.10
27146 6	T15	80	4.0	191	30	10	5.30
27147 3	T20	100	4.0	218	36	10	5.40



302ESD HK5 01 SoftFinish® ESD Slotted/Phillips Screwdriver Set, 5 pcs.
Dissipative Handle, ESD-safe.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Made of static dissipative material, surface resistance 1 mOhm - 1 gOhm.

Standards: DIN EN 61340-5-1/ 61340-5-2.

Application: For working on electrostatically sensitive components.

Order-No.	Series	↔	£
27252 4	302ESD HK5 01	1	24.40
⌀	302ESD	3.0x100	4.0x100
⊕	311ESD	PH0x60	PH1x80 PH2x100

362ESD K5 SoftFinish® ESD TORX® Screwdriver Set, 5 pcs.
Dissipative Handle, ESD-safe.

Order-No.	Series	↔	£
27253 1	362ESD K5	1	23.60
⊕	362ESD	T6x60	T8x60 T9x60 T10x80 T15x80