


745-080 → 240 -





BOSS *BIMINDICATORS*




501


502

503


504














501




502




503



504





1



2

505





1

2

3

4


506



03

05


0,2mm²



05

13


0,2mm²



05

13

0,2mm²



13 **


0,5 - 3,5

T 120

T 80



** 12,5 = ohne Chromring




4,9

1,5 - 3,5

T 120

T 80






4,0


1,0 - 3,5

T 120

T 80




507




1

508




1

509



1



2

ap




13



13



13




5,0

0,5 - 1,5




T 80




6,5

0,5 - 2,0



T 80






6,5


0,5 - 2,5



T 80




512




1

513




1

514



1



2










13





13



13





515






apj


516




517



05




01 03 05




01 03 05




6,4 0,5 - 3,5 T 120



9,0 0,5 - 3,5 T 120















10 0,5 - 3,5 T 120



518

519

520






* 13,0 = 518 4 ...







521

570

580



1 2 3



P + B bietet Konfektionierungen in 110 V,
220 V und 380 V- Ausführungen an.
Bitte fragen Sie an.

P + B offers assemblies in 110 V, 220 V
and 380 V.
Please inquire.

P + B offre des assemblees en 110 V

ATORS



BOSS *BIMINDICATORS*





519

520

521

570



BOSS BIMINDICATORS



BOSS BIMINDICA

509

512

513

514

