


























723 2410.
723 2457.

Amp	Volt	Hz	IP Ident. colour + h	Part No.	Wall socket outlets 2 P +  IEC/EN 60 309	 	EAN-No 4015609...																																		
<p> IP44</p> <p>16 230 50/60  418 306 110 50/60  418 304 400 50/60  418 309</p> <p>230 50/60  418 306RW RW = clear white, RAL 9010</p> <p>230 50/60  418 306LG LG = light grey, RAL 7035</p>					<p>mondo small version, flush-type, RAL 1013 pearl white with flush-type socket outlet, with plaster thickness adjustment</p>   <p>switch socket</p> <table border="1"> <thead> <tr> <th>Ampère</th> <th>d</th> <th>e</th> <th>f</th> <th>r</th> </tr> </thead> <tbody> <tr> <td>16 A</td> <td>80</td> <td>70</td> <td>33</td> <td>96</td> </tr> </tbody> </table>		Ampère	d	e	f	r	16 A	80	70	33	96	10 155	019342 019335 019366 173631 173648																							
Ampère	d	e	f	r																																					
16 A	80	70	33	96																																					
<p> IP67</p> <p>16 230 50/60  119 306 110 50/60  119 304 400 50/60  119 309 cable gland Pg 16 enclosed</p> <p>32 230 50/60  139 306 110 50/60  139 304 400 50/60  139 309 cable gland Pg 21 enclosed</p>					<p>internal fixing means, 2 cable entries both, top and bottom (knock-out)</p>   <table border="1"> <thead> <tr> <th>Ampère</th> <th>b</th> <th>c</th> <th>d</th> <th>e</th> <th>f</th> <th>l</th> <th>n</th> <th>u</th> <th>v</th> <th>Pg</th> </tr> </thead> <tbody> <tr> <td>16 A</td> <td>66,5</td> <td>5</td> <td>96</td> <td>95</td> <td>140</td> <td>47,5</td> <td>164</td> <td>72</td> <td>7</td> <td>16/21</td> </tr> <tr> <td>32 A</td> <td>66,5</td> <td>5</td> <td>96</td> <td>95</td> <td>154</td> <td>47,5</td> <td>176</td> <td>96</td> <td>7</td> <td>16/21</td> </tr> </tbody> </table>		Ampère	b	c	d	e	f	l	n	u	v	Pg	16 A	66,5	5	96	95	140	47,5	164	72	7	16/21	32 A	66,5	5	96	95	154	47,5	176	96	7	16/21	5 409	010165 010158 010172 011131 011124 129904
Ampère	b	c	d	e	f	l	n	u	v	Pg																															
16 A	66,5	5	96	95	140	47,5	164	72	7	16/21																															
32 A	66,5	5	96	95	154	47,5	176	96	7	16/21																															
<p>63 230 50/60  169 306 110 50/60  169 304 400 50/60  169 309</p>					<p>internal fixing means, cable entries: 1 x top open, 2 x bottom (knock-out) and vice versa</p>   <table border="1"> <thead> <tr> <th>Ampère</th> <th>a</th> <th>b</th> <th>c</th> <th>d</th> <th>e</th> <th>f</th> <th>n</th> <th>u</th> <th>v</th> <th>Pg</th> </tr> </thead> <tbody> <tr> <td>16 A</td> <td>134,5</td> <td>103</td> <td>6</td> <td>170</td> <td>118</td> <td>171</td> <td>216</td> <td>114</td> <td>/</td> <td>29</td> </tr> </tbody> </table>		Ampère	a	b	c	d	e	f	n	u	v	Pg	16 A	134,5	103	6	170	118	171	216	114	/	29	2 865	125715 173655 149360											
Ampère	a	b	c	d	e	f	n	u	v	Pg																															
16 A	134,5	103	6	170	118	171	216	114	/	29																															