

New

D V C A D

F I B C

EIDOV CAD DC

# F I B O X

## COMPARISON OF MATERIALS

The following table gives a general idea of the properties of the various types of cabinets. For more detailed information on material performance in your specific application environment, please consult your local FIBOX representative.


	PC	ABS	GRP
Outdoor use	****	*	*****
Indoor use	*****	*****	*****
Cost	***	*****	**
Light weight	*****	*****	***
High rigidity	***	*	****
Impact resistance	*****	***	****
<b>CHEMICAL RESISTANCE</b>			
Salt water environments	*****	**	*****
Neutral salts	*****	****	*****

## FIBOX CAB PC

## FIBOX CAB ABS

### POLYCARBONATE/ABS

Polycarbonate and ABS offer good design of wall mounting cabinets combined with easy machineability. Smoked transparent polycarbonate cover gives UV protection for installed equipment and good optics.



# E L L O W L I N E

## ORDERING INFORMATION FIBOX CAB PC/ABS

## SIZES XS TO XXL

SIZE Width x Height x Depth	ORDER SYMBOL	
	PC	ABS
200x300x180 200x300x180 200x300x180	CAB PC 302018 G/T CAB PC 203018 G/T *) CAB PC 302018 G3B/T3B	CAB ABS 302018 G/T CAB ABS 203018 G/T *) CAB ABS 302018 G3B/T3B
300x300x180 300x300x180	CAB PC 303018 G/T CAB PC 303018 G3B/T3B	CAB ABS 303018 G/T CAB ABS 303018 G3B/T3B
400x300x180 400x300x180 400x300x180	CAB PC 403018 G/T CAB PC 304018 G/T *) CAB PC 403018 G3B/T3B	CAB ABS 403018 G/T CAB ABS 304018 G/T *) CAB ABS 403018 G3B/T3B
500x400x180 500x400x180 500x400x180	CAB PC 504018 G/T CAB PC 405018 G/T *) CAB PC 504018 G3B/T3B	CAB ABS 504018 G/T CAB ABS 405018 G/T *) CAB ABS 504018 G3B/T3B
600x400x180 600x400x180	CAB PC 604018 G/T CAB PC 604018 G3B/T3B	CAB ABS 604018 G/T CAB ABS 604018 G3B/T3B

G=grey, T=transparent smoked grey, 3B=3 mm double bit key \*) Hinges on short sides



## ACCESSORIES

ORDER SYMBOL	SIZE
FP A 23	170x270
FP A 33	270x270
FP A 43	370x270
FP A 54	470x370
FP A 64	570x370

### SWING DOOR KIT

ORDER SYMBOL	REMARKS
MB 12225	For size 604018 use 2 x


**SWING  
DOOR**



### FRONT PLATES (PC blue)

ORDER SYMBOL	SIZE
FP PC 12-23	170x270
FP PC 12-33	270x270
FP PC 12x2-33	270x270
FP PC 12x2-43	370x270

ORDER SYMBOL	REMARKS
FP 12190	400 mm For rail DIN 35 (for 400 mm side)




### WALL FASTENING LUG

ORDER SYMBOL	REMARKS
FP 12017	



### MOUNTING PLATES (metal)

ORDER SYMBOL	SIZE
EKIV 23	170x270
EKIV 33	270x270
EKIV 43	370x270
EKIV 54	470x370
EKIV 64*	570x370



\*) + 6 x FA 12053


### SPACER

# F I B O X C A B

## FIBOX CAB P

### POLYESTER

Chemically resistant fibre glass reinforced polyester (GRP) cabinets available with both closed (G) and window (T) doors.




### KEY LOCK AND WALL MOUNTING LUGS INCLUDED

The cabinets come with a standard 3 mm double bit lock and one plastic key. Sturdy, plastic wall mounting lugs are also supplied with

E I I O W I I N E

## CUSTOMIZATION

A Wide Selection Of Customized Enclosures At The Price Of Standard Enclosures.




Fibox, a privately-owned Finnish company is one of the biggest enclosure manufacturers in the world and is the leader on the market in many European countries as well as outside Europe.

Whatever your application, the Fibox enclosure range includes high quality choices for the protection of electrical and electronics components. Enclosures are delivered to you according to your specifications ready for assembly.

Fibox Oy Ab has earned ISO 9001 quality certification for all its operations in 1992. The company's enclosures are NEMA/UL (type 4, 4X, 6, 12 and 13) and IEC IP 54 to 67 rated. In addition, three product lines are rated for use in hazardous areas.

## CD-ROM ENCLOSURE CATALOGUE

The Fibox Enclosure Catalogue on CD-ROM (PC) gives you the fastest route for choosing products with appropriate accessories and making your purchase orders. With the help of enclosure drawings on the CD-ROM, it is easy to customize standard enclosures for your own application.



## CUSTOMER SERVICE:

Fibox Suomi Oy  
P O Box 4  
FIN-02421 JORVAS, Finland  
Tel. +358 9 2955 351  
Fax +358 9 2955 3500

FIBOX AB  
Enhagslingen 3  
S-187 40 TABY, Sweden  
Tel. +46 8 792 26 70  
Fax +46 8 792 01 64

Fibox A/S  
Rugvænget 30  
DK-2630 Tåstrup, Denmark  
Tel. +45 437 18055  
Fax +45 437 18035

FIBOX FRANCE Sarl  
1 rue Becquerel  
ZI de Mitry-Compans  
B.P. 553, F-77295 Mitry Mory, France  
Tél.: +33-1-60 21 17 17  
Fax: +33-1-60 21 17 18

Fibox GmbH  
Böttgerstrasse 2-14  
D-65439 Flörsheim am Main, Germany  
Tel.: +49 6145 92 76-0  
Fax: +49 6145 92 76-10

AJM Industry Ltd.  
9L, 155B, Namdong Gongdan  
726-8 Gojan-dong, Namdong-ku,  
Inchon Republic of Korea  
Tel: +82 32 81 46 742  
Fax +82 32 81 46 077

Fibox Ltd  
Unit 7, Stephenson Court  
Skippers Lane, Middlesbrough  
Teesside TS6 6UT, England  
Tel. +44 1642 4666 59  
Fax +44 1642 4666 69

Fibox Inc  
Tech 100 Business Park  
6675C Santa Barbara Rd.  
Elkridge 21227, Maryland (MD) USA  
Tel. +1 410 579 1999  
Fax +1 410 796 3298

# FIBOX

<http://www.fibox.fi>