



Heat Sinks




- Thermal management for solid-state relays
 Standard ratings as low as 0.4°C/W
- · Custom heat sinks and assemblies available (contact factory for details)

GENERAL SPECIFICATIONS


Description				
Model Number	HS-1	HS-2	HE-54	HE-90
Weight (typical) [ounces]	3	5	10	24
Material	Aluminium	Aluminium	Aluminium	Aluminium
Finish	Cromate Coating D Gold			
Mounting Holes	8-32 threaded	8-32 threaded	8-32 threaded	8-32 threaded

MECHANICAL SPECIFICATIONS

HS-1



HS-2






HE-54

COMPATIBLE CRYDOM PRODUCTS

Series 1, Series CS, Series CT, Series HA Duals, Series HD, Series DC60, Series 1-DC, Series SST, Series DSD, Series DLD, Series RPC, Series PCV.






HE-90

The HE-90 heat sink offers excellent thermal management for up to three Series 1 type package SSR's or a single three phase SSR (model 53TP). All mounting holes are predrilled & tapped and are user configurable depending on the specific application.

HE-90Shown with Series 53TP Mounted




Shown with three Series 1 type SSRs

(1924)
5,00
(1927)
(1927)
(1927)

END VIEW

8-22 THEEADED HOLE (6 PLACES)







ANNEX - ENVIROMENTAL INFORMATION

The environmental information disclosed in this annex including the EIP Pollution logo are in compliance with People's Republic of China Electronic Industry Standard SJ/T11364 – 2006, Marking for Control of Pollution Caused by Electronic Information Products.

	Toxic or hazardous Substance and Elements					
Part Name	Lead (Pb)	Mercury (Hg)	Cadmium (Cd)	Hexavalent Chromium (Cr (VI))	Polybrominated biphenyls (PBB)	Polybrominated diphenyl ethers (PBDE)
Semiconductor die	Х	0	0	0	0	0
Solder	Χ	0	0	0	0	0

此附件所标示的包括电子信息产品污染图标的环保信息符合中华人民共和国电子行业标准 SJ/T11364 - 2006, 电子信息产品污染控制标识要求



部件 名称	有毒有害物质或元素					
	铅 (Pb)	汞 (H g)	镉 (Cd)	六价铬 (Cr (VI))	多溴联苯 (PBB)	多溴二苯醚 (PBDE)
半导体芯片	Х	0	0	0	0	0
焊接点	Х	0	0	0	0	0