
Hand Brushes







Hand Brushes

Filling	Rows	1	2	3	4	5	6
	Pack. 🔂	Art. No.					
steel straight 0.35/0.01	<i>4</i> " 12	100.011	100.021	100.031	100.041	100.051	100.061
steel straight 0.35/0.01	4" 100		100.020	100.030	100.040	100.050	
brassed steel 0.30/0.07	<i>12"</i> 12		105.421	105.431	105.441	105.451	105.461
brassed steel 0.30/0.07	<i>12"</i> 100		105.420	105.430	105.440	105.450	
steel crimped 0.20/0.00	<i>08"</i> 12		102.421	102.431	102.441		
steel crimped 0.30/0.0	<i>12</i> " 12	102.611	102.621	102.631	102.641	102.651	102.661
steel crimped 0.30/0.07	<i>12</i> " 100		102.620	102.630			
stainless crimped 0.15	/ <i>0.006</i> " 12		104.321	104.331	104.341	104.351	
stainless crimped 0.20	/ <i>0.008</i> " 12		104.421	104.431	104.441	104.451	
stainless crimped 0.35	/ <i>0.014</i> " 12	104.611	104.621	104.631	104.641	104.651	104.661
stainless crimped 0.35	/ <i>0.014</i> " 100			104.630	104.640		
stainless straight 0.35/	0.014" 12	103.711	103.721	103.731	103.741	103.751	103.761
stainless straight 0.35/	<i>'0.014"</i> 100		103.720	103.730	103.740		
stainless straight 0.30/	<i>0.012</i> "-V4A 12		105.721	105.731	105.741	105.751	
brass crimped 0.15/0.0	<i>12</i> 12		107.321	107.331	107.341	107.351	
brass crimped 0.25/0.0	<i>110"</i> 12	107.411	107.421	107.431	107.441	107.451	107.461
brass crimped 0.25/0.0	<i>110</i> " 100		107.420		107.440		
brass crimped 0.35/0.0	<i>114"</i> 12	107.611	107.621	107.631	107.641	107.651	107.661
brass crimped 0.35/0.0	<i>014"</i> 100			107.630	107.640		
brass straight 0.35/0.0	<i>14"</i> 12		106.621	106.631	106.641	106.651	
bronce crimped 0.20/0	<i>1.008"</i> 12			108.331	108.341	108.351	
nylon straight 0.40/0.0	<i>16"</i> 12		109.421	109.431	109.441	109.451	109.461
fibre white	12			109.731	109.741		
horse hair	12					109.851	

Other filling material and trim length on request.

Hand Brushes


Hand Brushes are used everywhere, in the metal industry, construction work, in the workshop. They are found in every tool box. The complete range contains all types of filling materials, from coarse steel to the finest brass wire. The handles are made of beech wood with two hanging holes.

LESSMANN-Handbrushes are of superb quality and yet are economic due to a fully automated and efficient production facility. Using modern marking systems individual printing of brands and EAN Bar Codes can be made. This is done by burning stamps or tampon printing at low cost. All above listed hand brushes have a bar code stamp.

Environmental hint: LESSMANN hand brushes with a wooden body are certified in accordance with PEFC standards.







Special Hand Brushes

<u>-</u>							
Filling	Rows	L	В	Α	Н	Pack. 🗇	Art. No.
Brake Caliper Brushes		mm/inch	mm/inch	mm/inch	mm/inch		
steel straight 0.35/ <i>0.014</i> "	2 x 13	225 / <i>9</i>	12 / <i>1/2</i>	90 / 3 1/2	22 / 7/8	10	182.401
steel crimped 0.30/0.012"	2 x 13	225 / <i>9</i>	12 / <i>1/2</i>	90 / 3 1/2	22 / 7/8	10	182.411
stainless straight 0.35/0.014"	2 x 13	225 / <i>9</i>	12 / <i>1/2</i>	90 / 3 1/2	22 / 7/8	10	182.421
3 brass crimped 0.25/ <i>0.010</i> "	2 x 13	225 / <i>9</i>	12 / <i>1/2</i>	90 / <i>3</i> ^{1/2}	22 / 7/8	10	182.451
steel straight 0.35/0.014"	2 x 13	225 / <i>9</i>	12 / <i>1/2</i>	90 / 3 1/2	14 / 5/8 / 22 / 7/8*	10	182.431

*Special hard brushes

Hand Brushes with Plastic Handles

	steel straight 0.35/0.014"	2	285 / 11 1/4	23 / 1	130 / <i>5</i> ^{1/8}	25 / <i>1</i>	10	185.121
	steel straight 0.35/0.014"	3	285 / 11 1/4	31 / 1 1/4	130 / <i>5</i> ^{1/8}	25 / 1	10	185.131
	steel straight 0.35/0.014"	4	285 / 11 1/4	36 / <i>1</i> ^{1/2}	130 / <i>5</i> ^{1/8}	25 / <i>1</i>	10	185.141
	stainless crimped 0.35/0.014"	2	285 / 11 1/4	23 / 1	130 / <i>5</i> ^{1/8}	25 / 1	10	185.421
	stainless crimped 0.35/0.014"	3	285 / 11 1/4	31 / 1 1/4	130 / <i>5</i> ^{1/8}	25 / <i>1</i>	10	185.431
)	stainless crimped 0.35/0.014"	4	285 / 11 1/4	36 / 1 1/2	130 / <i>5</i> ^{1/8}	25 / 1	10	185.441
	brass straight 0.35/0.014"	2	285 / 11 1/4	23 / 1	130 / <i>5</i> ^{1/8}	25 / <i>1</i>	10	185.621
	brass straight 0.35/0.014"	3	285 / 11 1/4	31 / 1 1/4	130 / <i>5</i> ^{1/8}	25 / 1	10	185.631
	brass straight 0.35/0.014"	4	285 / 11 1/4	36 / <i>1</i> ^{1/2}	130 / <i>5</i> ^{1/8}	25 / 1	10	185.641

Hand Brushes with Two-Components Handles

NEW 4 stainless crimped 0.35/0.014" 3 285 / 11 1/4 31 / 1 130 / 5 1/8 25 / 1 10 **186.431**

Brake Caliper Brushes ROKI

0

This brush has been manufactured in co-operation with the automobile industry. This brush is used for cleaning off clogged lining deposits when changing brake pad linings. Thus the brush is very slim with a heavy straight wire filling. Made in this way it prevents damage to sensitive brake areas during use.

The brush 182.431 has to the top a sloping filling and is therefore extra hard. New is the two-components-handle with the latest ergonomical aspects. Because of the design and the ergonomic handle this brush is remarkably versatile to use.

Hand Brushes with Plastic Body

The remarkable feature of these hand brushes is their plastic body of PP (polypropylene) which makes them the perfect tool for the food industry.

Hand Brushes with Two-Components Handles


apply to other requirements of modern high quality tools with best ergonomics.

Item Nos. in bold are available ex stock

LESSMANN 37

Special Hand Brushes







Special Hand Brushes

•							
Filling	Rows	L	В	А	Н	Pack. 🕣	Art. No.
Rivet Brushes		mm/inch	mm/inch	mm/inch	mm/inch		
steel straight 0.35/0.014"	3 x 15	290 / 11 3/8	35 / <i>1</i> ^{1/2}	135 / <i>5</i> ^{3/8}	35 / <i>1</i> ^{1/2}	12	120.801
stainless straight 0.35/0.014"	3 x 15	290 / <i>11 ^{3/8}</i>	35 / <i>1</i> ^{1/2}	135 / <i>5</i> ^{3/8}	35 / <i>1</i> ^{1/2}	12	120.811
stainless straight 0.30/0.012" - V	4A 3 x 15	290 / <i>11 ^{3/8}</i>	35 / <i>1</i> ^{1/2}	135 / <i>5</i> ^{3/8}	35 / <i>1</i> ^{1/2}	12	120.831
Hand Brushes with Scraper							
steel straight 0.35/0.014"	4 x 15	290 / <i>11 ^{3/8}</i>	35 / <i>1</i> ^{1/2}	140 / <i>5</i> ^{1/2}	25 / <i>1</i>	12	120.401
steel straight 0.35/0.014"	6 x 15	290 / 11 3/8	45 / <i>1</i> ^{3/4}	140 / <i>5</i> ^{1/2}	25 / <i>1</i>	12	120.601
Hand Brushes Heavy Duty							
V steel straight 0.35/0.014"	2 x 16	310 / <i>12</i> ^{1/4}	30 / 1 1/4	150 / <i>6</i>	32 / 1 1/4	12	136.101
steel straight 0.35/0.014"	3 x 16	310 / 12 1/4	35 / <i>1</i> ^{1/2}	150 / <i>6</i>	32 / 1 1/4	12	136.102
steel straight 0.35/0.014"	4 x 16	310 / <i>12</i> ^{1/4}	40 / <i>1 ^{3/8}</i>	150 / <i>6</i>	32 / 1 1/4	12	136.103
Hand Brushes Export Model							
steel straight 0.35/0.014"	4 x 17	300 / <i>12</i>	30 / 1 1/4	130 / <i>5</i> ^{1/8}	25 / <i>1</i>	12	122.401
steel straight 0.35/0.014"	4 x 19	350 / 14	30 / 1 1/4	160 / <i>6</i> ^{3/8}	30 / 1 1/4	6	122.801
Universal Wire Brushes							
brassed steel 0.30/0.012"	1	260 / 10 1/4	10 / <i>3/8</i>	135 / <i>5</i> ^{3/8}	28 / 1	24	056.001
steel crimped 0.35/0.014"	1	260 / 10 1/4	10 / <i>3/8</i>	135 / <i>5</i> ^{3/8}	28 / 1	24	056.301
stainless crimped 0.30/0.012"	1	260 / 10 1/4	10 / <i>3/8</i>	135 / <i>5</i> ^{3/8}	28 / 1	24	056.501
brass crimped 0.30/ <i>0.012</i> "	1	260 / 10 1/4	10 / <i>3/8</i>	135 / <i>5</i> ^{3/8}	28 / 1	24	056.701



Sectoral or special universal – LESSMANN is always conscious of being able to supply the correct brush for each individual area of application. For example, with these models of hand brushes, for special demands in different areas of application.

Rivet Brushes

The V shaped filling material enables the removal of slag and scale from normally hard to reach welds and fillet welds.

Hand Brushes with Scraper

For painters and bricklayers in the construction industry. These brushes are ideal for scraping off dirt or cement splashes.


Hand Brushes, Heavy Duty


These models have a larger wooden handle and a longer and dense wire filling than our standard models.

Universal Wire Brushes

For many uses, especially in the Do It Yourself section.

8 LESSMANN Item Nos. in bold are available ex stock





Standard	Spark	Plua	Brushes

	Filling	Rows	L mm/inch	B mm/inch	A mm/inch	H mm/inch	Pack. 🕣	Art. No.
	brass crimped 0.15/0.006"	3 x 5/6	150 / <i>6</i>	15 / <i>5/8</i>	35 / <i>1</i> ^{1/2}	15 / <i>5/8</i>	12	125.211
	steel crimped 0.15/0.006"	3 x 5/6	150 / <i>6</i>	15 / <i>5/8</i>	35 / <i>1</i> ^{1/2}	15 / <i>5/8</i>	12	125.201
	stainless crimped 0.15/0.006"	3 x 5/6	150 / <i>6</i>	15 / <i>5/8</i>	35 / <i>1</i> ^{1/2}	15 / <i>5/8</i>	12	125.231
	brass crimped 0.15/ <i>0.006</i> "/ PPN	3 x 5/6	150 / <i>6</i>	15 / <i>5/8</i>	35 / <i>1</i> ^{1/2}	15 / <i>5/8</i>	12	125.221
	brass crimped 0.15/0.006"	3 x 5/6	150 / <i>6</i> *	15 / <i>5/8</i>	40 / 1 3/8	15 / <i>5/8</i>	12	125.311
9	bronce crimped 0.15/0.006"	3 x 5/6	200 / 8	15 / <i>5/8</i>	40 / 1 3/8	15 / <i>5/8</i>	12	132.801
	stainless crimped 0.20/0.008"	3 x 5/6	150 / <i>6</i>	15 / <i>5/8</i>	30 / 1 1/4	15 / <i>5/8</i>	12	125.241
	nylon straight 0.30/ <i>0.012</i> "	3 x 5/6	150 / <i>6</i>	15 / <i>5/8</i>	30 / 1 1/4	15 / <i>5/8</i>	12	125.251
							* Wooden	body varnished
	Small Spark Plug Brushes							
•	brass crimped 0.15/0.006"	2 x 5	100 / <i>4</i>	15 / <i>5/8</i>	25 / <i>1</i>	15 / <i>5/8</i>	50	125.111
	brass crimped 0.15/0.006"	2 x 4	100 / 4 *	12 / <i>1/2</i>	22 / 7/8	12 / <i>1/2</i>	50	182.001
								* Plastic body
	Large Spark Plug Brushes							
	brass crimped 0.15/0.006"	5 x 8/10	190 / 7 ^{1/2}	24 / 1	55 / <i>2</i> ^{1/4}	18 / <i>3/4</i>	12	125.511
•	brass crimped 0.15/0.006"/ PPN	5 x 8/10	190 / <i>7</i> ½	24 / 1	55 / <i>2</i> ^{1/4}	12 / <i>1/2</i>	12	125.521
•	brass crimped 0.15/0.006"	4 x 6	155 / <i>6</i> *	22 / 7/8	40 / <i>1 ^{3/8}</i>	18 / <i>3/4</i>	12	182.331

^{*} Plastic body

Spark Plug Brushes


These small brushes are for all fine brushwork requiring thin wire. They are available in different sizes and filling marterials. The models 182.001 and 182.331 have plastic bodies, the other models have a beech wood body. The body of 125.311 is varnished.


Item Nos. in bold are available ex stock

LESSMANN 39

Fine Scratch Brushes







	-		
Fine	• Kri	ush	es

Filling	Rows	L mm/inch	B mm/inch	A mm/inch	H mm/inch	Pack. 🕣	Art. No.
brass crimped 0.15/0.006"	3	225 / <i>9</i>	16 / <i>5/8</i>	110 / <i>4 ^{3/8}</i>	20 / <i>3/4</i>	12	126.311
brass crimped 0.15/0.006"	4	225 / <i>9</i>	20 / <i>3/4</i>	110 / <i>4</i> ^{3/8}	20 / <i>3/4</i>	12	126.411
brass crimped 0.15/0.006"	5	225 / <i>9</i>	24 / 1	110 / <i>4</i> ^{3/8}	20 / <i>3/4</i>	12	126.511
brass crimped 0.15/0.006"	6	225 / <i>9</i>	28 / 1	110 / <i>4 ^{3/8}</i>	20 / <i>3/4</i>	12	126.611
brass crimped 0.15/0.006"	8	225 / <i>9</i>	36 / <i>1</i> ^{1/2}	110 / <i>4 ^{3/8}</i>	20 / <i>3/4</i>	12	126.811
brass crimped 0.08/0.003"	4	225 / <i>9</i>	20 / <i>3/4</i>	110 / <i>4</i> ^{3/8}	20 / <i>3/4</i>	12	126.441
brass crimped 0.10/0.004"	4	225 / <i>9</i>	20 / <i>3/4</i>	110 / <i>4</i> ^{3/8}	20 / <i>3/4</i>	12	126.431
steel crimped 0.15/0.006"	4	225 / <i>9</i>	20 / <i>3/4</i>	110 / <i>4 ^{3/8}</i>	20 / <i>3/4</i>	12	126.401
stainless crimped 0.15/0.006"	4	225 / <i>9</i>	20 / <i>3/4</i>	110 / <i>4 ^{3/8}</i>	20 / <i>3/4</i>	12	126.481
nylon straight 0.30/0.012"	4	225 / <i>9</i>	20 / <i>3/4</i>	110 / <i>4</i> ^{3/8}	20 / <i>3/4</i>	12	126.451
horse hair	4	225 / <i>9</i>	20 / <i>3/4</i>	110 / <i>4</i> ^{3/8}	20 / <i>3/4</i>	12	126.472
Special Brushes							
brass crimped 0.35/0.014"	4 x 11/12	350 / <i>14</i>	22 / 7/8	80 / <i>3</i>	10 / <i>3/8</i>	12	137.701
brass crimped 0.30/0.012"	4 x 11/12	450 / <i>17</i> ^{3/4}	22 / 7/8	80 / <i>3</i>	8 / <i>5/16</i>	12	138.705
brass crimped 0.30/0.012"	5 x 9	700 / <i>27</i> ^{1/2}	25 / <i>1</i>	54 / <i>2</i> ^{1/4}	6 / 1/4	12	138.704
Gas Cooker Brushes							
brass crimped 0.25/0.010"	2 x 10	200 / 8	15 / <i>5/8</i>	80 / <i>3</i>	19 / <i>3/4</i>	12	132.701

Fine Scratch Brushes

Also called watchmaker and goldsmith brushes. The brushes have a very high density of filling wires and are available in different widths. The brushes filled with nylon are used among other things to apply solvents and other cleansing agents.

Gas Cooker Brushes and Special Brushes

The brushes were manufactured according to our customers' specification and show variations, which are possible through our flexible manufacturing procedures.

40 LESSMANN Item Nos. in bold are available ex stock