

| multicomp | PART NO. |       | REVISIONS |             |       |         |        |         |        |         |  |  |
|-----------|----------|-------|-----------|-------------|-------|---------|--------|---------|--------|---------|--|--|
|           |          | ECN # | REV       | DESCRIPTION | DRAWN | DATE    | CHECKD | DATE    | APPRVD | DATE    |  |  |
|           |          | -     | А         | RELEASED    | Veena | 31/5/05 | Shashi | 31/5/05 | NK     | 14/6/05 |  |  |
|           |          |       |           |             |       |         |        |         |        |         |  |  |

## Miniature, PCB Mounting



Dimensions : Millimetres (Inches)

## **Switch Function**



#### Features:

- Mounting bracket solders directly to PCB.
- Plain bush for easy front panel removal.
- Process sealed to withstand machine soldering and pressure wash cleaning.

: 1000M $\Omega$  minimum.

: -30°C to +85°C.

: 1000V RMS at sea level.

### **Specifications:**

| Electrical Life    | : 30,000 make-and-break life at       |
|--------------------|---------------------------------------|
| Contact Resistance | : $10m\Omega$ maximum initial at 2-4V |
|                    | 100mA.                                |

Insulation Resistance Dielectric Strength Operating Temperature

Materials:

Case Bushing Actuator

Rating:

R

Switch Support Switch Support Retainer Contact/Terminal

- : Glass filled nylon 66, heat stabilized.
- : Brass, chrome plated with internal, O-ring seal standard.

full load.

dc

- : Brass or steel, tin plated.
- : Stainless steel.
- : Copper alloy, gold plated.

: 0.4 Volt-Amps (VA) maximum at 20V maximum (AC or DC).

| This data sheet and its contents (the "Information") belong to the Premier Farnell Group<br>(the "Group") or are licensed to it. No licence is granted for the use of it other than for  | TOLERANCES:                     | DRAWN BY:    | DATE:    | DRAWING TITLE: |                                      |                 |      |  |  |
|--|---------------------------------|--------------|----------|----------------|--------------------------------------|-----------------|------|--|--|
| information purposes in connection with the products to which it relates. No licence<br>of any intellectual property rights is granted. The Information is subject to change with-   | UNLESS OTHERWISE                | Veena        | 31/05/05 |                | Miniature PCB Mounting Toggle Switch |                 |      |  |  |
| out notice and replaces an data sheets previously supplied. The information supplied is  | SPECIFIED,                      | CHECKED BY:  | DATE:    | SIZE DWG NO.   |                                      | ELECTRONIC FILE | REV  |  |  |
| data sheet should check for themselves the Information and the suitability of the prod-<br>ucts for their purpose and not make any assumptions based on information included or  | DIMENSIONS ARE<br>FOR REFERENCE | Shashi       | 31/05/05 | Δ              | M100000155                           | 39958 DWG       |      |  |  |
| use of it (including liability resulting from negligence or where the Group was aware of   | PURPOSES ONLY.                  | APPROVED BY: | DATE:    |                |                                      |                 |      |  |  |
| the possibility of such loss or damage ansing) is excluded. This will not operate to limit<br>or restrict the Group's liability for death or personal injury resulting from its negligence.<br>MULTICOMP is the registered trademark of the Group. © Premier Farnell plc 2004. |                                 | NK           | 14/06/05 | SCALE: NTS     | U.O.M.: mm (Inches)                  | SHEET: 1 O      | )F 3 |  |  |

| multicomp | PART NO.     |       | REVISIONS |             |       |         |        |         |        |         |  |  |
|-----------|--------------|-------|-----------|-------------|-------|---------|--------|---------|--------|---------|--|--|
|           | 1AS1T2B4M7RE | ECN # | REV       | DESCRIPTION | DRAWN | DATE    | CHECKD | DATE    | APPRVD | DATE    |  |  |
|           |              | -     | А         | RELEASED    | Veena | 31/5/05 | Shashi | 31/5/05 | NK     | 14/6/05 |  |  |
|           |              |       |           |             |       |         |        |         |        |         |  |  |

# Specification Table

| Description                           | Туре | Lever Length | Part Number  |
|---------------------------------------|------|--------------|--------------|
| Type 2 - Horizontal Mounting - Sealed | SPDT | 6.46         | 1AS1T2B4M7RE |

Dimensions : Millimetres

| This data sheet and its contents (the "Information") belong to the Premier Farnell Group<br>(the "Group") or are licensed to it. No licence is granted for the use of it other than for   | TOLERANCES:      | DRAWN BY:    | DATE:    | DRAWING TITLE: |                                      |       |             |      |
|---|------------------|--------------|----------|----------------|--------------------------------------|-------|-------------|------|
| believed to be accurate but the Group assumes no responsibility for its accuracy or<br>completeness, any error in or omission from it or for any use made of it. Users of this<br>data sheet should check for themselves the Information and the suitability of the pro-<br>ucts for their purpose and not make any assumptions based on information included or<br>omitted. Liability for loss or damage resulting from any reliance on the Information or<br>use of it (including liability resulting from any reliance on the Information or<br>use of it) (including liability resulting from any reliance on the Information or<br>use of it) (including liability resulting from any reliance on the Information or<br>use of it) (including liability resulting from any reliance on the Information or<br>use of it) (including liability resulting from any reliance on the Information or<br>use of it) (including liability resulting from any reliance on the Information or<br>use of it) (including liability resulting from any reliance on the Information or<br>use of it) (including liability resulting from any reliance on the Information or<br>use of it) (including liability resulting from any reliance on the Information or<br>use of it) (including liability resulting from any reliance on the Information or<br>use of it) (including liability resulting from any reliance on the Information or<br>use of it) (including liability resulting from any reliance on the Information or<br>use of it) (including liability resulting from any reliance on the Information or<br>use of it) (including liability resulting from any reliance on the Information or<br>use of it) (including liability resulting from any reliance on the Information or<br>use of it) (including liability resulting from any reliance on the Information or<br>use of it) (including liability resulting from any reliance or the or | UNLESS OTHERWISE | Veena        | 31/05/05 |                | Miniature PCB Mounting Toggle Switch |       |             |      |
|   |                  | CHECKED BY:  | DATE:    | SIZE DWG NO.   |                                      | ELECT | TRONIC FILE | REV  |
|   |                  | Shashi       | 31/05/05 | Δ              | M100000155                           |       | 58 DWG      |      |
|   |                  | APPROVED BY: | DATE:    |                |                                      |       | _           |      |
| the possibility of such loss or damage arising) is excluded. This will not operate to limit<br>or restrict the Group's liability for death or personal injury resulting from its negligence.<br>MULTICOMP is the registered trademark of the Group. © Premier Farnell plc 2004.   |                  | NK           | 14/06/05 | SCALE: NTS     | U.O.M.: mm (Inches)                  |       | SHEET: 2 C  | )F 3 |

| multicomp | PART NO.     |       |     | REVISIONS   |       |         |        |         |        |         |
|-----------|--------------|-------|-----|-------------|-------|---------|--------|---------|--------|---------|
|           | ſ            | ECN # | REV | DESCRIPTION | DRAWN | DATE    | CHECKD | DATE    | APPRVD | DATE    |
|           | 1AS1T2B4M7RE | -     | А   | RELEASED    | Veena | 31/5/05 | Shashi | 31/5/05 | NK     | 14/6/05 |
|           |              |       |     |             |       |         |        |         |        |         |

Notes:

#### International Sales Offices:

|            | IA – Farnell InOne                                     | GERM/   | NY – Farnell InOne                | SINGAPORE –<br>Farnell-Newark InOne   |
|------------|--|---------|-----------------------------------|---------------------------------------|
| Tel No: ++ | ⊦ 61 2 9645 8888                                       |         | ++ 49 89 61 39 39 3               | <sup>39</sup> Tel No: ++ 65 6788 0200 |
| Fax No: +- | ⊦ 61 2 9644 7898                                       | Fax No: | ++ 49 89 613 59 01                | Fax No: ++ 65 6788 0300               |
| AUSTRIA    | – Farnell InOne  | HONG    |                                   | SPAIN – Farnell InOne                 |
| Tel No: +- | + 43 662 2180 680                                      |         | lewark InOne<br>++ 852 2268 9888  | Tel No: ++ 34 93 475 880              |
| Fax No: +- | ⊧ 43 662 2180 670                                      |         | ++ 852 2268 9899                  | Fax No: ++ 34 93 474 510              |
| BELGIUM    | – Farnell InOne  | IRELAN  | <b>D</b> – Farnell InOne          | SWEDEN – Farnell InOne                |
| Tel No: +- | + 32 3 475 2810  | Tel No: | ++ 353 1 830 9277                 | Tel No: ++ 46 8 730 50 00             |
| Fax No: ++ | + 32 3 227 3648  | Fax No: | ++ 353 1 830 9016                 | Fax No: ++ 46 8 83 52 62              |
| BRAZIL -   | Farnell-Newark InOne                                   | ITALY - | Farnell InOne                     | SWITZERLAND - Farnell                 |
| Tel No: +- | ⊧ 55 11 4066 9400                                      | Tel No: | ++ 39 02 93 995 20                | 0 Tel No: ++ 41 1 204 64 64           |
| Fax No: +- | ⊧ 55 11 4066 9410                                      | Fax No: | ++ 39 02 93 995 30                | 0 Fax No: ++ 41 1 204 64 54           |
| CHINA - F  | arnell-Newark InOne                                    | MALAY   |                                   | UK – Farnell InOne                    |
| Tel No: +- | ⊦86 10 6238 5152                                       |         | lewark InOne<br>++ 60 3 7873 8000 | Tel No: ++ 44 8701 200 2              |
| Fax No: +- | ⊧86 10 6238 5022                                       |         | ++ 60 3 7873 8000                 | Fax No: ++ 44 8701 200 2              |
| DENMAR     | K – Farnell InOne                                      | NETHER  | LANDS – Farnell Ind               | Dne UK – BuckHickman InC              |
| Tel No: ++ | + 45 44 53 66 44                                       | Tel No: | ++ 31 30 241 7373                 | ++ 44 8450 510 150                    |
| Fax No: ++ | + 45 44 53 66 06                                       | Fax No: | ++ 31 30 241 7333                 | ++ 44 8450 510 130                    |
| ESTONIA    | – Farnell InOne  | NEW ZE  | ALAND – Farnell In                | One UK - CPC                          |
| Tel No: +- | - 358 9 560 7780                                       | Tel No: | ++ 64 9 357 0646                  | ++ 44 8701 202 530                    |
| Fax No: +- | ⊦ 358 9 345 5411                                       | Fax No: | ++ 64 9 357 0656                  | ++ 44 8701 202 531                    |
| FINLAND    | – Farnell InOne  | NORW    | Y – Farnell InOne                 |                                       |
| Tel No: ++ | ⊧ 358 9 560 7780                                       | Tel No: | ++ 45 44 53 66 66                 |                                       |
| Fax No: ++ | ⊧ 358 9 345 5411                                       | Fax No: | ++ 45 44 53 66 02                 |                                       |
|            |  | PORTU   | GAL – Farnell InOn                | e                                     |
| FRANCE     |  | Tel Ne: | ++ 34 93 475 8804                 |                                       |
|            | + 33 474 68 99 99                                      | Ter NO. |                                   |                                       |
| Tel No: +- |  |         | ++ 34 93 474 5288                 |                                       |
| Tel No: +- | ⊧ 33 474 68 99 99<br>⊧ 33 474 68 99 90                 | Fax No: |                                   | /www.farnellinone.com                 |
| Tel No: +- | + 33 474 68 99 99<br>+ 33 474 68 99 90<br>EXPORT - Far | Fax No: | http:/                            | /www.farnellinone.com                 |

For enquiries from all other markets

http://www.cpc.co.uk

| This data sheet and its contents (the "Information") belong to the Premier Farnell Group<br>(the "Group") or are licensed to it. No licence is granted for the use of it other than for   | TOLERANCES:                     | DRAWN BY:    | DATE:    | DRAWING TITLE: |                     |                    |      |
|---|---------------------------------|--------------|----------|----------------|---------------------|--------------------|------|
| information purposes in connection with the products to which it relates. No licence<br>of any intellectual property rights is granted. The Information is subject to change with-<br>out notice and replaces all data sheets previously supplied. The Information supplied is<br>believed to be accurate but the Group assumes no responsibility for its accuracy or<br>completeness, any error in or or mission from it or for any use made of it. Users of this<br>data sheet should check for themselves the Information and the suitability of the prod-<br>ucts for their purpose and not make any assumptions based on information included or<br>omitted. Liability for loss or damage resulting from any reliance on the Information | UNLESS OTHERWISE                | Veena        | 31/05/05 |                | Miniature PCB Mou   | nting Toggle Swite | ch   |
|   | SPECIFIED,                      | CHECKED BY:  | DATE:    | SIZE DWG NO.   |                     | ELECTRONIC FILE    | REV  |
|   | DIMENSIONS ARE<br>FOR REFERENCE | Shashi       | 31/05/05 | Δ              | M100000155          | 39958 DWG          |      |
|   | PURPOSES ONLY.                  | APPROVED BY: | DATE:    |                |                     | _                  |      |
|   |                                 | NK           | 14/06/05 | SCALE: NTS     | U.O.M.: mm (Inches) | SHEET: 3 O         | 0F 3 |