
ALL RIGHTS RESERVED. NO PORTION OF THIS PUBLICATION, WHETHER IN WHOLE OR IN PART CAN BE REPRODUCED WITHOUT THE EXPRESS WRITTEN CONSENT OF SPC TECHNOLOGY.

REVISIONS				DOC. NO. SPC-F004 * Effective: 12/21/98 * DCP No: 680					
DCP #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE	
948	A	RELEASED	HYD	6/26/00	JC	11/22/00	סוכ	12/1/00	



SPECIFICATIONS:

1. Volts: 130

2. AMPS: 0.154

3. Watts: 20

4. Lumens: 90

5. Filament: C-8

6. Life: 5000 Hours

SPC-FOD4.DWG

JISCLADMENTS AND TECHNICAL INFORMATION CONTAINED HEREIN ARE BASED UPON INFORMATION AND/OR TESTS WE BELIEVE TO BE ACCURATE AND RELIABLE. SINCE CONDITIONS OF USE ARE BETOND OUR CONTROL. THE USER SHALL DETERMINE THE SUITABILITY OF THE PRODUCT FOR THE NIENDED USE AND ASSUME ALL RISK AND LIABILITY WHATSOEVER IN CONNECTION THEREWITH.				SPC TECHNOLOGY					
UNLESS OTHERWISE	DRAWN BY:	DATE:	DRAWNG TITLE: T 6- 1/2 DOUBLE CONTACT BAYONET BASE LAMP						
SPECIFIED,	HSHAM ODISH	6/26/00							
DIMENSIONS ARE	CHECKED BY:	DATE:	SIZE	DWG. NO.		ELEC	TRONIC FILE	REV	
FOR REFERENCE PURPOSES ONLY.	JOHN COLE	11/22/00	Α	20T6-1/2	DC/F-130V	1€	N7525.DWG	Α	
	APPROVED BY:	DATE:						- 4	
	DANIEL CAREY	12/1/00	SCAL	E: NTS	U.O.M.: INCHES		SHEET: 1 OF 1		