
ALL RIGHTS RESERVED. NO PORTION OF THIS PUBLICATION, WHETHER IN WHOLE OR IN PART CAN BE REPRODUCED WITHOUT THE EXPRESS WRITTEN CONSENT OF SPC TECHNOLOGY.

		REVISIONS	DOC. NO. SPC-FD04 * Effective: 12/21/98 * DCP No: 680					
DCP #	REV	DESCRIPTION		DATE	CHECKD	DATE	APPRVD	DATE
	В	REVISED & REDRAWN	J.C.	1/13/93			J.L.	
948	С	REDRAWN & UPDATED	HYO	6/28/00	JC	10/4/00	JC	10/4/00



## **SPECIFICATIONS:**

1. Volts: 1.2

2. AMPS: 0.22

3. Watts: 0.264

4. Filament: C-2R

5. Life: 5 Hours

SPC-FOD4.DWG

BISCLADIERS  ALL STATEMENTS AND TECHNICAL INFORMATION CONTAINED HEREIN ARE BASED UPON INFORMATION AND/OR TESTS WE BELIEVE TO BE ACCURATE AND RELIABLE. SINCE CONDITIONS OF USE ARE BEYOND DUR CONTROL, THE USER SHALL DETERMINE THE SUITABLITY OF THE PRODUCT FOR THE NIENDED USE AND ASSUME ALL RIBK AND LIABLITY WHATSOEVER IN CONNECTION THEREWITH.				SPC TECHNOLOGY					
UNLESS OTHERWISE	DRAWN BY:	DATE:	DRAWING TITLE:						
SPECIFIED,	J.C.	1/13/93	TL-3 MINIATURE SCREW BASE LAMP						
DIMENSIONS ARE	CHECKED BY:	DATE:	SIZE	DWG. NO.		ELEC	TRONIC FILE	REV	
FOR REFERENCE PURPOSES ONLY.	J.P.	2/2/93	Α	1	12	50	N8072.DWG	С	
	APPROVED BY:	DATE:	~~~	- 100					
	J.L.	2/8/93	SCALI	E: NTS	U.O.M.: INCHES		SHEET: 1 DF	• 1	