

# LCD Colour Monitor



## Features:

- With TFT active matrix technology, offers a sharp and high contrast display.
- With metal case and front panel fixing holes which makes it ideal for recessed mounting.
- With universal application potential ideal for surveillance systems, reverse monitoring systems and multimedia video applications.
- An audio input also enables sound reception via headphones.

## Specifications:

High resolution : 112,320 pixels (480 x 234).  
Video system : PAL.  
Brightness : 250cd/m<sup>2</sup>.  
Contrast ratio : 150:1.

### Controls:

Front : Brightness, contrast and volume thumb wheel.  
Side : Picture reverse L/R and video1/2 switches.

Audio output via headphone socket on front cabinet.

Power source : 12V dc, 500mA, 5 watts approximately.  
Dimensions : (W) 155 x (H) 125 x (D) 36mm.

### Temperature:

Operating : +0°C to +60°C.  
Storage : -20°C to +80°C.

Finished in black.

### Connections:

Input : Video 1 and video 2 phono socket, audio phono socket.  
Output : Video phono socket, earphone 3.5mm stereo jack (2 x mono).

## Part Number Table

Description	Part Number
LCD Screen, 4 inches	LM412.

**Disclaimer** This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. SPC pro-SIGNAL is the registered trademark of the Group. © Premier Farnell plc 2009.