


Tous droits strictement réservés. Reproduction ou communication à des tiers
 sous quelque forme que ce soit sans autorisation écrite du propriétaire.
 FCI ELECTRONICS
 droits de reproduction FCI ELECTRONICS by

All rights strictly reserved. Reproduction or issue to third parties in any form
 without the prior written permission of FCI ELECTRONICS.
 FCI ELECTRONICS
 Copyright FCI ELECTRONICS by



SECTION A-A



mat'l code		tolerance unless otherwise specified		CUSTOMER COPY		 www.fciconnect.com		
rev.	ecn no.	dr	date	linear	.x±.3/.xx±.01	projection	 title B POS VERT. SNAP PEG P.C.B. III MOD JACK ASSY	
G	V61824	L	G 09/01/97	.xx±.13/.xx±.005	xxx±.051/.xxx±.002	 scale 3 : 1		
H	T80137	T	C 08/04/98	angles	ANGLE ±2'0"	unit	product family M-JACK	
J	T80175	T	C 08/05/98	dr	C L FENG 01/08/97	mm/inch	code	
K	T90098	T	C 15/03/99	enr	TONY CHIEN 01/08/97	size	TWN	
L	S00022	B	L 28/01/00	chr	TONY CHIEN 01/08/97	dwg no.	1 OF 2	
M	T00202	M	W 07/04/00	appd	JENN TSAO 01/08/97	90598		
sheet revision		M	M					
index	sheet	1	2					

Tous droits strictement réservés. Reproduction ou communication o des tiers est
 interdite sans la permission écrite de FCI Electronics.
 All rights strictly reserved. Reproduction or communication o des tiers est
 interdite sans la permission écrite de FCI Electronics.
 Property of FCI Electronics. All rights reserved.
 Droits de reproduction FCI ELECTRONICS by

All rights strictly reserved. Reproduction or issue to third parties in any for
 whatever is not permitted without written authority from the proprietor.
 Property of FCI Electronics. All rights reserved.
 Copyright FCI ELECTRONICS by

PRODUCT NO.	POSITIONS LOADED	CONTACT PLATING	MOUNTING EARS
90598-001	ALL	30u" / ,76u GXT	Y
-002	2,3,4,5,6,7	30u" / ,76u GXT	Y
-003	ALL	30u" / ,76u Au	Y
-004	ALL	50u" / 1,27u Au	Y
-005	1,2,7,8	30u" / ,76u GXT	Y
-006	ALL	30u" / ,76u GXT	N
-007	ALL	50u" / 1,27u Au	N
-008	ALL	30u" / ,76u Au	N
-009	2-7	30u" / ,76u GXT	N
-010	2-7	30u" / ,76u Au	N

PRODUCT NO.	POSITIONS LOADED	CONTACT PLATING	MOUNTING EARS
90598-101	ALL	30u" / ,76u GXT	Y
-102	2,3,4,5,6,7	30u" / ,76u GXT	Y
-103	ALL	30u" / ,76u Au	Y
-104	ALL	50u" / 1,27u Au	Y
-105	1,2,7,8	30u" / ,76u GXT	Y
-106	ALL	30u" / ,76u GXT	N



NOTES :

- 1 P/NO WITH DASH 0XX -NOTMAL WAVE SOLDERING APPLICATION.
P/NO WITH DASH 1XX -1R REFLOW APPLICATION.
- 2 PACKAGING SPEC. BUS-14-164.
- ③ SCRATCH MARKS ACCEPTABLE ON THESE SURFACES.
- 4 JACK IS FOR 1,57/,062 THICK PCB.
- ⑤ SHOULD THE JACK NEED TO BE DISMOUNTED FROM THE PCB, PLS REMOVE JACK AS PER RECOMMENDED METHOD HEREIN. (DETAIL A) NIPPING THE LEGS OF THE PEG TOGETHER IS DISALLOWED, OTHERWISE LEG BREAKAGE MAY OCCUR.
- ⑥ THESE DIMENSIONS ARE TAKEN FROM THE TOP OF THE PEG.
- 7 GXT IS 0,76um / 30u" MIN GXT WITH Au FLASH OVER 1,27 um / 50u" MIN Ni.
- ⑧ MOUNTING EARS OPTIONAL. REFER TO TABLE

mat'l code		tolerance unless otherwise specified		CUSTOMER COPY		 FCI www.fciconnect.com	
rev.	ecn no.	dr	date	linear	.xx±.13/.xx±.005	projection	title
M				angles	xxx±.051/xxxx±.002		8 POS VERT. SNAP PEG P.C.B. III MOD JACK ASSY
				dr	C L FENG 01/08/97	unit	product family
				enqr	TONY CHIEN 01/08/97	mm/inch	M-JACK
				chr	TONY CHIEN 01/08/97	scale	code
				appd	JENN TSAO 01/08/97	3 : 1	TWN
sheet	revision					size	dwg no.
index	sheet					A3	90598
							sheet
							2 OF 2