

Vermason		Product Information	No: PIS 044	
	Page 1 of 1	Issue No 5	Date 10 October 2002	Approved by

PERSONAL OPERATOR PAD

Code J0425/J0426/J0420
FEC Part No: 738669/738670

Description

Personal operator pads are used to protect conductive hard laminate work surfaces and to reduce operator fatigue and damage to components from working on a hard surface. Cut from a single layer foamed PVC material, the pads are grey and will lay flat, with a non-glare, easy to clean surface. They are approximately 6 mm thick. The chief electrical properties are volume resistivity of $< 10^{10}$ ohm and the point to point resistance of 10^8 to 10^{10} ohm.

FEC	Vermason	
738669	J0425	Mat 450 x 380mm
738670	J0426	Mat 600 x 450mm

Specification

Surface resistance	$< 10^{10}$ ohms / square
Surface resistance (when used in conjunction with a dissipative worktop)	10^9 ohms / square
Density	260 - 290 Kgs / m ³
Thickness	6mm + / - 10%
Colour	Light grey
Elongation	150%
Compression set	10% (max)
Water absorption	8 - 10%
Cold flex	Pass -30°C
Fire rating	Self-extinguishing
Temperature	-50°C to +60°C
Chemical composition	Good resistance to acids, mineral oil, alcohol, alkalis, petrol, soap and detergents

For further information, please contact
Vermason Ltd, 1 Avenue One, Letchworth, Hertfordshire SG6 2HB
 Tel: +44(0)1462 672005 Fax: +44(0)1462 670440
 e-mail : sales@vermason.co.uk
www.vermason.co.uk