


| REVISIONS | | | DOC. NO. SPC-F005, Total Pages: 2 Effective: 7/15/97. DCP No: 229 Supersedes DCP No: 103 | | | | | |
|-----------|-----|-------------|---|---------|--------|----------|--------|---------|
| DCP # | REV | DESCRIPTION | DRAWN | DATE | CHECKD | DATE | APPRVD | DATE |
| 522 | A | Released | J.W.M. | 11/4/98 | JC | 11/30/98 | DJC | 12/7/98 |
| | | | | | | | | |



Wiring:

| DIN 5F | MINI DIN 6M |
|------------|-------------|
| 1 ----- | 5 |
| 2 ----- | 1 |
| 3 Not used | |
| 4 ----- | 3 |
| 5 ----- | 4 |
| S ----- | S |
| | 2 Not Used |
| | 6 Not Used |

Material:
Body: PVC, Beige Color, Molding type
Insulator: PBT, UL 94V-0
Contact: 5P DIN Socket, Brass-Tin Plated
6P Mini DIN Plug, Brass-Nickel Plated

| | | | | | |
|---|---------------|---------------------|--------------------|---------------|-----------------|
| <small>DISCLAIMER: ALL STATEMENTS AND TECHNICAL INFORMATION CONTAINED HEREIN ARE BASED UPON INFORMATION AND/OR TESTS WE BELIEVE TO BE ACCURATE AND RELIABLE. SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL, THE USER SHALL DETERMINE THE SUITABILITY OF THE PRODUCT FOR THE INTENDED USE AND ASSUME ALL RISK AND LIABILITY WHATSOEVER IN CONNECTION THEREWITH.</small> | | | | | |
| Tolerances Unless Otherwise Specified: .X = ±0.2 .XX = ±0.12 | DRAWN BY: | DATE: | DRAWING TITLE: | | |
| | Jeff McVicker | 11/4/98 | DIN 5F/MINI DIN 6M | | |
| | CHECKED BY: | DATE: | SIZE | DWG. NO. | ELECTRONIC FILE |
| | John Cole | 11/30/98 | A | 3369 | 84N1049.dwg |
| | APPROVED BY: | DATE: | REV | | |
| | Daniel Carey | 12/7/98 | A | | |
| SCALE: NTS | | U.O.M.: Millimeters | | SHEET: 1 OF 1 | |