Wera Werk
Hermann Werner GmbH & Co. KG
Korzerter Straße 21-25
42349 Wuppertal
Germany

Phone: +49 (0)2 02 - 40 45 - 322
Fax: +49 (0)2 02 - 40 36 34
E-Mail: info@wera.de
Internet: www.wera.de
www.weratools.com

GB 500 160 • 0806 • 10 • Printed in Germany

The Best Tools For The Job.

The solution

for stainless steel screw applications

Kraftform® Stainless

- Prevents extraneous rust risk
- Vacuum ice-hardened
- 100% shop floor-proof
- Safe and efficient

The Best Tools For The Job.

Wera

The success of a beautiful material

Stainless steel keeps rust at bay

Versatile
The demand for stainless steel products is growing steadily. Windows and doors, sinks and fittings, balconies and patios, fences and façades:
Stainless steel is used in almost all aspects of interior design and architecture.

Advantageous
Stainless steel is versatile, beautiful and perfectly suited to the design of sophisticated objects. The properties of stainless steel allow the material to demonstrate its advantages even under difficult conditions.

Permanently rust-free
Stainless steel is corrosion-resistant, which makes it an ideal material for a wide range of applications. One of the special features of stainless steel is its ability to "heal itself". If the surface is damaged it regenerates itself when exposed to oxygen thus making the material permanently corrosion-resistant.

- **Resistance to corrosion**
- **High quality**
- **Versatility**
- **Durability**

EDELSTAHL® Rost frei INOX STAINLESS STEEL

Keeping stainless steel rust-free

How does rust occur on stainless steel?
How does rust occur on stainless steel? Stainless steel is corrosion-resistant. However, extraneous rust can occur if stainless steel is handled incorrectly. The results are visual damage and functional loss up to pitting corrosion. So the product advantages are lost. In a worst-case scenario this could lead to serious safety defects, complaints and extra costs.

What causes extraneous rust?
Extraneous rust is caused by tools made from conventional steel. Even the hardest tools produce wear debris that leaves adhesive steel particles on the stainless steel surface. These particles turn to rust when exposed to oxygen..

How can extraneous rust be prevented?
Extraneous rust can be prevented by using stainless steel tools. Stainless steel requires stainless steel tools. This is the only way of avoiding wear debris produced by conventional tools, which causes extraneous rust. Stainless steel tools should be stored separately from conventional tools and only be used for stainless steel screws.

Are stainless steel tools suitable for the shop floor?
Wera developed a special production process to ensure that Wera stainless steel tools meet the same hardness requirements as conventional tools. The tools are vacuum ice-hardened to give them the hardness required for industrial applications. The result: Better tools – made from stainless steel for stainless steel.



The Best Tools For The Job.

Wera

Wera Stainless Tools

The stainless steel range

Stainless steel in Wera quality
The Wera stainless steel range combines the advantages of stainless steel with the excellent properties of Wera products and thus offers the best tools for the job.

Wera stainless steel tools:

- **Kraftform® stainless screwdriver**
- **Stainless L-keys**
- **Stainless bits**
- **Rapidaptor® Stainless**



The advantages of better tools for the job

Anti-extraneous rust: Wera stainless screwdrivers produce no wear debris that could cause extraneous rust. Stainless steel screws and surfaces stay rust-free.

100% shop floor-proof: The Wera vacuum ice-hardening process gives the tool the required toughness and wear resistance for heavy-duty industrial applications.

Efficiency: The risk of extraneous rust can be minimised only by using stainless steel tools when tightening and loosening stainless steel screws. Subsequent damage and costs are prevented.

Additional advantages of the Kraftform® stainless screwdriver

Kraftform® handle

Lasertip® blade

Kraftform® handle: Ergonomically shaped, lightweight, multi-component: This handle offers great efficiency with less effort.

Secure hold: The micro-rough Lasertip® drive end ensures a firm hold in the screw and prevents accidental slipping out of the screw head.


Anti-extraneous rust


Vacuum ice-hardening


Efficiency


Security

The Best Tools For The Job.

Wera

The stainless steel range

3334 Screwdriver for slotted screws

Application: For slotted screws
Blade: Round, stainless steel
Tip: DIN 5264-A, ISO 2380, Lasertip®
Handle: Kraftform® with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	inch	inch	
05**032005**001	1.2	6.5	6.0	150	105	1/4	5	10
05**032006**001	1.2	8.0	7.0	175	112	5/16	7	10
05**032007**001	1.6	10.0	9.0	200	112	3/8	8	5

3335 Screwdriver for slotted screws

Application: For slotted screws
Blade: Round, stainless steel
Tip: DIN 5264-A, ISO 2380, Lasertip®
Handle: Kraftform® with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	inch	inch	
05**032001**001 [1]	0.5	3.0	3.0	80	81	1/8	3 1/8	10
05**032002**001	0.6	3.5	3.5	100	81	9/64	4	10
05**032003**001	0.8	4.0	4.0	100	98	5/32	4	10
05**032004**001	1.0	5.5	5.5	125	98	7/32	5	10

[1] no Lasertip®

3350 PH Screwdriver for Phillips screws

Application: For Phillips screws
Blade: Round, stainless steel
Tip: DIN 5260-PH, ISO 8764-PH, Lasertip®, Black Point
Handle: Kraftform® with anti-roll protection, multi-component

Code		mm	mm	mm	inch	
05**032020**001 [1]	PH 0	60	81	3.0	2 3/8	5
05**032021**001	PH 1	80	98	4.5	3 1/8	10
05**032022**001	PH 2	100	105	6.0	4	10
05**032023**001	PH 3	150	112	8.0	6	5

[1] no Lasertip®

3355 PZ Screwdriver for Pozidriv screws

Application: Suitable for Pozidriv*-screw
Blade: Round, stainless steel
Tip: ISO 8764-PZ, Lasertip®
Handle: Kraftform® with anti-roll protection, multi-component

Code		mm	mm	mm	inch	
05**032030**001 [1]	PZ 0	60	81	3.0	2 3/8	5
05**032031**001	PZ 1	80	98	4.5	3 1/8	10
05**032032**001	PZ 2	100	105	6.0	4	10
05**032033**001	PZ 3	150	112	8.0	6	5

*) Pozidriv = reg. trademark of European Industrial Service Ltd.
[1] no Lasertip®

3367 Screwdriver for TORX® screws

Application: For TORX® socket screws
Blade: Round, stainless steel
Tip: TORX®
Handle: Kraftform® with anti-roll protection, multi-component

Code		mm	mm	mm	inch	
05**032050**001	TX 8	60	81	3.5	2 3/8	10
05**032051**001	TX 9	60	81	4.0	2 3/8	10
05**032052**001	TX 10	80	81	4.0	3 1/8	10
05**032053**001	TX 15	80	98	4.0	3 1/8	10
05**032054**001	TX 20	100	98	4.5	4	10
05**032055**001	TX 25	100	105	5.0	4	10
05**032056**001	TX 27	115	105	5.5	4 9/16	10
05**032057**001	TX 30	115	105	6.0	4 9/16	10
05**032058**001	TX 40	130	112	7.0	5 3/16	10

3334/6 Screwdriver Set + rack

Application: For slotted and Phillips screws
Content: 6 pieces set in display carton + rack

Code			
05**032060**001	**3334**	1 x 1.2 x 6.5 x 150	1
	3335	1 x 0.5 x 3.0 x 80; 1 x 0.8 x 4.0 x 100; 1 x 1.0 x 5.5 x 125	
	3350 PH	1 x PH 1 x 80; 1 x PH 2 x 100	

3334/3355/6 Screwdriver Set + rack

Application: For slotted, Phillips and Pozidriv*) screws
Content: 6 pieces set in display carton + rack

Code			
05**032061**001	**3334**	1 x 1.2 x 6.5 x 150	1
	3335	1 x 0.5 x 3.0 x 80; 1 x 0.8 x 4.0 x 100; 1 x 1.0 x 5.5 x 125	
	3355 PZ	1 x PZ 1 x 80; 1 x PZ 2 x 100	

*) Pozidriv = reg. trademark of European Industrial Service Ltd.

3334/3350/3355/6 Screwdriver Set + rack

Application: For slotted, Phillips and Pozidriv*) screws
Content: 6 pieces set in display carton + rack

Code			
05**032063**001	**3334**	1 x 1 .2 x 6.5 x 150	1
	3335	1 x 0.5 x 3.0 x 80	
	3350 PH	1 x PH 1 x 80; 1 x PH 2 x 100	
	3355 PZ	1 x PZ 1 x 80; 1 x PZ 2 x 100	

*) Pozidriv = reg. trademark of European Industrial Service Ltd.

The stainless steel range

3367/3355/6 Screwdriver Set + rack

Rost frei · Lasertip®

Application: TORX® and Pozidriv*-screws
Content: 6 pieces set in display carton + rack

Code			
05**032062**001	**3355 PZ**	1 x PZ 1 x 80; 1 x PZ 2 x 100	1
	3367 TORX®	1 x TX 10 x 80; 1 x TX 15 x 80; 1 x TX 20 x 100; 1 x TX 25 x 100	

*) Pozidriv = marca registrada de European Industrial Service Ltd.

3800/1 Bits for slotted screws

Rost frei · TORSION

Application: For slotted screws
Drive: 1/4" - hexagon, DIN 3126-C 6,3, ISO 1173
Tip: DIN 5264-C, ISO 2380, stainless steel

Code	mm	mm	mm	inch	
05**071000**001	0.8	5.5	25	1	10
05**071001**001	1.0	5.5	25	1	10
05**071002**001	1.2	6.5	25	1	10

3851/1 TS Bits

Rost frei · TORSION

Application: For Phillips screws
Drive: 1/4" - hexagon, DIN 3126-C 6,3, ISO 1173
Tip: DIN 5260-PH, ISO 8764-PH, stainless steel

Code		mm	inch	
05**071010**001	PH 1	25	1	10
05**071011**001	PH 2	25	1	10
05**071012**001	PH 3	25	1	10

3855/1 TS Bits

Rost frei · TORSION

Application: Suitable for Pozidriv*-screws
Drive: 1/4" - hexagon, DIN 3126-C 6,3, ISO 1173
Tip: DIN 5260-PZ, ISO 8764-PZ, stainless steel

Code		mm	inch	
05**071020**001	PZ 1	25	1	10
05**071021**001	PZ 2	25	1	10
05**071022**001	PZ 3	25	1	10

*) Pozidriv = marca registrada de European Industrial Service Ltd.

3840/1 TS Bits

Rost frei · TORSION · Hex-Plus®

Application: For hexagon socket screws
Drive: 1/4" - hexagon, DIN 3126-C 6,3, ISO 1173
Tip: Hex-Plus, similar to ISO 2936, stainless steel

Code	mm	mm	inch	
05**071070**001	1.5	25	1	10
05**071071**001	2.0	25	1	10
05**071072**001	2.5	25	1	10
05**071073**001	3.0	25	1	10
05**071074**001	4.0	25	1	10
05**071075**001	5.0	25	1	10
05**071076**001	6.0	25	1	10

3867/1 TS TORX® Bits

Rost frei · TORSION

Application: For TORX® socket screws
Drive: 1/4" - hexagon, DIN 3126-C 6,3, ISO 1173
Tip: TORX®

Code		mm	inch	
05**071030**001	TX 8	25	1	10
05**071031**001	TX 9	25	1	10
05**071032**001	TX 10	25	1	10
05**071033**001	TX 15	25	1	10
05**071034**001	TX 20	25	1	10
05**071035**001	TX 25	25	1	10
05**071036**001	TX 27	25	1	10
05**071037**001	TX 30	25	1	10
05**071038**001	TX 40	25	1	10

The stainless steel range

3867/1 TZA TORX® Bits with central pin

TORSION

Application: For TORX® with bore hole
Drive: 1/4" - hexagon, DIN 3126-E 6,3, ISO 1173, ISO 1173
Tip: TORX® with central pin, stainless steel

Code		mm	inch	
05**071050**001	TX 10	25	1	10
05**071051**001	TX 15	25	1	10
05**071052**001	TX 20	25	1	10
05**071053**001	TX 25	25	1	10
05**071054**001	TX 30	25	1	10
05**071055**001	TX 40	25	1	10

BC 10/9 Bit-Check®

1 Bit holder Rapidaptor® 3888/4/1 K stainless steel, with quick-release chuck to suit most popular power tools or for use in electronic drills.

Code				
05**071110**001		**3888/4/1 K**	1 x 1/4" x 50	1
		3851/1 TS PH	1 x PH 2 x 25	
		3855/1 TS PZ	1 x PZ 1 x 25; 2 x PZ 2 x 25	
		3867/1 TS TORX®	1 x TX 10 x 25; 1 x TX 15 x 25; 1 x TX 20 x 25; 1 x TX 25 x 25; 1 x TX 30 x 25	

BC 11/9 Bit-Check®

1 Bit holder Rapidaptor® 3888/4/1 K stainless steel, with quick-release chuck to suit most popular power tools or for use in electronic drills.

Code				
05**071112**001		**3888/4/1 K**	1 x 1/4" x 50	1
		3851/1 TS PH	2 x PH 1 x 25; 2 x PH 2 x 25; 1 x PH 3 x 25	
		3840/1 TS	1 x 2.5 x 25; 1 x 3.0 x 25; 1 x 4 .0 x 25; 1 x 5.0 x 25	

BC 12/9 Bit-Check®

1 Bit holder Rapidaptor® 3888/4/1 K stainless steel, with quick-release chuck to suit most popular power tools or for use in electronic drills.

Code				
05**071111**001		**3888/4/1 K**	1 x 1/4" x 50	1
		3867/1 ZA TORX®	1 x TX 10 x 25; 1 x TX 15 x 25; 1 x TX 20 x 25; 1 x TX 25 x 25; 1 x TX 30 x 25; 1 x TX 40 x 25;	
		3855/1 TS PZ	1 x PZ 1 x 25; 1 x PZ 2 x 25; 1 x PZ 3 x 25	

3950 PKL Long Arm Ballpoint Hex Key, metric

Hex-Plus®

Application: For hexagon socket screws
Blade: Stainless steel
Tip: Hex-Plus, similar to ISO 2936, ballpoint hexagon on long arm

Code	mm	mm	mm	inch	inch	
05**022700**001	1.5	50	14	2	9/16	10
05**022701**001	2	100	16	4	5/8	10
05**022702**001	2.5	112	18	4 7/16	23/32	10
05**022703**001	3	126	20	5	25/32	10
05**022704**001	4	140	25	5 1/2	1	10
05**022705**001	5	160	28	6 5/16	1	10
05**022706**001	6	180	32	7 1/16	1 1/14	10
05**022708**00	8	200	36	8	1 7/16	10
05**022709**001	10	219	40	8 11/16	1 9/16	10

3950/9 PKL Hex Key Set

Metric, 9 pieces in rubber clip

Code			
05**022720**001	**3950 PKL**	1 x 1.5 x 50; 1 x 2 x 100; 1 x 2.5 x 112; 1 x 3 x 126; 1 x 4 x 140; 1 x 5 x 160; 1 x 6 x 180; 1 x 8x200; 1 x 10 x 219	1

3888/4/1 K Rapidaptor® Universal Bit Holder C+E 6, 3

with quick-release chuck, fits for Bits Wera series 1 and 4

Drive: DIN 3126-D 6,3, F 6,3
Tip: DIN 3126-E 6,3

Code	inch	mm	inch	inch	mm	
05**071100**001	1/4	50	2	1/4	15.0	5

The Best Tools For The Job.

Wera